



Nursery Stock Catalog



2258 Shirley Road | North Collins, NY 14111
P: 716-337-2608 | Facebook: W&J Awald Farms, Inc.
Email: wnjawald@roadrunner.com | Website: wnjawaldfarmsinc.com



2258 Shirley Road | North Collins, NY 14111

P: 716-337-2608 | Facebook: W&J Awald Farms, Inc.

Email: wnjawald@roadrunner.com | Website: wnjawaldfarmsinc.com

At W&J Awald Farms Inc. we take pride in growing premium quality nursery stock for commercial growers and home gardeners alike. Enclosed, please find our pricelists, including pricing for volume discount customers. To place an order give us a call at 716-337-2608 or order online.

Started in 1914 by E.P. Geiger, (Wes's great grandfather) and his sons, the farm has been a labor of love passed down through the generations. We continue to expand our offerings to you, our loyal customers; from red and black raspberries to blackberries, currants and grapevines, you can always expect quality plants, excellent customer service and knowledgeable advice from a family of fourth-generation growers.

All of our stock is state inspected and graded to meet the standards set by American Standard for Nursery stock, published by the American Association of Nurserymen in Washington, DC.

Sincerely,
Wesley & Jamie Awald



Call us today to place your order!

We take pride in the fact that we answer all customer inquiries promptly and personally. Call us today at 716-337-2608 to place your order or for more information on any of our plants or order online.

Plant Grades

As an W&J Awald Farms Inc. customer you can always expect quality, healthy plants that meet or exceed your expectations. That's because all of our nursery stock is graded using the A.A.N. standards as our minimum grading standards, as described below.

Blackberries and Raspberries

2 YR. NO. 1 – Transplanted, 1/4" and up in caliper at collar with 12" of top

1 YR. NO. 1 – Sucker, 3/16" and up in caliper at collar with 10" of top

Currants

1 YR. NO. 1 – 12" and up in height with two or more branches

Grapevines - Own Root

1 YR. NO. 1 – One year old vine with 6-11" of top growth



Raspberries Bare Root



Grapevines Bare Root



**ORDER
ONLINE**

Place your order online at:

wnjawaldfarmsinc.com

or Call Us at:

716-337-2608

November 1st - May 31st

Planting Guidelines

Following these simple guidelines will help ensure that your new plants flourish and grow. Also be sure to consult our planting zone map on pages 14 and 15 to make sure the plants you're buying will grow in your area, and that you're planting during the correct months of the year for your climate and location.

ROTATE YOUR CROPS. Avoid planting in soils where previous crops have been grown such as: strawberries, raspberries, potatoes, tomatoes, eggplants or peppers. These crops may harbor soil pathogens and nematodes that could negatively affect your new plants. Also, do not plant near wild plants or plants whose origins are unknown.

KNOW YOUR pH. Nutrient and pH requirements are not the same for all plants. Have your soil tested before planting to find out your current soil pH and fertility. Contact your local Cooperative Extension office for information on taking soil samples and for assistance in interpreting test results.

PLANT IN A SUNNY, WEED-FREE LOCATION. Plants should have at least a half-day of sunlight exposure and early morning sun is preferred. Be sure to keep your plantings weed-free.

PLANT IN WELL DRAINED SOIL. Our plants grow well in a wide variety of soils, but its best to have at least 2%-3% organic matter. If the soil is not well drained, planting in raised beds may be necessary.

PREPARE YOUR PLANTING LOCATION. It is best to have the site prepared and ready for planting prior to receipt of your plants so that you can plant them upon arrival.

PLANT AT THE CORRECT DEPTH. Plants will fail to flourish if planted too deep or too shallow, and if soil is not pressed firmly around the roots. Never cut the roots of your plants – plant them all. Feel free to call us or your local Cooperative Extension office if you have planting questions.

WATER YOUR PLANTS PROPERLY. Maintaining moisture levels throughout the season and especially when plants are establishing themselves is important. If you plant in raised beds, provide drip irrigation as overhead irrigation will not be sufficient. Natural rains are great for helping to get your plants off to the best start. Plants should receive 1"-3" of water each week. Water 1-3 times per week rather than every day.

AVOID FERTILIZER BURN by fertilizing only after your plants are well established.

Plant Varieties

BLACK RASPBERRIES



Bristol (Early-Season)

This all-purpose fruit is large, firm and gorgeous. Vigorous, upright canes do not require staking. Cold-tolerant. Ripens in July. Self-pollinating. Bristol's upright growth and cluster formation make its berries extremely easy to pick. Firm berries can be handled without bleeding. Bristol shows tolerance to powdery mildew. Zone 3-8



Jewel (Mid-Season)

Plants are vigorous, erect, hardy, consistently productive. Fruit ripens in mid-season, large, glossy, good quality, and firm. Fruit exhibits concentrated ripening and most of the crop can be picked in two to three pickings. Consistent good performance. Jewel's rich flavor makes it an excellent choice for use in jams and jellies. Zone 4-8



MacBlack (Late-Season)

Mac Black is a late-season variety that will extend the black raspberry season. Ripening after Jewel, Mac Black berries have excellent flavor, good size and production and are large and firm. Mac Black will benefit from a trellis system. Zone 4-8

Black Raspberry Nutritional Facts:

Black raspberries are the "king of berries" in terms of health benefits. Not only are they rich in Vitamin C and fiber, but filled with antioxidants.

To place your order, Call us at 716-337-2608
or go online at wnjawaldfarmsinc.com

BLACKBERRIES



Arapaho (Early-Season)

Arapaho is the earliest ripening thornless variety. Tall, erect canes yield extra tasty blackberries with exceptionally small seeds. They send up new canes from the roots to increase productivity. Ripening in mid June, these self-pollinating plants with good fruit quality are able to establish a full fruiting row quickly. Zone 5-8



Chester (Late Mid-Season)

Considered one of the more winter hardy and productive thornless varieties available, Chester produces large, high-quality fruit that ripens in early to mid-August. Fruit has good flavor and does not soften or lose its shiny black color in hot weather. Chester plants are vigorous and show resistance to cane blight. Zone 5-8



Natchez (Early-Season)

Natchez is a new release from the University of Arkansas breeding program. This is the earliest ripening thornless variety with very high production potentials. Very large and good tasting berries can be harvested during a 3-5 week season. Due to its semi-erect growth habit, Natchez performs best with a trellis. Zone 6-8



Triple Crown (Late Mid-Season)

Triple Crown is named for its three attributes; flavor, productivity and vigor. This very hardy variety offers two other attributes; disease resistance and very large berries. The thornless blackberry ripens for about one month from end of July thru August. Semi-erect, the canes can be trellised or pruned in summer to an easy picking height. Zone 5-8

RED RASPBERRIES

EARLY-SEASON



Prelude (11747) (Early-Season)

Recently released by Cornell, Prelude is the earliest ripening summer red raspberry, ripening in mid-June under New York growing conditions. Although Prelude is also fall bearing it produces the biggest portion of it's crop in the spring. Winter hardy and vigorous, its berries are round conic, coherent and have very good flavor. Zone 3-8



Boyne (Early-Season)

Boyne is an early season variety that is extremely winter hardy. It consistently produces deep-red, medium-sized berries. The medium-sweet, aromatic flavor makes it great for freezing and jam. It will grow where other varieties experience winter injury damage to the canes. Zone 3-8

MID-SEASON



Latham (Mid-Season)

This mid-season variety combines good fruit quality with excellent winter hardiness. Medium to large, bright-red fruit is rounded in shape with a wonderful sweet flavor. Widely adapted, Latham is suitable for home gardens and pick-your-own operations. Zone 3-8



Killarney (Mid-Season)

Killarney is an attractive red berry with great aroma and flavor that is excellent for freezing, canning and, of course, pies. One of the most disease resistant varieties, making it very easy to maintain. It is extremely winter hardy and very sweet for a raspberry. This plant tends to bear in clusters that weight down the canes, so support is recommended. Zone 3-8

Raspberry Planting Tip:

The ideal soil pH for red raspberries is around 6.5, but the plants will tolerate a pH range anywhere from 6.0 to 7.0.



Caroline (PP10412) (Everbearing)

Caroline, the most productive everbearer, has a larger berry than Heritage and is more productive with a rich, full and intense flavor. It is a very vigorous variety, with more tolerance for root rot than Heritage. Fruiting earlier than Heritage, Caroline is widely adapted, growing everywhere from the east coast to the west coast. Zone 3-8



Heritage (Everbearing)

Released by the Cornell Small Fruit Breeding Program, Heritage's fall crop is highly productive and ripens from the end of August through October, depending on your location. The berries have good size, color and flavor. The fruit is good for jam, freezing and also delicious for fresh use. Zone 4-9

GOLDEN RASPBERRIES



Fall Gold (Everbearing)

Golden raspberry with subtle pink blush. Fruits are very juicy, firm and do not crumble when picked. Fall Gold is everbearing, producing a light crop in July and a heavier crop from early fall to frost. Grows vigorously on upright canes. Thrives in most soils and hardy to -25 degrees. Zone 4-8

Summer Bearing

One crop of berries on the over-wintering canes during the summer months.

Everbearing (Fall Bearing)

Two crops, the largest is borne in the late summer/early fall on the tips of canes that grew throughout the summer.

Bramble Planting Tips:

Avoid planting the roots too deep.

Spacing: for raspberries, unless otherwise noted, 18-24 inches for reds and yellow; 20-24 inches for blacks. Plant blackberries 3 to 4 feet apart. Between rows, leave 8 to 12 feet depending on machinery.

Trellising raspberries is one of the most important cultural practices, but most people think it is too expensive and time consuming. A simple post with twine could increase harvest by 50%

Potted Plants

We offer plants for pick-up only at 2258 Shirley Road, North Collins, NY 14111 starting in May (2nd week) until October 31st. We do not ship potted plants.

Please contact us for specific varieties available and pricing. Our potted varieties usually consist of Red, Black and Golden Raspberries, Blackberries and Grapevines (Red, White & Blue Seedless varieties only).

Please call ahead to place your potted plant order and schedule a pick-up date and time (716) 337-2608.



RED CURRANTS



The most widely grown red currant with an extended fruiting season, this is a popular high-yield variety on a shrub that forms a decorative hedge even when not in fruit. Berries are packed with an intense flavor jelly makers love. The cold hardiest of quality currants, Red Lake often bears full-bodied fruit the first year after planting. Zone 3-7

BLACK CURRANTS



Large hanging clusters of lovely black currants. Upright, vigorous bushes grow 3 to 4 feet tall. Black currants make great preserves and are very high in Vitamin C. Titania is a very large productive black currant and is immune to pine blister rust. Produces fruit in 2-3 years. Zone 3-7

Currant Planting Tip:

Unlike most other fruit crops, currants tolerate partial shade and prefer a cool, moist growing area. Northern slopes with protection from direct sun are ideal. Planting along the side of a building or shady arbor is suitable as well.



**ORDER
ONLINE**

Place your order online at:

wnjawaldfarmsinc.com

or Call Us at:

716-337-2608

November 1st - May 31st

GRAPEVINES



Reliance

AMERICAN SEEDLESS TABLE GRAPE

Sugar-sweet, rosy fruit is big and plump, perfect for snacking. Cold-hardy vines take sub-zero temperatures. Ripens in late August; produces 40-50 clusters per vine. Highly disease resistant. Zone 4-8



Canadice

AMERICAN SEEDLESS TABLE GRAPE

The hardiest red grape you can grow, these firm, fully ripe red grapes have a pleasant tang and no tough skins. Produces 35-40 clusters of fruit per vine in late Aug., early Sept. Tolerates sub-zero temperatures. Each vine requires about 15 ft. of growing space on a wire trellis or fence. Zone 5-8



Suffolk Red

AMERICAN SEEDLESS TABLE GRAPE

A red, seedless, dessert variety developed in Geneva, NY. The large bunches are loose, but the berries are crisp and tasty. These grapes are seedless, have very tender skin and are delicious eaten fresh or cooled down as a dessert. Zone 6-8



Vanessa

AMERICAN SEEDLESS TABLE GRAPE

The vines of Vanessa are moderately vigorous and among the hardiest of seedless grapes. Excellent, delicious table grapes. The fruit has a blushing-red skin, the firm yet tender flesh melts smoothly to release the fruity flavor. Also perfect for grape pies, jams or jellies. Zone 6-8

Grapevine Planting Tip:


Dig a hole larger than necessary to spread the roots without crowding. Very long roots can be trimmed to fit the hole, but avoid excessive pruning since the roots store energy for the plant.



Himrod

AMERICAN SEEDLESS TABLE GRAPE

Produces large bunches of white seedless grapes with excellent, honeylike flavor and melting, juicy texture. These vines yield 10-15 pounds of grapes. Hardy plants, developed in New York, avoid winter injury. Ripens in late August. Self-pollinating. Zone 5-8



Lakemont

AMERICAN SEEDLESS TABLE GRAPE


Hardy and sweet. Modeled after the famous California Thompson, this hardy white grape is somewhat smaller but much sweeter. Ripens in late August. Self-pollinating. A licensed variety of Cornell University. Zone 5-8



Concord

AVAILABLE AS SEEDED OR SEEDLESS

The Concord is the most famous grape of all, ripening August through September. The grape is grown on a wider variety of soils and under a wider range of climatic conditions than any other American grape cultivar. Zone 5-9



Mars

AMERICAN SEEDLESS TABLE GRAPE

A seedless, blue table grape with average sized, well-filled clusters shown to have good resistance to common grape diseases. The slipskin berries have a tough skin that separates readily from the pulpy flesh. Clusters are medium sized, cylindrical, and well filled. Zone 5-8

*To place your order, Call us at 716-337-2608
or go online at wnjawaldfarmsinc.com*



Catawba

AMERICAN SEEDED

A spicy flavored, red slip-skin grape with medium to large and well formed clusters. The fruit is medium sized, round and purplish red with a distinctive flavor. Catawba is a very good table grape, excellent for jams and jellies. Zone 5-8



Niagara

AMERICAN SEEDED

An attractive, productive and vigorous variety with large, sweet and juicy slip-skin berries. Niagara is the leading green grape grown in the United States and is used as a table grape, for juices and sweet wines. Ranks below Concord in cold hardiness and ripens somewhat earlier. Zone 5-9



Steuben

AMERICAN SEEDED

Vines of Steuben are hardy, vigorous, and easily grown, producing large bluish-black slipskin grapes that resist cracking. Cluster thinning is usually required. Grapes are delicious, sweet and tender with a spicy tang. Very good as a table grape, and makes an excellent red wine. Zone 4-8



Fredonia

AMERICAN SEEDED

Very hardy and vigorous but requires less pruning than other varieties. Fredonia has a wonderful sweet flavor and great quality. Good for jams, jellies, fresh eating and a favorite for juice. Zone 5-9

Grapevine Planting Tip:

Placing grapevines in water for one to two days before planting helps to "fill" the vine with water and keep the roots moist. This is important to prevent desiccation.



General Information

PLANT CARE INSTRUCTIONS: Upon arrival of your plants, remove them from shipping box. Store plants in a cool moist location. Keep roots moist at all times. Do not over water. It is always best to plant your plants as soon as possible. Please refer to our planting Instructions that are included in you plant order.

All plants are shipped live, dormant and bundled bare root. Plants will not show new growth until planted. Soil temperature must be 60 degrees or higher to stimulate plant growth. It may take several weeks before any new growth emerges.

We start accepting orders November 1st until May.

After I place my order when do my plants ship? We ship all orders UPS most Mondays of every month starting in January until the end of May depending on your hardiness zone.

Minimum of 5 plants per order. Varieties cannot be combined for quantity discount.

How to Place your Order

PHONE: 716-337-2608

ORDER FORM:

COMPLETE OR MAIL

W & J Awald Farms, Inc.

2258 Shirley Road

North Collins, NY 14111

EMAIL: wnjawald@roadrunner.com

WEBSITE: wnjawaldfarmsinc.com

CUSTOMER PICK-UP:

Customers may pick up plants at our nursery location: 2258 Shirley Road, North Collins, NY 14111.

You must call ahead to schedule a pick-up date and time 716-337-2608.

OFFICE HOURS:

9:00 am – 5:00 pm Monday-Friday
(Eastern Standard Time)

*November 1st - May 31st


***NEW FOR FALL 2022 - SPRING 2023**

You can now place your order online.

Check out our website at: wnjawaldfarmsinc.com

Zone Map


Use this map to make sure the plants you're buying will grow in your area and that you're planting during the correct months of the year for your climate and location. If you have any questions about your plants or when and how to plant and care for them, just give us a call at 716-337-2608, and we'll be happy to speak with you.



OSU Mapping by the
Agricultural Research Service Oregon State University
<http://prism.oregonstate.edu>, 2012

USDA Hardiness Zones

These zones are based upon the best available information and are provided as guidelines only. Elevation, microclimate, topography and other factors will influence your coldest minimum temperatures within a zone. Use appropriate judgement relating to your specific area when selecting plant material.



Average Annual Extreme Minimum Temperature 1976-2005

Temp (F)	Zone	Temp (C)
-60 to -55	1a	-51.1 to -48.3
-55 to -50	1b	-48.3 to -45.6
-50 to -45	2a	-45.6 to -42.8
-45 to -40	2b	-42.8 to -40
-40 to -35	3a	-40 to -37.2
-35 to -30	3b	-37.2 to -34.4
-30 to -25	4a	-34.4 to -31.7
-25 to -20	4b	-31.7 to -28.9
-20 to -15	5a	-28.9 to -26.1
-15 to -10	5b	-26.1 to -23.3
-10 to -5	6a	-23.3 to -20.6
-5 to 0	6b	-20.6 to -17.8
0 to 5	7a	-17.8 to -15
5 to 10	7b	-15 to -12.2
10 to 15	8a	-12.2 to -9.4
15 to 20	8b	-9.4 to -6.7
20 to 25	9a	-6.7 to -3.9
25 to 30	9b	-3.9 to -1.1
30 to 35	10a	-1.1 to 1.7
35 to 40	10b	1.7 to 4.4
40 to 45	11a	4.4 to 7.2
45 to 50	11b	7.2 to 10
50 to 55	12a	10 to 12.8
55 to 60	12b	12.8 to 15.6
60 to 65	13a	15.6 to 18.3
65 to 70	13b	18.3 to 21.1

Terms and Conditions of Sale

TERMS: Payment is accepted via check, money order or major credit card in US dollars. All new accounts require pre-payment. For existing accounts, please call to discuss pre-payment terms. We do not refund amounts less than \$5.00. Unless other terms are agreed upon, overdue accounts will be charged 1.5% interest/month. Collection agency/attorney fees will be added to overdue accounts sent for collection.

GUARANTEE: We give no warranty, expressed or implied, as to life, description, quality, productiveness, or any other matter of any nursery stock or plants that we sell and will not be in any way responsible for the results secured in transplanting. It is mutually agreed that our total liability for any errors, should stock prove untrue to name as labeled, shall be limited, upon satisfactory proof, to our replacing free or refunding purchase price. It is agreed that the original price shall be the maximum damages the purchaser is entitled to claim. We reserve the right to bill shipping charges on orders of replacement plants.

SHIPPING: We ship our orders via UPS ground or FedEx Freight. You are also welcome to arrange for your own transportation.

CANCELLATIONS: All cancellations must be made directly to W&J Awald Farms Inc. in writing. Cancellations will not be accepted after stock has been dug and packaged for shipping.

PRICE: All prices are quoted for the current season and are subject to change without notice. Additional charges will be applied for shipping and handling.

CANADIAN SHIPMENTS: W&J Awald Farms Inc. will provide the necessary paperwork (Phytosanitary Certificate, etc.) for Canadian shipments over \$100. However, any cost incurred for documentation will be due prior to shipping. We will not ship Canadian orders that are less than \$100.

CLAIMS: All sales are made with the understanding that we shall not be liable in event of crop loss or of damage from other causes beyond our control. We will gladly correct any errors but we cannot entertain any claims that are not made within ten days from receipt of the stock. Claims should be made promptly in writing upon receipt of the stock.

NON-VIABLE STOCK: Claims for non-viable stock must be submitted as soon as you become aware of the problem. No claims will be honored if submitted after June 30th. To file a claim, contact W&J Awald Farms Inc. as soon as possible. Notify us in writing and include numbers and varieties of the stock involved. Samples and photographs of the stock will be needed to evaluate your claim. Once your claim has been forwarded to us, a representative from W&J Awald Farms Inc. will be in contact with you regarding your claim. Settlement of claims for non-viable stock will be delayed until the months of July and August to help us make a fair evaluation of all claims before issuing any credit.

ORDERS CANNOT BE COMBINED FOR QUANTITY DISCOUNTS.



2258 Shirley Road | North Collins, NY 14111

P: 716-337-2608 | Facebook: W&J Awald Farms, Inc.

Email: wnjawald@roadrunner.com | Website: wnjawaldfarmsinc.com



2258 Shirley Road
North Collins, NY 14111
716-337-2608



RED, GOLDEN &
BLACK RASPBERRIES
BLACKBERRIES
GRAPES
CURRANTS