



BAJA[®] MOBILITY



bajamobility.com

FDA Class II
Medical Device



BAJA® WRANGLER® 2

Rugged and built to last, the Baja® Wrangler® 2 is everything you want in an outdoor scooter. Equipped with front and rear suspension, this aggressive scooter is designed for cruising on walking trails or driving around your property. Make your adventures legendary with the Baja Wrangler 2!

BA401

FDA Class II Medical Device²

PROUDLY
MADE IN
USA
of foreign and
domestic parts



450 LBS.
WEIGHT CAPACITY

21.4
MILE RANGE*

11.5 MPH
TOP SPEED**

94.75"
TURNING RADIUS

* Range shown is with a user weight of up to 200 lbs. and with 100 AH batteries

** Speed shown is at 200-lb. user weight

WHITE CAMO

MIDNIGHT CAMO

DESERT CAMO

ORANGE CRUSH

GREEN MACHINE

TRUE BLUE





BAJA WRANGLER²



BAJA BANDIT

Venture with confidence knowing you're equipped with the perfect blend of power and agility. An impressive ground clearance will get you through those rough spots with ease, and you'll be flying on flat terrain with a top speed of 8 mph. With a lithium battery that delivers a 29 mile range, the Bandit® is built to keep you moving all day.

BA140

FDA Class II Medical Device¹



400 LBS.
WEIGHT CAPACITY

29
MILE RANGE*

8 MPH
TOP SPEED

53"
TURNING RADIUS

*Range shown based on 40Ah lithium battery pack and user weight of 220 lbs. or less.

BLACK CAMO

WHITE CAMO

CAMO

SAGE (MATTE)

TAN (MATTE)





BAJA BANDIT

ACCESSORIES



3" single or double
cane/crutch holder



50/60/70" lap belt



Cup holder



Cell phone holder



Forearm crutch holder



Oxygen holder



Rear basket



Rearview mirror

Cup holder, rear basket, and saddlebag can be ordered as a bundle.

Only one rear accessory can be used at a time.



Saddlebag



Safety flag



Walker holder



Weather cover



Wishbone crutch holder



Lockable storage pod



Military patches



800.800.8586 | bajamobility.com |      

1. FDA Class II Medical Devices are designed to aid individuals with mobility impairments.
2. This product is not a medical device and is not intended to assist, treat, diagnose, or alleviate any medical condition or disability.
3. Optional.
4. Due to manufacturing tolerances and continual product improvement, this specification can be subject to variance of + or - 3%.
5. Width of base (not including seat).
6. Does not account for anti-tip clearance.
7. Deep cycle (AGM or gel cell type recommended).
8. Battery weight may vary based on manufacturer.
9. Tested in accordance with ANSI/RESNA, WC Vol 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Test conducted at maximum weight capacity.
10. Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition and tire condition. This specification can be subject to a variance of (+ or -) 10%.

NOTE: All specifications subject to change without notice.

The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%. Dimensions listed are for scooter only. Overall measurements will vary based on seating and accessory selections.

HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement.

