




# *mullins wheels*



 [csadirect.com.au](http://csadirect.com.au)

 [/csaalloywheels](https://www.facebook.com/csaalloywheels)

 [@csa\\_alloy\\_wheels](https://www.instagram.com/csa_alloy_wheels)

# MAKO

15X6.5 16X7 17X7 18X8

GUNMETAL BLACK MACHINED LIP



SIZE	PCD	OFFSET	MAX LOAD
15x6.5	4/100 & 4/108	40 Pos	690 kg
16x7	4/100 & 4/108	40 Pos	690 kg
16x7	5/105 & 5/114.3	40 Pos	690 kg
17x7	4/100 & 4/108	40 Pos	690 kg
17x7	5/100 & 5/112	39 Pos	690 kg

SIZE	PCD	OFFSET	MAX LOAD
17x7	5/108 & 5/114.3	40 Pos	690 kg
18x8	5/100 & 5/112	39 Pos	850 kg
18x8	5/108 & 5/114.3	42 Pos	850 kg
18x8	5/105 & 5/120	40 Pos	850 kg

# HORNET

17X7 18X8

GLOSS BRONZE



SIZE	PCD	OFFSET	MAX LOAD
17x7	5/108 & 5/114.3	40 Pos	690 kg
18x8	5/108 & 5/114.3	42 Pos	850 kg





# HORNET

15X6.5 16X7 17X7 18X8  
GLOSS BLACK



SIZE	PCD	OFFSET	MAX LOAD
15x6.5	4/100 & 4/108	40 Pos	690 kg
15x6.5	5/108 & 5/114.3	40 Pos	690 kg
16x7	4/100 & 4/108	40 Pos	690 kg
16x7	5/100 & 5/108	39 Pos	690 kg
16x7	5/105 & 5/114.3	40 Pos	690 kg
17x7	4/100 & 4/108	40 Pos	690 kg
17x7	5/100 & 5/112	39 Pos	690 kg
17x7	5/108 & 5/114.3	40 Pos	690 kg
18x8	5/100 & 5/112	39 Pos	850 kg
18x8	5/108 & 5/114.3	42 Pos	850 kg
18x8	5/115 & 5/120	45 Pos	850 kg





# SAVANNA

15X6 16X6.5 17X7 18X8

GUNMETAL BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
15x6	4/100 & 4/108	45 Pos	690 kg
16x6.5	4/100 & 4/108	45 Pos	690 kg
16x6.5	5/108 & 5/114.3	45 Pos	690 kg
17x7	5/100 & 5/114.3	45 Pos	690 kg
17x7	5/105 & 5/115	45 Pos	690 kg
18x8	5/100 & 5/114.3	45 Pos	850 kg
18x8	5/112 & 5/120	45 Pos	850 kg
18x8	5/114.3	36 Pos	850 kg



# HOTWIRE

15X6 16X6.5 17X7 18X8  
GLOSS BLACK



SIZE	PCD	OFFSET	MAX LOAD
15x6	4/100 & 4/108	40 Pos	690 kg
16x6.5	4/100 & 4/108	40 Pos	690 kg
16x6.5	5/100 & 5/108	39 Pos	690 kg
16x6.5	5/105 & 5/114.3	40 Pos	690 kg
17x7	4/100 & 4/108	40 Pos	850 kg

SIZE	PCD	OFFSET	MAX LOAD
17x7	5/100 & 5/112	39 Pos	850 kg
17x7	5/108 & 5/114.3	40 Pos	850 kg
18x8	5/100 & 5/112	39 Pos	850 kg
18x8	5/108 & 5/114.3	42 Pos	850 kg
18x8	5/115 & 5/120	45 Pos	850 kg



# HOTWIRE

15X6 16X6.5 17X7 18X8  
GLOSS BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
15x6	4/100 & 4/108	40 Pos	690 kg
16x6.5	5/105 & 5/114.3	40 Pos	690 kg
17x7	5/108 & 5/114.3	40 Pos	850 kg
18x8	5/108 & 5/114.3	42 Pos	850 kg

# MILAN

16X6.5 17X7 18X8  
GLOSS BLACK



SIZE	PCD	OFFSET	MAX LOAD
16x6.5	4/100 & 4/108	40 Pos	690 kg
16x6.5	5/108 & 5/114.3	40 Pos	690 kg
17x7	4/100 & 4/108	40 Pos	690 kg
17x7	5/100 & 5/112	39 Pos	690 kg
17x7	5/108 & 5/114.3	45 Pos	690 kg
18x8	5/108 & 5/114.3	45 Pos	850 kg
18x8	5/112 & 5/120	45 Pos	850 kg



# NITROUS

14X6 15X6.5 16X6.5  
GUNMETAL BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
14x6	4/100 & 4/114.3	38 Pos	690 kg
15x6.5	4/100 & 4/108	38 Pos	690 kg
15x6.5	5/100 & 5/105	38 Pos	690 kg
16x6.5	4/100 & 4/108	40 Pos	690 kg

# MANTA

18X8  
GLOSS BLACK MACHINED



SIZE	PCD	OFFSET	MAX LOAD
18x8	5/108 & 5/114.3	42 Pos	850 kg
18x8	5/114.3	36 Pos	850 kg
18x8	5/120	40 Pos	850 kg



# VORST

15X6 16X6.5 17X7 18X7.5  
GUNMETAL BLACK MACHINED FACE



SIZE	PCD	OFFSET	MAX LOAD
15x6	4/100 & 4/108	38 Pos	690 kg
15x6	5/100 & 5/105	38 Pos	690 kg
15x6	5/108 & 5/114.3	38 Pos	690 kg
16x6.5	5/114.3	45 Pos	690 kg

SIZE	PCD	OFFSET	MAX LOAD
17x7	4/100 & 4/108	40 Pos	690 kg
17x7	5/100 & 5/112	39 Pos	690 kg
17x7	5/108 & 5/114.3	40 Pos	690 kg
18x7.5	5/108 & 5/114.3	40 Pos	690 kg





# BERETTA

18X8 20X8.5 20X9.5  
GOLD MACHINED LIP

	SIZE	PCD	OFFSET	MAX LOAD
	18x8	5/114.3	36 Pos	850 kg
	18x8	5/120	40 Pos	850 kg
<b>NEW</b>	20x8.5	5/120	43 Pos	850 kg
<b>NEW</b>	20x9.5	5/120	43 Pos	850 kg





# BERETTA

17X8 18X8 20X8.5 20X9.5  
GLOSS BLACK MACHINED LIP



SIZE	PCD	OFFSET	MAX LOAD
17x8	5/100 & 5/114.3	42 Pos	850 kg
17x8	5/114.3	36 Pos	850 kg
17x8	5/120	42 Pos	850 kg
18x8	5/100 & 5/114.3	40 Pos	850 kg
18x8	5/105 & 5/112	42 Pos	850 kg
18x8	5/114.3	36 Pos	850 kg

SIZE	PCD	OFFSET	MAX LOAD
18x8	5/120	40 Pos	850 kg
20x8.5	5/114.3	36 Pos	850 kg
20x8.5	5/114.3	45 Pos	850 kg
20x8.5	5/120	29 Pos	850 kg
20x8.5	5/120	43 Pos	850 kg
20x9.5	5/114.3	36 pos	850 kg
20x9.5	5/120	43 Pos	850 kg



# CHICANE

18X8 18X9\* 19X8  
GLOSS BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
18x8	5/108 & 5/114.3	40 Pos	850 kg
18x8	5/115 & 5/120	40 Pos	850 kg
* 18x9	5/114.3	42 Pos	850 kg
19x8	5/100 & 5/114.3	42 Pos	850 kg
<b>NEW</b> 19x8	5/112 & 5/120	42 Pos	850 kg

\*GUNMETAL MACHINED FACE FINISH



# VANQUISH

18X8 GLOSS BLACK MACHINED LIP

SIZE	PCD	OFFSET	MAX LOAD
18x8	5/114.3	36 Pos	750 kg
18x8	5/120	45 Pos	750 kg

# SHAKER

17X7.5 18X8 GLOSS BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
17x7.5	5/114.3 & 5/120	38 Pos	690 kg
18x8	5/114.3	36 Pos	850 kg
18x8	5/114.3 & 5/120	45 Pos	850 kg



# MOTOVATR

17X7 GLOSS BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
17x7	5/110 & 5/114.3	45 Pos	695 kg

# EDGE

15X6.5 16X7 GUNMETAL MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
15x6.5	5/114.3	10 Pos	900 kg
15x6.5	5/114.3	36 Pos	900 kg
15x6.5	5/120	38 Pos	900 kg
16x7	5/114.3	10 Pos	900 kg
16x7	5/114.3	36 Pos	900 kg
16x7	5/120	38 Pos	900 kg





# BATHURST

GLOBE® OFFICIAL LICENSED PRODUCT



## ORIGINAL FINISH

SIZE	PCD	OFFSET	MAX LOAD
15x7	5/114.3	08 Pos	690 kg

*the legend  
is back!*






# KÖNIG

AUSTRALIA

*Flow*  
Formed



**1.**  
The process of flow forming starts with a precisely cast wheel being mounted onto a spinning machine.



**2.**  
Heat and pressure are applied to the inner barrel of the spinning wheel, stretching and compressing the aluminium to increase tensile strength.



**3.**  
The final product is a lighter, stronger wheel with greater shock resistance.



*Flow*  
Formed

# HYPERGRAM

15X7.5 17X8 18X8.5 | MATTE GREY

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/100	38 Pos	700 kg
18x8.5	5/114.3	40 Pos	700 kg
▲ 15x7.5	4/100	35 Pos	500 kg
▲ 17x8	4/100	45 Pos	530 kg
▲ 18x8.5	5/100	38 Pos	700 kg
▲ 18x8.5	5/112	43 Pos	700 kg

▲ AVAILABLE FOR SPECIAL IMPORT



*Flow*  
Formed

# HYPERGRAM

17X8 18X8.5 | RACE BRONZE

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/100	38 Pos	700 kg
18x8.5	5/114.3	40 Pos	700 kg



*Flow*  
Formed

# RENNFORM

18X8 | MATTE GREY

SIZE	PCD	OFFSET	MAX LOAD
18x8	5/112	45 Pos	700 kg
18x8	5/114.3	45 Pos	690 kg

**Flow**  
Formed

# AMPLIFORM

17X8 18X8.5 | GLOSS BRONZE

SIZE	PCD	OFFSET	MAX LOAD
18x8.5	5/108	43 Pos	700 kg
18x8.5	5/114.3	40 Pos	700 kg
▲ 17x8	4/100	45 Pos	690 kg

▲ AVAILABLE FOR SPECIAL IMPORT



**Flow**  
Formed

# AMPLIFORM

18X8.5 | DARK METALLIC GRAPHITE

SIZE	PCD	OFFSET	MAX LOAD
18x8.5	5/108	43 Pos	700 kg
18x8.5	5/114.3	40 Pos	700 kg
▲ 18x8.5	5/112	43 Pos	690 kg
▲ 18x8.5	5/120	32 Pos	690 kg

▲ AVAILABLE FOR SPECIAL IMPORT



**Flow**  
Formed

# DEKAGRAM

17X8 18X8.5 | GLOSS BRONZE

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/114.3	40 Pos	690 kg
18x8.5	5/114.3	40 Pos	690 kg







*Flow*  
Formed

# DEKAGRAM

15X8 15X9 17X8 18X8.5 | SEMI-MATTE BLACK

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/114.3	40 Pos	690 kg
18x8.5	5/114.3	40 Pos	690 kg
▲ 15x8	4/100	25 Pos	500 kg
▲ 15x9	4/100	35 Pos	500 kg

▲ AVAILABLE FOR SPECIAL IMPORT





# OVERSTEER

17X8 18X8 | OPAL

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/100	38 Pos	690 kg
17x8	5/114.3	40 Pos	690 kg
18x8	5/100	38 Pos	690 kg
18x8	5/114.3	40 Pos	690 kg



# LOCKOUT

17X8 | GLOSS BLACK

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/114.3	43 Pos	690 kg



# LOCKOUT

17X8 | MATTE BRONZE

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/114.3	43 Pos	690 kg



# OVERSTEER

17X8 18X8 | GLOSS BLACK

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/114.3	40 Pos	690 kg
18x8	5/114.3	40 Pos	690 kg
▲ 18x8	5/120	35 Pos	690 kg

▲ AVAILABLE FOR SPECIAL IMPORT





PRO★SERIES  
**CSA**★  
OFFROAD



**[ LIFETIME STRUCTURAL WARRANTY ]**



**NEW**

# PREDATOR

**16x8 17x8.5 18x9**  
SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
16x8	5/150	Zero	1250 kg
16x8	6/139.7	Zero	1250 kg
16x8	6/139.7	20 Pos	1250 kg
16x8	6/139.7	35 Pos	1250 kg
17x8.5	5/150	Zero	1250 kg
17x8.5	6/139.7	Zero	1250 kg

SIZE	PCD	OFFSET	MAX LOAD
17x8.5	6/139.7	20 Pos	1250 kg
17x8.5	6/139.7	35 Pos	1250 kg
18x9	5/150	35 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg



**NEW**

# AMBUSH

**17x9 18x9** | SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
17x9	6/139.7	18 Pos	1136 kg
18x9	6/139.7	18 Pos	1136 kg

# COMBAT



**17x8.5 18x9 20x9**  
SATIN GREY BLACK LIP

SIZE	PCD	OFFSET	MAX LOAD
17x8.5	6/139.7	10 Pos	1136 kg
18x9	6/139.7	18 Pos	1136 kg
20x9	6/139.7	18 Pos	1136 kg



**16x8 17x8.5 18x9**  
SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
16x8	6/139.7	6 Neg	1136 kg
17x8.5	6/139.7	10 Pos	1136 kg
18x9	6/139.7	18 Pos	1136 kg





**LIFETIME  
STRUCTURAL  
WARRANTY**



**NEW  
RIOT**

**17x9 18x9  
SATIN BLACK**

SIZE	PCD	OFFSET	MAX LOAD
17x9	6/139.7	18 Pos	1250 kg
17x9	6/139.7	30 Pos	1250 kg

SIZE	PCD	OFFSET	MAX LOAD
18x9	6/139.7	18 Pos	1250 kg
18x9	6/139.7	30 Pos	1250 kg

# MILITANT



**17x9 18x9 20x9 | SATIN BLACK**

SIZE	PCD	OFFSET	MAX LOAD
17x9	6/139.7	18 Pos	1136 kg
18x9	6/139.7	18 Pos	1136 kg
20x9	6/139.7	18 Pos	1136 kg



**17x9 18x9 | SATIN GREY BLACK LIP**

SIZE	PCD	OFFSET	MAX LOAD
17x9	6/139.7	18 Pos	1136 kg
18x9	6/139.7	18 Pos	1136 kg



# ASSAULT

SIZE	PCD	OFFSET	MAX LOAD
17x9	5/150	Zero	1136 kg
17x9	6/139.7	25 Pos	1136 kg
18x9	6/139.7	25 Pos	1136 kg

**17x9 18x9** | SATIN BLACK

**LIFETIME  
STRUCTURAL  
WARRANTY**



# WARFARE

**17x8 18x9** | SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
17x8	6/139.7	35 Pos	955 kg
18x9	6/139.7	35 Pos	955 kg

# BULLET



**NEW**

**16x8 17x9 18x9 | SATIN BLACK**

SIZE	PCD	OFFSET	MAX LOAD
* 16x8	5/150	Zero	1250 kg
* 16x8	6/139.7	Zero	1250 kg
16x8	6/139.7	20 Pos	1250 kg
16x8	6/139.7	35 Pos	1250 kg
* 17x9	5/150	Zero	1250 kg

SIZE	PCD	OFFSET	MAX LOAD
17x9	6/139.7	20 Pos	1250 kg
17x9	6/139.7	35 Pos	1250 kg
18x9	5/150	35 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg

\* Large cap for extra hub clearance

# HAVOC

**16x8 17x9 18x9 | SATIN BLACK MACHINED FACE / DARK TINT**

SIZE	PCD	OFFSET	MAX LOAD
16x8	6/139.7	Zero	1150 kg
16x8	6/139.7	20 Pos	1150 kg
16x8	6/139.7	35 Pos	1150 kg
17x9	5/150	40 Pos	1250 kg

SIZE	PCD	OFFSET	MAX LOAD
17x9	6/139.7	20 Pos	1250 kg
17x9	6/139.7	35 Pos	1250 kg
18x9	5/150	40 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg







**NEW**



**16x8 17x8.5 18x9** | GUNMETAL MACHINED FACE



SIZE	PCD	OFFSET	MAX LOAD
16x8	5/150	06 Neg	1450 kg
16x8	6/139.7	Zero	1450 kg
16x8	6/139.7	20 Pos	1250 kg
16x8	6/139.7	35 Pos	1250 kg
17x8.5	6/139.7	Zero	1250 kg

SIZE	PCD	OFFSET	MAX LOAD
17x8.5	6/139.7	20 Pos	1250 kg
17x8.5	6/139.7	35 Pos	1250 kg
18x9	5/150	35 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg

*Extended cap available for 6/139.7 caravan & trailer fitments*



# STEALTH



LARGE CAP



SMALL CAP

17x8 18x8 20x8.5 | SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
* 17x8	5/114.3 & 5/120	35 Pos	1250 kg
17x8	6/139.7	20 Pos	1250 kg
17x8	6/139.7	35 Pos	1250 kg
* 18x8	5/114.3 & 5/120	35 Pos	1250 kg
18x8	5/150	40 Pos	1250 kg

\* Small cap

SIZE	PCD	OFFSET	MAX LOAD
18x8	6/139.7	20 Pos	1250 kg
18x8	6/139.7	35 Pos	1250 kg
20x8.5	5/150	40 Pos	1250 kg
20x8.5	6/139.7	20 Pos	1250 kg
20x8.5	6/139.7	35 Pos	1250 kg



**BRONZE  
SERIES**  
LIMITED EDITION

# DAKAR

17x8.5 18x9 | SATIN BRONZE

SIZE	PCD	OFFSET	MAX LOAD
17x8.5	6/139.7	20 Pos	1250 kg
17x8.5	6/139.7	35 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg

# BRONX

17x9 18x9 20x9 | GLOSS BLACK MILLED

## LARGE CAP

SIZE	PCD	OFFSET	MAX LOAD
17x9	5/150	40 Pos	1250 kg
17x9	6/139.7	20 Pos	1250 kg
17x9	6/139.7	35 Pos	1250 kg
18x9	5/150	40 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg
20x9	5/150	40 Pos	1250 kg
20x9	6/139.7	20 Pos	1250 kg
20x9	6/139.7	35 Pos	1250 kg

## SMALL CAP

SIZE	PCD	OFFSET	MAX LOAD
18x9	5/127	40 Pos	1250 kg
20x9	5/114.3 & 5/120	35 Pos	1250 kg
20x9	5/127	40 Pos	1250 kg
20x9	6/114.3	35 Pos	1000 kg



LARGE CAP

# JACKAL

16x8 17x8 18x8 20x8.5 | GLOSS BLACK MACHINED FACE

## LARGE CAP

SIZE	PCD	OFFSET	MAX LOAD
16x8	5/150	Zero	1250 kg
16x8	6/139.7	Zero	1250 kg
16x8	6/139.7	25 Pos	1250 kg
16x8	6/139.7	35 Pos	1250 kg
16x8	6/139.7	45 Pos	1250 kg
17x8	5/150	47 Pos	1250 kg
17x8	6/139.7	25 Pos	1250 kg
17x8	6/139.7	35 Pos	1250 kg
17x8	6/139.7	45 Pos	1250 kg

## SMALL CAP

SIZE	PCD	OFFSET	MAX LOAD
16x8	6/114.3	20 Pos	1000 kg
17x8	6/114.3	20 Pos	1000 kg
17x8	6/114.3	40 Pos	1000 kg
18x8	6/114.3	20 Pos	1250 kg
20x8.5	6/114.3	25 Pos	1250 kg







**SMALL CAP**



**LARGE CAP**

**SMALL CAP**



LARGE CAP



# SCORPION

**17x9 18x9 | SATIN BLACK**

SIZE	PCD	OFFSET	MAX LOAD
17x9	6/139.7	20 Pos	1250 kg
17x9	6/139.7	35 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg



**17x9 18x9 | GLOSS BLACK MILLED**



**SMALL CAP**

## LARGE CAP

SIZE	PCD	OFFSET	MAX LOAD
17x9	5/150	35 Pos	1250 kg
17x9	6/139.7	20 Pos	1250 kg
17x9	6/139.7	35 Pos	1250 kg
18x9	5/150	35 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg

## SMALL CAP

SIZE	PCD	OFFSET	MAX LOAD
18x9	5/114.3 & 5/120	35 Pos	1250 kg
18x9	6/114.3	35 Pos	1000 kg

# RAPTOR



**BRONZE  
SERIES**  
LIMITED EDITION

## 17x8 | SATIN BRONZE

SIZE	PCD	OFFSET	MAX LOAD
17x8	6/139.7	25 Pos	1250 kg
17x8	6/139.7	35 Pos	1250 kg

## 17x8 | SATIN BLACK MILLED

SIZE	PCD	OFFSET	MAX LOAD
17x8	6/139.7	25 Pos	1250 kg
17x8	6/139.7	45 Pos	1250 kg



**SMALL CAP**

## 16x8 17x8 18x8 | SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
16x8	5/114.3 & 5/120	35 Pos	1150 kg
16x8	6/114.3	20 Pos	1150 kg
16x8	6/114.3	40 Pos	1150 kg
17x8	5/114.3 & 5/120	35 Pos	1250 kg
17x8	6/114.3	20 Pos	1250 kg
17x8	6/114.3	40 Pos	1250 kg
18x8	5/114.3 & 5/120	35 Pos	1250 kg
18x8	5/127	45 Pos	1250 kg
18x8	6/114.3	40 Pos	1250 kg





**LARGE CAP**

**15x6.5 16x8 17x8 18x8 | SATIN BLACK**

	SIZE	PCD	OFFSET	MAX LOAD	SIZE	PCD	OFFSET	MAX LOAD
<b>NEW</b>	15x6.5	5/139.7	Zero	1300 kg	17x8	6/139.7	25 Pos	1250 kg
	16x8	5/150	Zero	1150 kg	17x8	6/139.7	35 Pos	1250 kg
	16x8	6/139.7	Zero	1350 kg	17x8	6/139.7	45 Pos	1250 kg
	16x8	6/139.7	25 Pos	1150 kg	18x8	5/150	47 Pos	1250 kg
	16x8	6/139.7	35 Pos	1150 kg	18x8	6/139.7	25 Pos	1250 kg
	16x8	6/139.7	45 Pos	1150 kg	18x8	6/139.7	35 Pos	1250 kg
	17x8	5/150	47 Pos	1250 kg	18x8	6/139.7	45 Pos	1250 kg



# OUTLAW

16x8 17x8 | SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
* 16x8	5/114.3 & 5/120	35 Pos	1150 kg
16x8	6/139.7	20 Pos	1150 kg
* 17x8	5/114.3 & 5/120	35 Pos	1250 kg
17x8	6/139.7	20 Pos	1250 kg

\*Small cap



# HAWK



16x8 17x9 18x9 | GLOSS BLACK

SMALL CAP

SIZE	PCD	OFFSET	MAX LOAD
17x9	5/114.3 & 5/120	35 Pos	1250 kg
17x9	6/114.3	35 Pos	1000 kg
18x9	5/114.3 & 5/120	35 Pos	1250 kg
18x9	6/114.3	35 Pos	1000 kg

LARGE CAP

SIZE	PCD	OFFSET	MAX LOAD
16x8	6/139.7	Zero	1150 kg
16x8	6/139.7	20 Pos	1150 kg
16x8	6/139.7	35 Pos	1150 kg
17x9	5/150	40 Pos	1250 kg
17x9	6/139.7	20 Pos	1250 kg
17x9	6/139.7	35 Pos	1250 kg
18x9	5/150	40 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	35 Pos	1250 kg



**BRONZE  
SERIES**  
LIMITED EDITION

17x9 18x9 | SATIN BRONZE

SIZE	PCD	OFFSET	MAX LOAD
17x9	6/139.7	20 Pos	1250 kg
18x9	6/139.7	20 Pos	1250 kg

# RENEGADE

## LARGE CAP 16x8 17x8 18x8 GLOSS BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
16x8	5/150	Zero	1450 kg
16x8	6/139.7	Zero	1450 kg
16x8	6/139.7	20 Pos	1450 kg
16x8	6/139.7	35 Pos	1150 kg
17x8	5/150	40 Pos	1250 kg
17x8	6/139.7	20 Pos	1250 kg
17x8	6/139.7	35 Pos	1250 kg
18x8	6/139.7	45 Pos	1250 kg



## SMALL CAP 16x8 17x8 GLOSS BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
16x8	5/114.3 & 5/120	35 Pos	1150 kg
16x8	6/114.3	40 Pos	1150 kg
17x8	5/114.3 & 5/120	35 Pos	1250 kg





**16x8 17x8 | SATIN BLACK**

**NEW**

SIZE	PCD	OFFSET	MAX LOAD
16x8	6/139.7	Zero	1450 kg
16x8	6/139.7	20 Pos	1450 kg
16x8	6/139.7	35 Pos	1150 kg

SIZE	PCD	OFFSET	MAX LOAD
17x8	6/139.7	20 Pos	1250 kg
17x8	6/139.7	35 Pos	1250 kg



# COMMANDO



**SMALL CAP**

**LARGE CAP**

**16x7 17x7 | SATIN BLACK**

SIZE	PCD	OFFSET	MAX LOAD
16x7	6/139.7	20 Pos	1250 kg
16x7	6/139.7	35 Pos	1250 kg
* 17x7	5/114.3 & 5/120	35 Pos	1250 kg
17x7	6/139.7	33 Pos	1250 kg

\*Small cap

# MONSTER

16x7 16x8 17x8 | GLOSS BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
* 16x7	6/114.3	20 Pos	1150 kg
16x7	6/139.7	20 Pos	1150 kg
16x7	6/139.7	35 Pos	1000 kg
16x8	5/150	Zero	1150 kg
16x8	6/139.7	Zero	1150 kg
17x8	5/150	47 Pos	1250 kg
17x8	6/139.7	Zero	1250 kg
17x8	6/139.7	25 Pos	1250 kg
17x8	6/139.7	35 Pos	1250 kg
17x8	6/139.7	45 Pos	1250 kg

\*Small cap



# MAGNUM II

15x7 16x7  
GLOSS BLACK MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
15x7	6/139.7	10 Pos	1150 kg
16x7	6/139.7	20 Pos	1150 kg

# RANGER STEEL WHEELS

\*WHEEL CAPS & NUTS SOLD SEPARATELY

## RANGER AT-D | 16x8 17x8

SIZE	PCD	OFFSET	MAX LOAD
16x8	5/150	Zero	1150 kg
16x8	6/139.7	28 Neg	1150 kg
16x8	6/139.7	Zero	1150 kg
16x8	6/139.7	25 Pos	1150 kg
16x8	6/139.7	35 Pos	1150 kg
17x8	6/139.7	Zero	1150 kg
17x8	6/139.7	25 Pos	1150 kg
17x8	6/139.7	35 Pos	1150 kg



## RANGER MT-R | 16x8 IMITATION BEADLOCK

SIZE	PCD	OFFSET	MAX LOAD
16x8	6/139.7	Zero	1150 kg
16x8	6/139.7	25 Pos	1150 kg

## RANGER AT-R | 16x8 17x8

SIZE	PCD	OFFSET	MAX LOAD
16x8	6/139.7	Zero	1150 kg
16x8	6/139.7	25 Pos	1150 kg
16x8	6/139.7	35 Pos	1150 kg
17x8	6/139.7	25 Pos	1150 kg
17x8	6/139.7	35 Pos	1150 kg





ALL RANGER AT & MT STEEL WHEELS  
ARE CENTRE BORE LOCATING

CENTRE BORE  
LOCATED =  
SMOOTH RIDE



**RANGER MT-D | 16x8 17x8 17x9 IMITATION BEADLOCK**

SIZE	PCD	OFFSET	MAX LOAD
16x8	5/150	Zero	1150 kg
16x8	6/114.3	20 Pos	1150 kg
16x8	6/114.3	35 Pos	1150 kg
16x8	6/139.7	28 Neg	1150 kg
16x8	6/139.7	Zero	1150 kg
16x8	6/139.7	25 Pos	1150 kg
16x8	6/139.7	35 Pos	1150 kg
17x8	5/120	35 Pos	1150 kg

SIZE	PCD	OFFSET	MAX LOAD
17x8	5/150	40 Pos	1150 kg
17x8	6/139.7	Zero	1150 kg
17x8	6/139.7	25 Pos	1150 kg
17x8	6/139.7	35 Pos	1150 kg
17x9	5/150	50 Neg	1150 kg
17x9	5/150	Zero	1150 kg
17x9	6/139.7	Zero	1150 kg
17x9	6/139.7	20 Pos	1150 kg
17x9	6/139.7	35 Pos	1150 kg

# RANGER STEEL WHEELS



## AVAILABLE IN

● WHITE ○ BLACK ● GALVANISED

SIZE	PCD	OFFSET	BACKSPACE	MAX LOAD	FINISH
13x4.5	5/108	Zero	70 mm	672 kg	● ○ ●
13x4.5	5/114.3	Zero	70 mm	672 kg	● ○ ●
14x5	5/108	5 Pos	81 mm	850 kg	● ○ ●
14x5	5/114.3	5 Pos	81 mm	850 kg	● ○ ●
14x5	5/120.65	5 Pos	81 mm	850 kg	● ○ ●
14x6	5/108	8 Pos	97 mm	850 kg	● ○ ●
14x6	5/114.3	14 Pos	103 mm	850 kg	● ○ ●
14x6	5/120.65	14 Pos	103 mm	850 kg	● ○ ●
14x6	6/139.7	14 Pos	103 mm	850 kg	● ○
15x6	5/114.3	20 Pos	108 mm	1180 kg	● ○
15x6	5/120.65	20 Pos	108 mm	1180 kg	● ○
15x6	6/139.7	20 Pos	108 mm	1180 kg	● ○
15x7	5/114.3	10 Pos	110 mm	1180 kg	● ○
15x7	5/139.7	6 Neg	94 mm	1180 kg	● ○
15x7	5/139.7	10 Pos	110 mm	1180 kg	● ○
15x7	6/139.7	6 Neg	94 mm	1180 kg	● ○
15x7	6/139.7	10 Pos	110 mm	1180 kg	● ○
15x8	6/139.7	26 Neg	87 mm	1180 kg	● ○
16x6	5/150	Zero	88 mm	1454 kg	● ○
16x6	6/139.7	Zero	88 mm	1454 kg	● ○
16x7	5/150	5 Pos	105 mm	1454 kg	● ○
16x7	6/139.7	20 Neg	82 mm	1454 kg	● ○
16x7	6/139.7	Zero	100 mm	1454 kg	● ○
16x7	6/139.7	13 Pos	113 mm	1454 kg	● ○
16x7	6/139.7	30 Pos	130 mm	1454 kg	● ○
16x8	5/120	35 Pos	148 mm	1150 kg	○
16x8	5/150	50 Neg	64 mm	1454 kg	○
16x8	5/150	14 Neg	99 mm	1454 kg	● ○
16x8	5/150	Zero	113 mm	1454 kg	○
16x8	6/114.3	20 Pos	133 mm	1150 kg	● ○
16x8	6/114.3	35 Pos	148 mm	1150 kg	○
16x8	6/139.7	28 Neg	85 mm	1454 kg	● ○
16x8	6/139.7	Zero	113 mm	1454 kg	● ○
16x8	6/139.7	25 Pos	138 mm	1454 kg	● ○
16x8	6/139.7	35 Pos	148 mm	1150 kg	○
17x7	6/139.7	30 Pos	130 mm	1150 kg	● ○
17x8	5/120	35 Pos	148 mm	1150 kg	○
17x8	5/150	Zero	113 mm	1150 kg	○
17x8	5/150	40 Pos	154 mm	1150 kg	● ○
17x8	6/114.3	40 Pos	154 mm	1150 kg	○
17x8	6/139.7	Zero	113 mm	1150 kg	○
17x8	6/139.7	25 Pos	138 mm	1150 kg	● ○
17x8	6/139.7	35 Pos	148 mm	1150 kg	○

\*WHEEL CAPS & NUTS SOLD SEPARATELY



# LOAD RATED CARAVAN & TRAILER ALLOYS

ALL CSA  
OFFROAD  
4X4 ALLOYS ARE  
LOAD RATED TO  
SUIT CARAVAN  
& HEAVY  
DUTY TRAILER  
APPLICATIONS.



## BATHURST

13X5 14X6  
SILVER GREY

SIZE	PCD	OFFSET	MAX LOAD
13x5	5/108	10 Pos	750 kg
13x5	5/114.3	10 Pos	750 kg
14x6	5/108	11 Pos	950 kg
14x6	5/114.3	11 Pos	950 kg



## DAKAR

16X8  
GUNMETAL MACHINED FACE

SIZE	PCD	OFFSET	MAX LOAD
16x8	6/139.7	Zero	1450 kg

Extended cap available for  
caravan & trailer fitments



## RENEGADE

15X6.5 16X8  
SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
15x6.5	6/139.7	Zero	1300 kg
16x8	6/139.7	Zero	1450 kg



## RAPTOR

15X6.5 16X8  
SATIN BLACK

SIZE	PCD	OFFSET	MAX LOAD
15x6.5	5/114.3	Zero	1300 kg
15x6.5	6/139.7	Zero	1300 kg
16x8	6/139.7	Zero	1350 kg

NEW



HAVOC BULLET PREDATOR HAWK RENEGADE JACKAL MONSTER EDGE MAGNUM II

**MTP MULLINS**  
Trailer Parts [mullinstrailerparts.com.au](http://mullinstrailerparts.com.au)

For our full range of load rated caravan  
and trailer wheels, visit [csadirect.com.au](http://csadirect.com.au)



# mullins wheels

Mullins Wheels is a proud, Australian-owned family business and leading importer, manufacturer and wholesaler of automotive products.

Mullins Wheels was founded in Adelaide in 1905 and has grown to be a leader in the Australian wheel industry.

Our range includes: CSA Alloy and Steel Wheels, Globe Wheels, König Wheels, Mullins Trailer Parts (MTP), RoadKing Truck Wheels and Rims, and Mullins Earthmover, Agricultural, Industrial and Mining Wheels.

With branches in five states and a massive range of products to suit most vehicles, Mullins Wheels is a one-stop-shop for all your wheel and rim requirements.

If it moves, we have a wheel to suit it.



**NATIONAL SALES HOTLINE**  
1300 882 779

**CHECK US OUT  
ON SOCIAL MEDIA**

## SA / NT

08 8281 3555 | SASALES@MULLINS.COM.AU

## NSW / ACT

02 9725 2555 | NSWSALES@MULLINS.COM.AU

## VIC / TAS

03 9357 2333 | VICSALES@MULLINS.COM.AU

## QLD

07 3277 8677 | QLDSALES@MULLINS.COM.AU

## WA

08 9277 6266 | WASALES@MULLINS.COM.AU

## HEAD OFFICE

08 8282 3600 | INFO@MULLINS.COM.AU

## CSA ALLOY WHEELS

[f /CSAALLOYWHEELS](#) [@CSA\\_ALLOY\\_WHEELS](#)

## CSA-X OFFROAD WHEELS

[@CSA\\_X\\_WHEELS](#)

## KONIG WHEELS

[f /KONIGWHEELSAUS](#) [@KONIGWHEELSAUS](#)

## MULLINS TRAILER PARTS

[f /MULLINSTRAILERS](#)

[CSADIRECT.COM.AU](#)

[MULLINSTRAILERPARTS.COM.AU](#)

