WTD
WORLD TRADE DISPLAY
Display & Digital Signage Solutions

WTD™
WORLD TRADE DISPLAY

WORLD TRADE DISPLAY


| | |
|---|---|
| IP66 MAINTENANCE-FREE ULTRA SLIM OUTDOOR TOUCH DISPLAY | 4 |
| WEATHER-PROOF OUTDOOR FREESTANDING TOTEM | 8 |
| ULTRA-HIGH BRIGHTNESS WINDOW FACING DISPLAY | 11 |
| DUAL-SIDE HIGH BRIGHTNESS CEILING HANGING WINDOW | 14 |
| DISPLAY DUAL-SIDE HIGH BRIGHTNESS FLOOR STAND WINDOW | 17 |
| DISPLAY 20MM ULTRA SLIM FLUSH-FIT PROFESSIONAL MONITOR | 20 |
| ULTRA-WIDE STRETCHED DISPLAY | 23 |
| 4K FREESTANDING FULL-SCREEN DIGITAL POSTER | 26 |
| PCAP SELF ORDER KIOSKS | 29 |
| OLED TRANSPARENT TOUCH DISPLAY | 32 |
| 24/7 COMMERCIAL GRADE ADVERTISING WALL SCREEN | 36 |
| OPEN FRAME ADVERTISING EMBEDDED TOUCH SCREEN | 39 |
| 24/7 FLOOR STANDING DIGITAL TOTEM | 42 |
| SUPER NARROW BEZEL DIGITAL MENU BOARD | 45 |
| K-SHAPE FLOOR STAND TOUCH ALL-IN-ONE KIOSK | 47 |
| LCD VIDEO WALL | 50 |
| 4K INTERACTIVE TOUCH WHITEBOARD DISPLAY | 52 |

# IP66 MAINTENANCE-FREE ULTRA SLIM OUTDOOR TOUCH DISPLAY

- IP66 rating
- High Brightness Display
- Automatic Brightness Adjustment
- Maintenance-free
- 85mm Ultra Slim thickness
- High temperature resistance
- Vandal Proof
- Nano Touch
- 26mm super narrow bezel

## ➢ IP66 Rating Outdoor Enclosure

The outer casing has an IP66 rating which means it keeps out all airborne swarf, dust and other particles as well as being protected from any wet weather conditions, broadening the range of possible environments.

Protection from the weather

## ➢ 3000nit Industry Grade Panel

The high brightness LCD panel used in this display is up to 10 times than the a indoor monitor making it deal for outdoor spaces, BOE/LG industry grade high TNI panel making it resist blackening defects up to 110 ° C even in direct sunlight and still show clear images as usual.



## Vandal Proof

With a mild steel enclosure and thermally-toughened glass front, these IK10 rated displays are designed to withstand any damage that may occur in public spaces. To avoid tampering, controls and inputs are hidden and cannot be accessed by passers-by.

## Aluminum Plate Heat Dissipation

The industrial-grade superconducting heat dissipation technology and the use of high-power silent fans can export the heat of the whole machine to thThe use mode can be diversified design for different application scenariose outside world at the fastest speed, so that it can operate normally at high temperatures and extend the service life of the panel.

## 85mm Ultra-thin Thickness

The latest OD10 backlight scheme is adopted in this display to make such 85mm ultra-thin thickness, narrower, thinner and lighter than ordinary outdoor displays.




## Anti-glare Glass

Using anti-glare glass which is specially treated to help diffuse direct sunlight, making the display easily readable even in the bright weather conditions.




## 26mm Super-narrow Bezel

26mm super-narrow bezel, more than 95% super large screen ratio, and the visual effects improved by several times.



## Wide Viewing Angle

178° ultra wide viewing angle in landscape and portrait orientations.

## Smart Temperature Control

Built-in silent fan and internal airflow system keep the panel and internal components at optimum working temperature. This ensures a long and reliable life for your screen.

## Automatic Brightness Adjustment

Automatically adjust the brightness according to the external ambient, always keep the best picture effect, and be more environmentally friendly.




## VESA Mount Holes

400*400mm VESA holes, the use mode can be diversified design for different application.

## Landscape or Portrait

Landscape or portrait orientation, meet multiple customer needs.

WTD
WORLD TRADE DISPLAY

# WEATHER-PROOF OUTDOOR FREESTANDING TOTEM

- Water-proof
- High Brightness Display
- Vandal Proof
- Automatic Brightness Adjustment
- 24/7 Commercial Grade
- Security Lock
- Nano Touch

## ➢ Weatherproof Outdoor Enclosure

The outer casing has an IP65 rating which means it keeps out all airborne swarf, dust, and other particles as well as being protected from any wet weather conditions, broadening the range of possible environments.

## ➢ 24/7 Commercial Grade Panel

Built with commercial-grade panels and the components, these displays are designed to run 24 hours a day, 7 days a week in constant use. The panel also has a lifespan of over 60,000 hours of continuous use.

## ➢ 2,000cd/m² High Brightness

Brightness is paramount when using outdoor screen-sthesed displays using commercial grade, Ultra High Brightness panels (2,000cd/m2), more than 5 times brighter than a standard home allow easy readability in direct sunlight.

## ➢ IR/ Nano/ PCAP Touch Options

According to the different sizes, different applications and different budgets from the customers, there are three touch options available: IR touch, Nano touch and PCAP touch,  10 points or 20 points. We will suggest the most appropriate touch solution for customers.

## ➢ Wide Viewing Angle

178° ultra wide viewing angle in landscape and portrait orientations.

## ➢ Automatic Brightness Adjustment

Automatically adjust the brightness according to the external ambient, always keep the best picture effect, and be more environmentally friendly.

## ➢ Vandal Proof

With a mild steel enclosure and thermally-toughened glass front, these IK10 rated displays are designed to withstand any damage that may occur in public spaces. To avoid tampering, controls and inputs are hidden and cannot be accessed by passers-by.

## ➢ Smart Temperature Control

Built-in silent fan and internal airflow system keep the panel and internal components at optimum working temperature. This ensures a long and reliable life for your screen.



## ➢ 10 Watt Loudspeaker

Two 16 ohm 10watt outdoor use loudspeakers on the side, ensure passengers can hear what you want them to hear.

# ULTRA-HIGH BRIGHTNESS WINDOW FACING DISPLAY

- High Brightness
- High Temperature Resistance
- 24/7 Usage
- Smart Temperature Control
- Slim Thickness
- Automatic Brightness Adjustment
- Super Narrow Bezel

## ➢ 3,000 cd/m² High Brightness

Designed for shopfront windows, the 3000 cd/m² commercial grade ultra-high brightness panel that are up to 10 times brighter than domestic televisions and ensures that content really stands out, even the brightest direct sunlight.

Nornal brightness

High brightness

## ➢ Ultra Slim Thickness

Using the latest OD20 technology, the thickness is controlled at 57mm, allowing for stylish and modern window displays.

## ➢ Super Narrow Bezel

9.5mm narrow bezel helps draw attention to the screen images and not the display for maximum impact messaging.

## ➢ 110°C High Temperature Resistance

Using high TNI panels, these panels can withstand surface temperatures up to 110°C without suffering from any blackening defect. This is crucial for the outward-facing window display, which must contend with exposure to direct sunlight.




Nornal panel

High TNI panel

## ➢ Wide Viewing Angle

178° ultra wide viewing angle in landscape and portrait orientations.

## ➢ Smart Temperature Control

Built-in silent fan and internal airflow system keep the panel and internal components at optimum working temperature. This ensures a long and reliable life for your screen.



## ➢ Automatic Brightness Adjustment

Automatically adjust the brightness according to the external ambient, always keep the best picture effect, and be more environmentally friendly.

## ➢ VESA Mount Holes

VESA holes, the use mode can be diversified design for the different application.

## ➢ 24/7 Commercial Grade Panel

Built with commercial-grade panels and components, these displays are designed to run 24 hours a day, 7 days a week in constant use. The panel also has a lifespan of over 60,000 hours of continuous use.

## ➢ Landscape or Portrait

Landscape or portrait orientation, meet multiple customer needs.



# DUAL-SIDE HIGH BRIGHTNESS CEILING HANGING WINDOW DISPLAY

- High Brightness
- Automatic Brightness Adjustment
- Double Side Display
- Smart Temperature Control
- Super Slim Thickness
- High Temperature Resistance
- Adjustable Integrated Ceiling Hanging Bracket
- 24/7 Usage

## ➢ 3,000+700cd/m² High Brightness

Designed for shopfront windows, a 3000cd/m² outward-facing screen to combat direct sunlight and a 700cd/m² inward-facing screen to combat brightly-lit indoor spaces.

Nornal brightness

High brightness

## ➢ Double Side Screen Display

3000+700nit double side display to play the same or different contents, let both in-store customers and out-of store watch the contents at the same time.



Double Side Screen

## ➢ 110°C High Temperature Resistance

These high TNI panels can withstand surface temperatures up to 110°C without suffering from any blackening defect. This is crucial for the outward-facing window display, which must contend with exposure to direct sunlight.

Nornal panel




High TNI panel

## ➢ Built-in Android Media Player

The built-in Android media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

android

## ➢ Adjustable Ceiling Hanging Bracket

The screen comes with an integrated ceiling hanging bracket, you can install without extra bracket.

## Automatic Brightness Adjustment

With the embedded light sensor, these displays can automatically adjust their own brightness according to the external ambient, always keep the best picture effect, and be more environmentally friendly.




## Smart Temperature Control

Built-in silent fan and internal airflow system keep the panel and internal components at optimum working temperature. This ensures a long and reliable life for your screen.



## 24/7 Commercial Grade Panel

Built with commercial-grade panels and components, these displays are designed to run 24 hours a day, 7 days a week in constant use. The panel also has a lifespan of over 60,000 hours of continuous use.

## Super Slim Thickness

Using the latest OD10 technology, even with two screens, the thickness is controlled at 57mm, allowing for stylish and modern window displays.

# DUAL-SIDE HIGH BRIGHTNESS FLOOR STAND WINDOW DISPLAY

- High Brightness
- Automatic Brightness Adjustment
- Double Side Display
- Smart Temperature Control
- Super Slim Thickness
- High Temperature Resistance
- Adjustable Integrated Floor Stand Bracket
- 24/7 Usage

## ➢ 3,000+700cd/m² High Brightness

Designed for shopfront windows, a 3000cd/m² outward-facing screen to combat direct sunlight and a 700cd/m² inward-facing screen to combat brightly-lit indoor spaces.

Nornal brightness

High brightness

## ➢ Double Side Screen Display

3000+700nit double side display to play the same or different contents, let both in-store customers and out-of store watch the contents at the same time.

Double Side Screen

## ➢ 110°C High Temperature Resistance

These high TNI panels can withstand surface temperatures up to 110°C without suffering from any blackening defect. This is crucial for the outward-facing window display, which must contend with exposure to direct sunlight.

Nornal panel




High TNI panel

## ➢ Built-in Android Media Player

The built-in Android media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

android

## ➢ Adjustable Floor Stand Bracket

The screen comes with an integrated adjustable floor stand bracket, you can adjust the height easily.

Adjustable Length

## ➢ Automatic Brightness Adjustment

With the embedded light sensor, these displays can automatically adjust their own brightness according to the external ambient, always keep the best picture effect, and be more environmentally friendly.




## ➢ Smart Temperature Control

Built-in silent fan and internal airflow system keep the panel and internal components at optimum working temperature. This ensures a long and reliable life for your screen.



## ➢ 24/7 Commercial Grade Panel

Built with commercial-grade panels and components, these displays are designed to run 24 hours a day, 7 days a week in constant use. The panel also has a lifespan of over 60,000 hours of continuous use.

## ➢ Super Slim Thickness

Using the latest OD10 technology, even with two screens, the thickness is controlled at 57mm, allowing for stylish and modern window displays.



# 20MM ULTRA SLIM FLUSH-FIT PROFESSIONAL MONITOR

- 24/7 Commercial Grade
- 20mm Ultra Slim Thickness
- 10mm Super Narrow Bezel
- Free Flush-Fit Wall Mount
- Built-in Android Media-player
- Landscape or Portrait

## ➢ 20mm Ultra-Thin Thickness

The 18mm thickness body, much slimmer than traditional indoor monitors, truly achieve the super slim design, which looks like a elegant painting on the wall.




## ➢ Landscape or Portrait

Landscape or portrait orientation, meet multiple customer needs

## ➢ 24/7 Usage

Built with commercial-grade panels and components, these displays are designed to run 24 hours a day, 7 days a week in constant use. The panel also has a lifespan of over 60,000 hours of continuous use.

## ➢ 10mm Super Narrow Bezel

The 10mm narrow bezel helps draw attention to the screen images and not the display for maximum impact messaging.

## ➢ Integrated Android Media Player

The built-in Android media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

android

## ➢ 400 cd/m² Brightness

Designed as commercial monitors, the 400 cd/m² brightness panel that are brighter than domestic TVs, makes the content stands out.




## ➢ VESA Mount Holes

VESA holes also available, you can use your own wall/ floor stand or hanging bracket to install this screen if do not use the matching bracket.

## ➢ Free Flush-Fit Wall Mount

A super slim wall mount is included at no extra cost, enabling you to install your screen in either landscape or portrait orientation with a secure and aesthetically pleasing flush fit to the wall. Using the customized full-flat wall mount bracket to match the back cover to achieve the thinnest thickness, the whole screen with bracket is only 20mm.

## ➢ Lightweight Design

By using less and lighter materials, component weight is kept to a minimum. This compact design makes both installation and maintenance much more convenient, while minimizing power consumption.

WTD
WORLD TRADE DISPLAY

# ULTRA-WIDE STRETCHED DISPLAY

24/7 Usage

IR Touch

Multiple sizes available

Ultra-Wide Aspect Ratio

Bulit-in Media Player

## ➢ Clear HD Resolution

Unlike DV-LED stretched displays, this solution uses a full HD LCD panel to provide a clear image and fine details. This high resolution is essential to be able to read text at close proximity and also produces the best results when showing video.

## ➢ Ultra-Wide Aspect Ratio

Whether being used as part of an end-aisle display or as a unique individual screen, this solution offers a versatile range of possible applications. The flexibility of portrait or landscape use and the ultra-wide aspect ratio make them the perfect accompaniment for our LCD Shelf Edge Displays.



## ➢ Multiple sizes available

There are multiple sizes available for different applications, including 19.5inch, 24inch, 28inch, 37inch, 49.5inch, 58inch, 70inch, 80inch and 88inch,  also supports customized dimensions according to clients' devices and requests.

## ➢ Built-in Media Player

The built-in Android/ PC media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

WTD
WORLD TRADE DISPLAY

# 4K FREESTANDING FULL-SCREEN DIGITAL POSTER

- 24/7 Usage
- 4K High Resolution
- IR Touch
- Multiple sizes available
- Full-screen Display
- Slim Thickness
- Bulit-in Media Player

## ➢ Optional IR Touch

The 10- point Infrared touch is optional for these full-screen digital posters, let clients meet the demand for interaction.

## ➢ Built-in Media Player

The built-in Android/ PC media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

## ➢ Toughened Safety Glass

Higher security toughened glass to protect the panel and extend the service life.

## ➢ Giant Freestanding Tablet

The tempered glass face, rounded corners, super slim perceived depth, aluminum surround and narrow border around the screen give a captivating tablet-like aesthetic. They also protect the internal components from potential damage in public spaces.

## ➢ Full-screen Display

Unlike the standard 16:9 digital totems, these full-screen digital posters have much wider active display areas with an 8:3 aspect ratio, showing more version details.

## ➢ Multiple sizes available

There are multiple sizes available for the different application, including 64” 69” and 80”.  We also support customize dimensions according to clients' devices and demands.

## ➢ 4K Ultra High Resolution

The 4K UHD display delivers incredible image quality with four times resolution higher than Full HD. Optimized for viewing distances both near and far the display allows your content to take center stage for all your visual communication.

# PCAP SELF ORDER KIOSKS

- Integrated Media player
- PCAP Touch
- Integrated QR code Scanner
- Integrated Thermal Printer
- Easy Access for Maintenance
- Integrated NFC Card reader
- Multi-function Customisable

## ➢ Integrated Thermal Printer

Optional thermal printer function, customers can print consumption vouchers or coupons independently to meet different needs, reduce time and improve efficiency. And when the printing paper is used up, the paper roll is easy to replace.

## ➢ Integrated NFC Card Reader

Optional integrated NFC card reader function, which will allow users to make swift, contactless payments via mobile devices.

## ➢ Integrated QR Code Scanner

QR code scanning is optional. We use a high-performance wide-angle scanner that can easily identify QR codes and barcodes of different lengths and accuracies.



## ➢ Easy Maintenance

The front door design makes the later maintenance more convenient and quick. Workers do not need to remove the machine from the bracket or wall. They only need to open the front door to carry out maintenance management.

## ➢ Touch Self-Order Kiosk

By integrating capacitive touch, QR scanning, printer, NFC, camera and other functions into one solution, the numerous benefits of the self-service system are obvious. They reduce waiting time in queues, improve user experience, allow waiters to focus on other services, reduce labor costs, etc. It is a very good choice for the retail industry.



## ➢ Built-in Media Player

The built-in Android/ PC media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

## ➢ Toughened Safety Glass

Higher security toughened glass to protect the panel and extend the service life.

## ➢ Multi-function Customisable

The corresponding colors and functions can be customized according to customer requirements, not limited to NFC, camera, printer and scanning, size, color, and logo can all be customized.



WTD
WORLD TRADE DISPLAY

# OLED TRANSPARENT TOUCH DISPLAY

OLED display

Transparent Screen

PCAP Touch

Ultra Slim thickness

Frameless Display

Light Design

Landscape or Portrait

## ➢ No Backlight, Self-lighting

OLED achieves independent light control on each pixel, without backlight, and can self-light, so there is no light leakage phenomenon. Achieve a more pure, deeper, more delicate picture quality.

## ➢ Multiple Designs

A variety of designs are available to meet more usage scenarios. Multiple installation methods, can be spliced and expanded

## ➢ Unmatched Image quality

Accurate color representation of the input signal , the OLED technology provides both accurate and stable colors, achieve much higher image quality than traditional LCD.

## ➢ HDMI input support

High definition HDMI connector support 1080P content input, no headache for different demands from your client anymore.

## ➢ Optional PCAP Touch

Designed for commercial applications, PCAP is not affected by a bust or debris on the screen surface allows for up to 10 touch points, and offers superior optical quality.

## ➢ 38% Transparency

The transparent OLED screen breaks the traditional display form, with 38% transparency, to achieve better transparency and picture quality. Transparent enough to read fine details or text on objects behind the display.

## ➢ Thin & Light Design

The OLED display panel is only 1mm thick at its thinnest point, creating more possibilities in transportation, trade shows, construction and other fields, showing more possibilities.

## ➢ 700cd/m² Brightness

These round screens use 700cd/m² BOE original modules, which are twice as bright as indoor TVs, and attract more attention.

## ➢ PCAP Touch

Designed for commercial applications, PCAP touch technology works by fixing a sensor grid between a layer of cover glass and the LCD panel. Unlike other touch technologies, PCAP is not affected by a bust or debris on the screen surface allows for up to 10 touch points, and offers superior optical quality.

## ➢ 24/7 BOE Original IPS Panel

Built with BOE commercial-grade IPS panels and the components, these displays are designed to run 24/7 in constant use. Also with superior image quality and color depth at 178° ultra-wide viewing angle in landscape and portrait orientations.



## ➢ 1280*1280 Resolution

The round screen is 23.6 inches, with a 600*600mm active display area, and 1280*1280 high resolution, making it have an amazing display effect. Also, the round shape meets the need of some special places.

Full HD

## ➢ HDMI Input

High definition HDMI connector support 1080P content input, no headache for different demands from your client anymore.

ϕ 600mm

## ➢ Free Wall Mount Bracket

These round screens are with 200*200 VESA mount holes for installation, we provide free wall mount brackets for clients also.



# 24/7 COMMERCIAL GRADE ADVERTISING WALL SCREEN

24/7 Commercial Grade

IPS Panel

Wide Viewing Angle

PCAP Touch

Toughened Safety Glass

Slim Thickness

Landscape or Portrait

## ➢ 24/7 Commercial Grade

Built with commercial-grade panels and components, these displays are designed to run 24 hours a day, 7 days a week in constant use. The panel also has a lifespan of over 60,000 hours of continuous use.

## ➢ Built-in Media Player

The built-in Android/ PC media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

## ➢ IPS Panel

Superior image quality and color depth at 178° ultra wide viewingangle in both landscape and portrait orientations.



## ➢ IR/ Nano/ PCAP Touch Options

According to the different sizes, different applications and different budgets from the customers, there are three touch options available: IR touch, Nano touch and PCAP touch,  10 points or 20 points. We will suggest the most appropriate touch solution for customers.

## Wide Viewing Angle

178° ultra wide viewing angle in both landscape and portrait orientations.

## Toughened Safety Glass

Higher security toughened glass to protect the panel and extend the service life.



## Landscape or Portrait

Landscape or portrait orientation, meet multiple customer needs.

## Slim Body

Slim body display, making it looks more elegant.

## Built-in Speakers

The displays have two integrated slimline speakers for applications that involve an audio element.

## VESA Mount Holes

VESA holes, the use mode can be diversified design for the different application.

# OPEN FRAME ADVERTISING EMBEDDED TOUCH SCREEN

- 24/7 Commercial Grade
- IPS Panel
- Wide Viewing Angle
- PCAP Touch
- Toughened Safety Glass
- Open Frame Design
- Landscape or Portrait

## ➢ 24/7 Commercial Grade

Built with commercial-grade panels and components, these displays are designed to run 24 hours a day, 7 days a week in constant use. The panel also has a lifespan of over 60,000 hours of continuous use.

## ➢ Interactive PCAP Touch

Designed for commercial applications, PCAP touch technology works by fixing a sensor grid between a layer of cover glass and the LCD panel, when a finger touches the glass, the grid detects the coordinates of the touch point. Unlike other touch technologies, PCAP is not affected by a bust or debris on the screen surface allows for up to 10 touch points, and offers superior optical quality.

## ➢ Built-in Media Player

The built-in Android/ PC media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

## ➢ IPS Panel

Superior image quality and color depth at 178° ultra wide viewingangle in both landscape and portrait orientations.



## ➢ Toughened Safety Glass

Higher security toughened glass to protect the panel and extend the service life.

## Wide Viewing Angle

178° ultra wide viewing angle in both landscape and portrait orientations.

## Built-in Speakers

The displays have two integrated slimline speakers for applications that involve an audio element.

## Landscape or Portrait

Landscape or portrait orientation, meet multiple customer needs.

## Open Frame Embed Installation

The screens can be embedded in the wall and fit any customer's own case with VESA holes or our matching bracket.

WTD
WORLD TRADE DISPLAY

# 24/7 FLOOR STANDING DIGITAL TOTEM

- 24/7 Commercial Grade
- IPS Panel
- Wide Viewing Angle
- PCAP Touch
- Toughened Safety Glass
- Internal Locker
- Super Slim Thickness

## ➢ 24/7 Commercial Grade

Built with commercial-grade panels and components, these displays are designed to run 24 hours a day, 7 days a week in constant use. The panel also has a lifespan of over 60,000 hours of continuous use.

## ➢ Built-in Media Player

The built-in Android/ PC media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.



## ➢ IPS Panel

Superior image quality and color depth at 178° ultra wide viewingangle in both landscape and portrait orientations.



## ➢ IR/ Nano/ PCAP Touch Options

According to the different sizes, different applications and different budgets from the customers, there are three touch options available: IR touch, Nano touch and PCAP touch,  10 points or 20 points. We will suggest the most appropriate touch solution for customers.

## ➢ Wide Viewing Angle

178° ultra wide viewing angle in both landscape and portrait orientations.

## ➢ Slim Body

Slim body display, making it looks more elegant.




## ➢ Toughened Safety Glass

Higher security toughened glass to protect the panel and extend the service life.

## ➢ Internal Lock

Having a lockable compartment in the rear of the display with space to fit a small PC or media player means running the screen from an external source is easy.



# SUPER NARROW BEZEL DIGITAL MENU BOARD

- 24/7 Commercial Grade
- IPS Panel
- Cloud Based Software
- Multi-Screen Synchronisation
- Media Player Built-in
- 4/6mm Super Narrow Bezel
- Landscape or Portrait

## ➢ 24/7 Commercial Grade IPS Panel

With a commercial-grade IPS panel with a brightness of 500cd/m², this Digital Menu Board is able to reproduce and maintain the ultimate color temperature for lifelike images even in the most challenging lighting environments. With a lifespan of over 70,000 hours, the screen can be used 24/7 with no loss in image quality.



## ➢ 4/6mm Super Narrow Bezel

The narrow bezel on the Digital Menu Boards allows your menu to take center stage. When multiple Digital Menu Boards are placed side by side there is a virtually seamless display thanks to their thinner edges and superior image precision.

## ➢ Media Player Built-in

The built-in Android media player with WIFI connection and LAN connection allows you to easily run and update on-screen content via a website, your own online CMS platform, or any other compatible third-party software,

## ➢ Cloud Based Software

The player could be upgraded to network CMS if needed, via network CMS you can manage the player any time in any place with Internet.

## ➢ Multi-Screen Synchronisation

You can synchronize your Digital Menu Boards across multiple screens provided they are connected to the same network. This is ideal for menus above the counter.

WTD
WORLD TRADE DISPLAY

# K-SHAPE FLOOR STAND TOUCH ALL IN ONE KIOSK

24/7 Usage

Wide Viewing Angle

IPS Panel

Toughened Safety Glass

Touch All in One

Multi-function Support

Built-in Media Player

## ➢ Interactive Touch All In One

This all-in-one interactive display combines the best in PCAP Touch Screen technology with a stylish and secure kiosk. The screen resembles a giant tablet with an edge-to-edge glass tempered front and aluminium bezel. Designed for use in commercial applications the easy-to-use ergonomic design allows users to interact with the screen perfectly.

## ➢ Multi-function Support

Based on the touch function, it also support customize a plenty of functions according to the requirements from customers, such as NFC, printer, QR scanner, POS, camera, microphone, RFID and so on. Integrate all the required functions into one machine.

## ➢ Built-in Media Player

The built-in Android/ PC media player allows you to easily run and update on-screen content via a website, your own online CMS platform or any other compatible third-party software.

## ➢ IPS Panel

Superior image quality and color depth at 178° ultra wide viewingangle in both landscape and portrait orientations.



## ➢ Screen Removable

The touch screen can remove from the base, also with VESA holes for wall mount. This is not just a kiosk, it also can be a wall mount screen.

## ➢ Toughened Safety Glass

Higher security toughened glass to protect the panel and extend the service life.

## ➢ 24/7 Commercial Grade

Built with commercial-grade panels and the components, these displays are designed to run 24/7 in constant use.

## ➢ Reserved Connectivity

There are few reserved connectors on the base, you can choose the best one as you want.

# LCD VIDEO WALL

24/7 Commercial Grade

IPS Panel

Multiple Solutions

Super Narrow Bezel

Landscape or Portrait

## ➢ 24/7 IPS Panel

State-of-the-art 24/7 commercial-grade IPS panels give our video walls superior color uniformity, 500cd/m² brightness, a large viewing angle, and remarkable vibrancy, even when mounted in portrait.

## ➢ Multiple Solutions

These displays can be used to create video walls of any configuration, for example 2x2, 3x3, 1x4, 5x3 etc. Whatever your configuration requirements these displays can support them, even if you want a portrait video wall.

## ➢ Portrait/Landscape Orientation

We have options for landscape only and bothPortrait&landscape, can cover all your demand.



## ➢ Super Narrow Bezel

With a total screen-to-screen bezel size of 3.5mm these displays are ideal as part of a virtually seamless LCD video wall – providing you with an eye-catching, and content-focused display.



WTD
WORLD TRADE DISPLAY

# 4K INTERACTIVE TOUCH WHITEBOARD DISPLAY

Android OS

Anti-glare Glass

4K

4K Display

Multiple Easy Access Ports

Windows OS

20

IR Touch

Free Presentation Software

## ➢ 20-point IR Touch

Infrared Touch Screens use the most robust and durable touch technology available, designed for commercial usage and the most cost-effective solution on the market. 20 points touch allows up to twenty users to interact with the screen at one time when work on group projects.

## ➢ Android & Windows Dual OS

With both Android (4+32GB, Android 11 version) and Windows operating systems installed on the integrated PC, it can not be beaten on flexibility. Seamlessly switch from your Windows desktop to the Android apps, this screen has it all in one convenient package.



## ➢ 4K Display

The 4K UHD display delivers incredible image quality with four times resolution higher than Full HD. Optimized for viewing distances both near and far the display allows your content to take center stage for all your visual communication.

## ➢ Free Presentation Software

Integrated a great presentation software inside, including the whiteboard function for free, also the screen share function is optional. In addition, you can download a variety of third-party business apps to the display via the Google Play store giving you the widest possible choice to work the way you want.

## ➢ Multiple Easy Access Ports

Besides the dual systems, there is also a front HDMI port and a USB port, ideal for quickly and conveniently connecting USB sticks or HDMI signals that you need. Multiple signal input connectors, enough signal input for clients.

## ➢ Anti-glare Glass

Designed for classrooms and meeting rooms, anti-glare glass makes touch smoother. The anti-glare nano-coating also diffuses external light so that images and videos are much clearer.

## ➢ Wall Mount & Floor Stand Installation

Wall mount & floor stand installations are both available, and we provide strong wall mount brackets for free. Floor stand brackets are optional also.

## ➢ Integrated Speakers

The screens have two integrated super slim 10W speakers for the presentation that include an audio element.

## ➢ IPS Panel

Superior image quality and color depth at 178° ultra wide viewingangle in both landscape and portrait orientations.



## ➢ Built-in Webcam & Microphone Optional

Besides built-in speakers, there is also the built-in webcam & microphone option for video conference requirements.

# ABOUT WTD


Company: **WORLD TRADE DISPLAY Srl**
Via della Lontra 43
47923 Rimini – Italy
Tel +39 0541 753344


Certfication: A Company Certified ISO9001 - ISO14001


Copyright: Copyright © 1993-2026 by WTD - World Trade Display



e-mail: marketing@worldtradedisplay.com

Website: www.worldtradedisplay.com