



Pricelist

1 July 2026 - 1 July 2027

Easy selection from our complete range of
air heaters | circulation units | air curtains
cooling systems | related accessories
for a perfectly tailored climate control solution.

SINCE
1936

Winterwarm 

Contents

Industrial



4 | Qwikshift QSE
All-electric hybrid heater



5 | Qwikshift QSG
Gas-fired hybrid heater



6 | Winterwarm HPX
Efficient air-water heat pumps



7 | Winterwarm WWH-LT
Low temperature unit heater
for Heat Pumps



8 | Winterwarm WWH/WWH-EC
Water supplied unit heater, with or
without EC-fan



9 | Winterwarm JET
Powerful heat pump unit heater
for high spaces




10 | Winterwarm EH
Electric heater



11 | Winterwarm HR
Condensing unit air heater



12 | Winterwarm XR+
Indirect fired unit air heater with
modulating burner and fan



13 | Flue material

Prices in this catalogue are gross prices. All previous price lists hereby become void; price changes and printing/typesetting errors are subject to change. For net prices you can contact our sales office in Winterswijk
Tel. +31 (0)543 54 63 00. More specific product information can be found on www.winterwarm.com. Version: 1. Juli 2026 - valid until 1. July 2027



13 | WinterCooler

Industrial air cooler



14 | Winterwarm ACM

Air curtain consisting of separate modules



15 | Winterwarm WCU

Destratification fans and Rendovent Ceiling fans

Agri



16 | Winterwarm DX-EH

Electric air heater, specifically for sustainable heating of stables



17 | Winterwarm DXC

Indirect fired air heater with closed combustion system for poultry houses



18 | Winterwarm DX4D

Direct fired air heater with 4-way discharge plenum



19 | Winterwarm DXE

Indirect fired air heater for installation outside the poultry house



20 | Winterwarm DHX

Direct gas fired heater for poultry houses and glass houses



21 | Winterwarm DHB

Oil fired heater for poultry houses

Winterwarm Heating Solutions BV

Olden Goorweg 1, 7108 AE Winterswijk, The Netherlands

P.O.Box 36, NL-7100 AA Winterswijk, The Netherlands

Tel. +31 (0)543 54 63 00, info@winterwarm.nl, www.winterwarm.nl

Qwikshift hybrid heater QSE-series



QSE series	All-electric	
	Price €	article no.
QSE 6 + 10	6595	GH10E06UW
QSE 6 + 15	7060	GH15E06UW
QSE 12 + 15	7235	GH15E12UW
QSE 12 + 30	7405	GH30E12UW
QSE 16 + 5	7195	GH05E16UW
QSE 16 + 10	7745	GH10E16UW
QSE 16 + 15	7895	GH15E16UW
QSE 16 + 20	8150	GH20E16UW
QSE 16 + 30	8815	GH30E16UW
QSE 16 + 40	9225	GH40E16UW

Accessories QSE-series

DESCRIPTION	Applicable on	Price €	article no.
Smart Controller	all QSE types	488	IW8050
Power isolation switch, 230 V - 400 V., 25 A	QSE 6 + 10/15 QSE 12 + 15 QSE 16 + 5/10/15	86	IK5282
Power isolation switch 400V, 32 A	QSE 16 + 20	151	IE5209
Power isolation switch 400V, 63 A	QSE 12 + 30 en QSE 16 + 30/40	236	IE5210
Suspension brackets U-bracket S (wall suspension)	QSE 6 + 10/15	205	GA8610
Suspension brackets M (wall suspension)	QSE 6 + 10/15	214	GA8580
Suspension brackets L (wall suspension)	QSE 12 + x QSE 16 + x	298	GA8622
Set vertical louvres (4 pcs.)	QSE 6 + 10/15	132	GX2003
Set vertical louvres (4 pcs.)	QSE 12 + 15/30	133	GX4002
Set vertical louvres (5 pcs.)	QSE 16 + x	204	GX6004

HEAT PUMPS	Applicable on	Price €	article no.
Heat pump HPX 06	QSE 6 + 10/15	4055	GHW8000
Heat pump HPX 12	QSE 12 + 15/30	5210	GHW8006
Heat pump HPX 16	QSE 16 + x	5650	GHW8008
Anti-frost valve 1" x 1" (2 pieces required per heat pump)	all QSE types	295	IW8040
Roof duct for heat pump ø100mm	all QSE types	138	IW8032
Suspension brackets for heat pump incl. vibration dampers (for suspension on outside wall)	HPX 06-12-16	249	GA8650

Qwikshift hybrid heater QSG-series

QSG series	Natural Gas (G20)		Propane (G31)	
	Price €	article no.	Price €	article no.
QSG 6+10	8335	GH10H06G20	8450	GH10H06G31
QSG 6+20	8910	GH20H06G20	9060	GH20H06G31
QSG 12+20	10070	GH20H12G20	10220	GH20H12G31
QSG 12+30	10650	GH30H12G20	10835	GH30H12G31
QSG 12+40	11805	GH40H12G20	11995	GH40H12G31
QSG 16+20	11365	GH20H16G20	11520	GH20H16G31
QSG 16+30	11945	GH30H16G20	12130	GH30H16G31
QSG 16+40	13100	GH40H16G20	13285	GH40H16G31
QSG 16+50	14260	GH50H16G20	14540	GH50H16G31
QSG 30+60	19490	GH60H30G20	19760	GH60H30G31



QSG

Accessories QSG-series

DESCRIPTION	Applicable on	Price €	article no.
Smart Controller	all QSG types	488	IW8050
Power isolation switch, 230 V - 400V. 25 A	all QSG types	86	IK5282
Suspension brackets U-bracket S (wall suspension)	QSG 6 + 10/20	205	GA8610
Suspension brackets M (wall suspension)	QSG 6 + 10/20	214	GA8580
Suspension brackets L (wall suspension)	QSG 12 + x QSG 16 + x QSG 30 + 60	298	GA8622
Set vertical louvres (4 pcs.)	QSG 6 + 10/20	132	GX2003
Set vertical louvres (4 pcs.)	QSG 12 + 20/30/40	133	GX4002
Set vertical louvres (5 pcs.)	QSG 16 + x	204	GX6004
Roofterminal DDV 80/125 HR*	all QSG types	184	IA8214
CT 80/125 HR Wall terminal*	all QSG types	156	IA8216
Roof terminal QSG incl. pump/neutralization set*	all QSG types	1075	GA8217

HEAT PUMPS	Applicable on	Price €	article no.
Heat pump HPX 06	QSG 6 + 10/20	4055	GHW8000
Heat pump HPX 12	QSG 12 + 20/30/40	5210	GHW8006
Heat pump HPX 16	QSG 16 + x	5650	GHW8008
Heat pump HPX 30	QSG 30 + 60	8930	GHW8009
Roof duct for heat pump ø100mm	all QSG types	138	IW8032
Suspension brackets for heat pump incl. vibration dampers (for wall suspension)	HPX 06-12-16	249	GA8650
Suspension brackets XL for heat pump incl. vibration dampers (for wall suspension)	HPX 30	298	GA8652

* For extra flue material look at page 13.

Heat pump HPX-series



HPX

HPX series	Heat pump HPX	
	Price €	article no.
HPX 06	4055	GHW8000
HPX 12	5210	GHW8006
HPX 16	5650	GHW8008
HPX 30	8930	GHW8009

Accessories HPX-series*

DESCRIPTION	Applicable on	Price €	article no.
Power Isolation switch 230-400V, 4 poles, 25 A, for indoor and outdoor use	HPX 06-12-16-30	86	IK5282
Power Isolation switch 4-poles, 32 A, IP65, for indoor and outdoor use	HPX 30	151	IE5209
Modbus expansion set	HPX 06-12-16-30	529	GA8010
Anti-frost valve 1"x 1" (2 pieces required per heat pump)	HPX 06-12-16-30	295	IW8040
Anti-frost valve 1½"x 1½" (2 pieces required per heat pump)	HPX 30	326	IW8039
Roof duct for heat pump, ø 100mm	HPX 06-12-16-30	138	IW8032
Roofsheets for water pipes, ø 140mm	HPX 30	151	IW8031
Heat pump mounting feet, 2 pcs. + attachments, L=600 - H=95mm	HPX 06-12-16	122	IW8043
Heat pump mounting feet, 2 pcs. + attachments, L=1000mm / H=95mm	HPX 30	134	IW8036
Rubber block for extra height, 1 pc., L=600mm / H=120mm	HPX 06-12-16	97	IW8044
Rubber block for extra height, 1 pc., L=1000mm / H=120mm	HPX 30	140	IW8037
Suspension brackets for heat pump incl. vibration dampers (for wall suspension)	HPX 06-12-16	249	GA8650
Suspension brackets XL for heat pump incl. vibration dampers (for wall suspension)	HPX 30	298	GA8652

*) The HPX is as standard provided with an expansion vessel (inside the heat pump), water filter and venting.

Heat emission systems

Unit types	Compatible heat pump
QSG 6 + 10/20	HPX 06
QSG 12 + 20/30/40	HPX 12
QSG 16 + 20/30/40/50	HPX 16
QSG 30 + 60	HPX 30
QSE 6 + 10/15	HPX 06
QSE 12 + 15/30	HPX 12
QSE 16 + 5/10/15/20/30/40	HPX 16

Unit types	Compatible heat pump
WWH 110 LT	HPX 06
WWH 220 LT	HPX 12/HPX 16
WWH 330 LT	HPX 16
WWH 340 LT	HPX 30
JET 220	HPX 12
JET 330	HPX 16
JET 340	HPX 30

Heat pump unit heater WWH-LT-series

WWH-LT series	Low temperature + EC-motor		Compatible heat pump		
	Price €	article no.		Price €	article no.
WWH 110 LT	1785	GI110WWLEC	HPX 06	4055	GHW8000
WWH 220 LT	2395	GI220WWLEC	HPX 12	5210	GHW8006
WWH 220 LT	2395	GI220WWLEC	HPX 16	5650	GHW8008
WWH 330 LT	3435	GI330WWLEC	HPX 16	5650	GHW8008
WWH 340 LT	4180	GI340WWLEC	HPX 30	8930	GHW8009



WWH LT

Controls

DESCRIPTION	Price €	article no.
Smart Controller	488	IW8050
Room thermostat for EC-control, 230 V.	54	IW3961
Room thermostat for heating and cooling, 230 V, 10 A max.	123	IW3963
Clock thermostat 230V, 10 A	402	IW3968
Connection thermostat	50	IH8500
Stepless speed controller 0-10V	124	GA3955
Modbus expansion set	529	GA8010
Zone valve, 230V, 3/4" (2-way)	570	GA3980
Condensate pump set incl. sifon adapter, hose connector, hose to waste soil pipe, and 6 m. hose for condensate discharge*	375	GX8002
Hose for condensate discharge 30m., ø10mm	66	IK5785

*) siphon not included

Accessories WWH-LT-series

DESCRIPTION	Applicable on WWH LT	Price €	article no.
Wall brackets	all units	88	GA8595
Ceiling suspension set (do not apply in situations with cooling)	all units	84	GA8600-2
Suspension brackets U-bracket S (wall- or ceiling suspension)	WWH 110 LT	205	GA8610
Suspension brackets U-bracket M (wall- or ceiling suspension)	WWH 220 LT	228	GA8620
4-way down flow plenum (do not apply in situations with cooling)	WWH 110 LT	154	GA120WW-1
4-way down flow plenum (do not apply in situations with cooling)	WWH 220 LT	188	GA245WW-2
4-way down flow plenum (do not apply in situations with cooling)	WWH 330-340 LT	237	GA380WW-2
Set vertical louvres (5 pcs.)	WWH 110 LT	83	GA120VS-1
Set vertical louvres (6 pcs.)	WWH 220 LT	110	GA245VS-1
Set vertical louvres (6 pcs.)	WWH 330-340 LT	132	GA380VS-1

Water supplied unit heater WWH and WWH-EC-series



WWH (EC)

WWH series	Standaard		WWH-EC series	EC-ventilator	
	Price €	article no.		Price €	article no.
WWH 110	840	GI122LWW	WWH 115 EC	1220	GI122HWWEC
WWH 115	925	GI122HWW	WWH 120 EC	1410	GI123HWWEC
WWH 120	1075	GI123HWW	WWH 235 EC	2060	GI162HWWEC
WWH 230	1295	GI162LWW	WWH 245 EC	2390	GI163HWWEC
WWH 235	1410	GI162HWW	WWH 350 EC	2580	GI202LWWEC
WWH 245	1635	GI163HWW	WWH 365 EC	2765	GI202LWWEC
WWH 350	1780	GI202LWW	WWH 380 EC	2975	GI203LWWEC

Controls

WWH	Price €	article no.
Room thermostat on/off 230V, 10 A, IP30	55	IW3950
Clock thermostat 230V, 10 A	402	IW3968
Connection thermostat	50	IH8500
Zone valve, 230V, 3/4" (2-way)	570	GA3980
5-step switch 2.2 A	324	IA8540
5-step switch 3.5 A	336	IA8542
5-step switch 5 A	368	IA8543
5-step switch 8 A	487	IA8544
5-step switch 11 A	626	IA8515
5-step switch 15 A	1015	IA8516

WWH-EC	Price €	article no.
Room thermostat for EC-control, 230 V.	54	IW3961
Clock thermostat 230V, 10 A	402	IW3968
Connection thermostat	50	IH8500
Zone valve, 230V, 3/4" (2-way)	570	GA3980
Stepless speed controller 0-10V	124	GA3955

Accessories WWH and WWH-EC-series

DESCRIPTION	Applicable on WWH	Applicable on WWH EC	Price €	article no.
Wall brackets	all units	all units	88	GA8595
Ceiling suspension set	all units	all units	79	GA8600
Suspension brackets U-bracket S (wall- or ceiling suspension)	WWH 110-120	WWH 115-120 EC	205	GA8610
Suspension brackets U-bracket M (wall- or ceiling suspension)	WWH 230-245	WWH 235-245 EC	228	GA8620
4-way down flow plenum	WWH 110-120	WWH 115-120 EC	154	GA120WW-1
4-way down flow plenum	WWH 230-245	WWH 235-245 EC	188	GA245WW-1
4-way down flow plenum	WWH 350	WWH 350-380 EC	237	GA380WW-1
Set vertical louvres (5 pcs.)	WWH 110-120	WWH 115-120 EC	83	GA120VS-1
Set vertical louvres (6 pcs.)	WWH 230-245	WWH 235-245 EC	110	GA245VS-1
Set vertical louvres (6 pcs.)	WWH 350	WWH 350-380 EC	132	GA380VS-1

Heat pump unit heater JET-series

JET series S	Standard		JET series M	Incl. modbus router	
	Price €	article no.		Price €	article no.
JET 220 S	3995	GJ220BWWS	JET 220 M	4500	GJ220BWWM
JET 330 S	4960	GJ330BWWS	JET 330 M	5490	GJ330BWWM
JET 340 S	5735	GJ340BWWS	JET 340 M	6265	GJ340BWWM



JET

Accessories JET-series

CONTROLS	Price €	article no.
Stepless speed controller 0-10V	124	GA3955
Smart Controller	488	IW8050
Modbus expansion set (Note: the JET-M comes standard with an integrated Modbus router)	529	GA8010
Room thermostat for EC-control, 230 V.	54	IW3961
Connection thermostat	50	IH8500

Compatible heat pumps

DESCRIPTION		Price €	article no.
JET 220 M/S	HPX 12	5210	GHW8006
JET 220 M/S - JET 330 M/S	HPX 16	5650	GHW8008
JET 340 M/S	HPX 30	8930	GHW8009

Electric warm-air heater EH-series



EH series	Price €	article no.
EH 5	1235	GE05A0WW
EH 10	1600	GE10A0WW
EH 15	1885	GE15A0WW
EH 20	2010	GE20A0WW
EH 25	2395	GE25A0WW
EH 30	2655	GE30A0WW
EH 40	3010	GE40A0WW
EH 50	3585	GE50A0WW
EH 60	4135	GE60A0WW

Accessories EH-series

CONTROLS	Applicable on	Price €	article no.
Smart Controller	EH 5 - EH 60	488	IW8050
Thermostat Multitherm Standard, controls up to 8 heaters	EH 5 - EH 60	189	IX3911
Thermostat Multitherm Comfort, controls up to 8 heaters	EH 5 - EH 60	382	IX3912
Remote sensor for MTC thermostat	EH 5 - EH 60	141	GA3929
Modbus control set	EH 5 - EH 60	76	GA5903
0-10 V input control set	EH 5 - EH 60	76	GA5906
Room thermostat on/off 230V, 10 A, IP30	EH 5 - EH 60	52	IW3950
Power isolation switch 230V - 400V, 25 A	EH 5 - EH 15	86	IK5282
Power isolation switch 400 V, 32 A	EH 20	151	IE5209
Power isolation switch 400V, 63 A	EH 25 - EH40	225	IE5210
Power isolation switch 400 V, 125 A	EH 50 - EH 60	592	IE5212

SUSPENSION	Applicable on	Price €	article no.
Suspension brackets U-bracket S (wall suspension)	EH 5 - EH 40	195	GA8610
Suspension brackets U-bracket M (wall suspension)	EH 50 - EH 60	217	GA8620
Suspension brackets M (wall suspension)	EH 50 - EH 60	204	GA8580
Mounting set console for on H-beam (in combination with GA8610/20/30)	EH 5 - EH 40	148	GA8680
Clampset for mounting to H-profile (combined with GA8580)	EH 50 - EH 60	382	GA8685
Design bracket (wall suspension)	EH 5 - EH 40	301	GA8630
Set vertical louvres (4 pcs.)	EH 5 - EH 40	132	GX2002
Set vertical louvres (4 pcs.)	EH 50 - EH 60	167	GX4003



Condensing unit air heater HR & HR-EC-series

HR series	Natural Gas (G20)		Propane (G31)	
	Price €	article no.	Price €	article no.
HR 10	3780	GM10AAG20	3895	GM10AAG31
HR 20	4245	GM20AAG20	4395	GM20AAG31
HR 30	4820	GM30AAG20	5000	GM30AAG31
HR 40	5860	GM40AAG20	6040	GM40AAG31
HR 50	6635	GM50AAG20	6920	GM50AAG31
HR 60	7515	GM60AAG20	7795	GM60AAG31
HR 80	7920	GM80AAG20	8020	GM80AAG31
HR 100	9760	GM03AAG20	9855	GM03AAG31
HR 120	11530	GM04AAG20	11625	GM04AAG31

HR-EC series	Natural Gas (G20)		Propane (G31)	
	Price €	article no.	Price €	article no.
HR 10 EC	4325	GM10AAG20EC	4440	GM10AAG31EC
HR 20 EC	4810	GM20AAG20EC	4955	GM20AAG31EC
HR 30 EC	5370	GM30AAG20EC	5570	GM30AAG31EC
HR 40 EC	6430	GM40AAG20EC	6635	GM40AAG31EC
HR 50 EC	7360	GM50AAG20EC	7635	GM50AAG31EC
HR 60 EC	8335	GM60AAG20EC	8625	GM60AAG31EC
HR 80 EC	9280	GM80AAG20EC	9440	GM80AAG31EC
HR 100 EC	11205	GM03AAG20EC	11350	GM03AAG31EC
HR 120 EC	13085	GM04AAG20EC	13235	GM04AAG31EC

Accessories HR & HR-EC-series

CONTROLS	Applicable on	Price €	article no.
Smart Controller	HR10 - HR120	488	IW8050
Thermostat Multitherm Standard controls up to 8 heaters	HR10 - HR120	198	IX3911
Thermostat Multitherm Comfort controls up to 8 heaters	HR10 - HR120	382	IX3912
Remote sensor for MTC thermostat	HR10 - HR120	148	GA3929
Modbus control set	HR10 - HR120	80	GA5903
0-10 V input control set	HR10 - HR120	80	GA5906
Power isolation switch 230V-400V, 25 A	HR10 - HR120	86	IK5282
Service set alarm contact	HR10 - HR120	30	GA4009
Service set alarm-reset	HR10 - HR120	149	GA4012

FLUE MATERIALS	Applicable on	Price €	article no.
Roof terminal 80/125 HR	HR10 - HR60	184	IA8214
CT 80/125 HR Wall terminal	HR10 - HR60	156	IA8216
Concentric roof terminal 100/150 (condensing)	HR80 - HR100	416	IA8108
Concentric wall terminal 100/150 (condensing)	HR80 - HR100	270	IA8114
Roof terminal DDV 130/200 HR	HR120	663	IA8307
Wall terminal CT 130/200 HR	HR120	500	IA8314

CONDENSATE DISCHARGE through the roof	Applicable on	Price €	article no.
Roof terminal incl. pump/neutralization set 80/125 HR	HR10 - HR20	929	GA8215
Roof terminal incl. pump/neutralization set, 100/150 HR	HR30-60	982	GA8216
Roof terminal incl. pump/neutralization set, 100/150 HR	HR80 - HR100	1087	GA8109
Roof terminal incl. pump/neutralization set, 130/200 HR	HR120	1407	GA8308

SUSPENSION	Applicable on	Price €	article no.
Suspension brackets U-bracket S (wall suspension)	HR10 - HR20	205	GA8610
Suspension brackets U-bracket M (wall suspension)	HR30 - HR40	228	GA8620
Mounting set console for on H-beam (in combination with GA8610/20/30)	HR10 - HR40	148	GA8680
Mounting set on H-beam (in combination with GA8580)	HR30 - HR60	382	GA8685
Suspension brackets M (wall suspension)	HR30 - HR60	214	GA8580
Suspension brackets L (wall suspension)	HR80 - HR120	298	GA8622
Design bracket (wall suspension)	HR10 - HR20	316	GA8630

OTHER	Applicable on	Price €	article no.
Set vertical louvres (4 pcs.)	HR10 - HR20	132	GX2001
Set vertical louvres (4 pcs.)	HR30 - HR40	167	GX4001
Set vertical louvres (6 pcs.)	HR50 - HR60	204	GX6002
Set vertical louvres (6 pcs.)	HR80 - HR120	217	GX8010
Condensate pump set incl. sifon adapter, hose connector, hose to waste soil pipe, and 6 m. hose for condensate discharge*	HR10 - HR120	375	GX8002
Hose for condensate discharge 30m., Ø 10mm	HR10 - HR120	66	IK5785
Fanbox HR for outside air entry, incl. connection piece and 2 dampers	HR30 - HR60	1065	GAX60110
Servomotor 220V for dampers on fanbox	HR30 - HR60	730	IK4800
Remote step control for servomotor	HR30 - HR60	288	GA4801

*) siphon not included

* For extra flue material look at page 13.

Indirect fired unit air heater XR+-series



XR+

XR+ series	Natural Gas (G20)		Propane (G31)	
	Price €	article no.	Price €	article no.
XR10+	3035	GN10AAG20	3120	GN10AAG31
XR20+	3390	GN20AAG20	3545	GN20AAG31
XR30+	3850	GN30AAG20	4060	GN30AAG31
XR40+	4720	GN40AAG20	4860	GN40AAG31
XR50+	5320	GN50AAG20	5590	GN50AAG31
XR60+	6010	GN60AAG20	6295	GN60AAG31
XR80+	7200	GN80AAG20	7290	GN80AAG31
XR100+	8205	GN03AAG20	8300	GN03AAG31
XR120+	9850	GN04AAG20	9955	GN04AAG31

Accessories XR+-series

CONTROLS	Applicable on	Price €	article no.
Smart Controller	XR10+ - XR120+	488	IW8050
Thermostat Multitherm Standard, controls up to 8 heaters	XR10+ - XR120+	198	IX3911
Thermostat Multitherm Comfort, controls up to 8 heaters	XR10+ - XR120+	382	IX3912
Remote sensor for MTC thermostat	XR10+ - XR120+	148	GA3929
Modbus control set	XR10+ - XR120+	80	GA5903
0-10 V input control set	XR10+ - XR120+	80	GA5906
Power isolation switch, 230V - 400V, 25 A	XR10+ - XR120+	86	IK5282
Service set alarm contact	XR10+ - XR120+	30	GA4009
Service set alarm-reset	XR10+ - XR120+	149	GA4012

SUSPENSION	Applicable on	Price €	article no.
Suspension brackets U-bracket S (wall- or ceiling suspension)	XR10+ - XR30+	205	GA8610
Suspension brackets U-bracket M (wall- or ceiling suspension)	XR40+ - XR60+	228	GA8620
Suspension brackets M (wall suspension)	XR40+ - XR60+	214	GA8580
Suspension brackets L (wall suspension)	XR80+ - XR120+	298	GA8622
Mounting set console for on H-beam (in combination with GA8610/20/30)	XR10+ - XR60+	148	GA8680
Mounting set on H-beam (in combination with GA8580)	XR40+ - XR60+	382	GA8685
Vertical suspension kit 80-165 cm	XR10+ - XR60+	228	GA8645
Design bracket (wall- or ceiling suspension)	XR10+ - XR30+	316	GA8630

FLUE MATERIALS	Applicable on	Price €	article no.
Roof terminal DDV 80/125	XR10+ - XR60+	229	IA8202
Wall terminal MDV 80 (2-pipes)	XR10+ - XR60+	205	IA8212
Concentric wall terminal CT 80/125	XR10+ - XR60+	161	IA8113
Roof terminal DDV 100/150	XR80+ - XR100+	332	IA8101
Concentric wall terminal CT 100/150	XR80+ - XR100+	270	IA8112
Roof terminal DDV 130/200	XR120+	564	IA8305
Wall terminal CT 130/200	XR120+	371	IA8312

* For extra flue material look at page 13.

OTHER	Applicable on	Price €	article no.
Set vertical louvres (4 pcs.)	XR10+ - XR30+	132	GX2001
Set vertical louvres (4 pcs.)	XR40+ - XR60+	167	GX4001
Set vertical louvres (6 pcs.)	XR80+ - XR120+	217	GX8010
Fanbox HR for outside air entry, incl. connection piece and 2 dampers	XR40+ - XR60+	1065	GAX60110
Servomotor 220V for dampers on fanbox	XR40+ - XR60+	730	IK4800
Remote step control for servomotor	XR40+ - XR60+	288	GA4801

Various flue materials

For HR-series aluminium 1.5 mm - T120				For XR ⁺ -series aluminium 0.7 mm - T200			
	diameter	Price €	article no.		diameter	Price €	article no.
Elbow 90°	Ø 80	28	IA8220	Elbow 90°	Ø 80	22	IA8123
Elbow 45°	Ø 80	28	IA8221	Elbow 45°	Ø 80	20	IA8200
Pipe 1000 mm	Ø 80	46	IA8129	Pipe 1000 mm	Ø 80	36	IA8128
Pipe 500 mm	Ø 80	26	IA8222	Pipe 500 mm	Ø 80	25	IA8250
Elbow 90°	Ø 100	42	IA8168	Elbow 90°	Ø 100	29	IA8167
Elbow 45°	Ø 100	34	IA8162	Elbow 45°	Ø 100	23	IA8163
Pipe 1000 mm	Ø 100	60	IA8158	Pipe 1000 mm	Ø 100	42	IA8156
Pipe 500 mm	Ø 100	40	IA8152	Pipe 500 mm	Ø 100	27	IA8150
Elbow 90°	Ø 130	116	IA8368	Elbow 90°	Ø 130	48	IA8367
Elbow 45°	Ø 130	76	IA8362	Elbow 45°	Ø 130	44	IA8363
Elbow 30°	Ø 130	128	IA8360	Pipe 1000 mm	Ø 130	57	IA8356
Pipe 1000 mm	Ø 130	87	IA8358	Pipe 500 mm	Ø 130	46	IA8350
Pipe 500 mm	Ø 130	56	IA8352				

ACCESSORIES		Price €	article no.
Concentric extension pipe, beneath the roof 130/200, L=500mm		176	IA8313
Concentric extension pipe, above the roof 130/200 - L=1000mm		306	IA8411
Roof sheet RP 80/125		24	IA8121
Roof sheet RP 100/150		44	IA8321
Conical roof sheet CP (45°) CL 100/160 incl. storm collar		485	GA8142
Roof sheet RP 130/210		50	IA8322
Deformable roof sheet 130/200 (25°-45°)		330	IA8341
Roof sheet set 130/210 for trapezodial roof		270	GA8334

Air cooler WinterCooler-series

WinterCooler series	Industrial air cooler	
	Price €	article no.
CL250	5500	IH4223
CL450	6500	IH4222
CL650	7500	IH4221



WinterCooler

Air curtain ACM-series



ACM

ACM series	Air curtain module	
	Price €	article no.
ACM - 1 module (width 52 cm)	595	GVACM

Accessories ACM-series

DESCRIPTION	Price €	article no.
Assembly set (incl. 2 end plates and 1 connector) Per air curtain one assembly set is required	70	GA8700
Vertical mounting set (incl. bottom plate and 2 support strips)	66	GA8585
Horizontal mounting consoles (max. 10 modules per set)	235	GA8575
5-step switch 5 A	368	IA8543
5-step switch 8 A	487	IA8544
5-step switch 11 A	626	IA8515
5-step switch 15 A	1015	IA8516
Relay for door contact, 230 V., 20 A	146	GA4100

Destratification fans WCU, WCU EC & Rendovent-series



WCU

WCU series	Destratification fans		WCU-EC series	Destratification fans	
	Price €	article no.		Price €	article no.
WCU 40	845	GW401400	WCU 40 EC	1195	GW4014EC
WCU 60	1000	GW601400	WCU 60 EC	1630	GW6014EC
WCU 80	1295	GW801400	WCU 80 EC	2010	GW8014EC
WCU 100	1575	GW101400	WCU 100 EC	2535	GW1014EC

Rendovent	Destratification fans	
	Price €	article no.
Rendovent black	280	IA8504
Rendovent white	280	IA8500

Accessories WCU-series

DESCRIPTION	Price €	article no.
Suspension set WCU	48	GA8570
Room thermostat on/off 230V, 10 A, IP30	55	IW3950
Room thermostat on/off 230V, 10-200 millia, IP30 for WCU EC	54	IW3961
Stepless switch 3 Amp. (for 1-7 Rendovents)	194	IA8509
5-step switch 2.2 A	324	IA8540
5-step switch 3.5 A	336	IA8542
5-step switch 5 A	368	IA8543
5-step switch 8 A	487	IA8544
5-step switch 11 A	626	IA8515
5-step switch 15 A	1015	IA8516
Stepless speed controller 0-10V	124	GA3955
Steples speed controller 0-10V., for WCU-EC	90	GX3952

Agri

Electric air heater DX-EH-series



DX-EH

DX-EH series	Price €	article no.
DX-EH 40	4555	PEC40A0WW

Accessories DX-EH-series

DESCRIPTION	Price €	article no.
On/off thermostat -20°C / +40°C, water resistant to IP65	193	IP794209
Remote status reader	423	GD3202
Interface board for modulating burner control	382	IB5902
Modbus control set	80	GA5903
0-10 V input control set	80	GA5906
Service set alarm contact	30	GA4009
Service set alarm-reset	149	GA4012
Power isolation switch 400V, 63 A	236	IE5210
Suspension kit (incl. 3m. chain + 4 carabiner)	128	GA8573
DXF fan	655	PDF5000

Indirect gas-fired warm-air heater DXC-series



DXC

DXC series	Natural Gas (G20)		Propane (G31)	
	Price €	article no.	Price €	article no.
DXC 60	6055	PDC01A0G20	6055	PDC01A0G31
DXC 80	6955	PDC02A0G20	6955	PDC02A0G31
DXC 100	8355	PDC03A0G20	8355	PDC03A0G31

Accessories DXC-series

DESCRIPTION	Price €	article no.
On/off thermostat -20°C / +40°C, IP65	193	IP794209
Remote status reader	423	GD3202
Interface board for modulating burner control	382	IB5902
Mobile heater stand	1118	GD5000
Wall suspension kit	314	GD5002
Modbus control set	80	GA5903
0-10 V input control set	80	GA5906
Service set alarm contact	30	GA4009
Service set alarm-reset	149	GA4012
Suspension kit (incl. 4 m. chain + 8 carabiner)	167	GA8574
Service parts box for DXC 60-80-100 (excl. fans) version 4	1613	GA4004-1
Service set with system fan and flue fan for DXC 60-80	1001	GA4004-2
Service set with system fan and flue fan for DXC100	1133	GA4004-3
DXF fan	655	PDF5000

FLUE MATERIALS	Price €	article no.
Roof terminal DDV 130/200	564	IA8305
Wall terminal CT 130/200	371	IA8312
Flue mounting kit (incl. 2 male & 2 female adapters, 2 safety clamps, silicone kit) Obligatory with each pipe set	356	GA8350
Flexible pipe set 1 m. ø 130	161	GA8310
Flexible pipe set 2 m. ø 130 (incl. 1 spacer bracket)	273	GA8315
Flexible pipe set 3 m. ø 130 (incl. 2 spacer brackets)	390	GA8320
Flexible pipe set 4 m. ø 130 (incl. 3 spacer brackets)	478	GA8325
Flexible pipe set 5 m. ø 130 (incl. 4 spacer brackets)	594	GA8330
90° Elbow set, ø 130	97	GA8355
Concentric extension pipe (indoor) 130/200, 500mm	176	IA8313
Concentric extension pipe (outdoor) 130/200, 1000mm	306	IA8411
Roof sheet RP 130/210	50	IA8322
Adjustable roofsheet 130/200 (11°-50°)	314	IA8344
Roof sheet set 130/210 for trapezoidal roof	270	GA8334

GAS CONNECTION 3/4"	Price €	article no.
Gas hose 3/4" L 2000mm - CE approved - incl. nipples	412	IP779055
Gasball valve+ filter set 3/4" - incl. nipples	156	GD4000
Gas pressure regulator set natural gas- incl. nipples - inlet pressure max.200mbar, 27mbar outlet pressure	172	GD4004
Gas pressure regulator set propane - incl. nipples - inlet pressure max. 1,75 bar, 50mbar outlet pressure	210	GD4006

Indirect gas-fired warm-air heater DX4D-series



DX4D

DX4D series	Natural Gas (G20)		Propane (G31)	
	Price €	article no.	Price €	article no.
DX4D 60	6645	PD402A0G20	6645	PD402A0G31
DX4D 80	7525	PD401A0G20	7525	PD401A0G31
DX4D 100	8875	PD403A0G20	8875	PD403A0G31

Accessories DX4D-series

DESCRIPTION	Price €	article no.
On/off thermostat -20°C / +40°C, IP65	193	IP794209
Remote status reader	423	GD3202
Interface board for modulating burner control	382	IB5902
Modbus control set	80	GA5903
0-10 V input control set	80	GA5906
Service set alarm contact	30	GA4009
Service set alarm-reset	149	GA4012
Suspension kit (incl. 4 m. chain + 8 carabiner)	167	GA8574
Service parts box for DXC 60-80-100 (excl. fans) version 4	1613	GA4004-1
DXF fan	655	PDF5000

FLUE MATERIALS	Price €	article no.
Roof terminal DDV 130/200	564	IA8305
Wall terminal CT 130/200	371	IA8312
Flue mounting kit (incl. 2 male & 2 female adapters, 2 safety clamps, silicone kit) Obligatory with each pipe set	356	GA8350
Flexible pipe set 1 m. ø 130	161	GA8310
Flexible pipe set 2 m. ø 130 (incl. 1 spacer bracket)	273	GA8315
Flexible pipe set 3 m. ø 130 (incl. 2 spacer brackets)	390	GA8320
Flexible pipe set 4 m. ø 130 (incl. 3 spacer brackets)	478	GA8325
Flexible pipe set 5 m. ø 130 (incl. 4 spacer brackets)	594	GA8330
90° Elbow set, ø 130	97	GA8355
Concentric extension pipe (indoor) 130/200, 500mm	176	IA8313
Concentric extension pipe (outdoor) 130/200, 1000mm	306	IA8411
Roof sheet RP 130/210	50	IA8322
Adjustable roofsheet 130/200 (11°-50°)	314	IA8344
Roof sheet set 130/210 for trapezoidal roof	270	GA8334

GAS CONNECTION 3/4"	Price €	article no.
Gas hose 3/4" L 2000mm - CE approved - incl. nipples	412	IP779055
Gasball valve+ filter set 3/4" - incl. nipples	156	GD4000
Gas pressure regulator set natural gas- incl. nipples - inlet pressure max.200mbar, 27mbar outlet pressure	172	GD4004
Gas pressure regulator set propane - incl. nipples - inlet pressure max. 1,75 bar, 50mbar outlet pressure	210	GD4006

Gas-fired warm-air heater DXE-series

DXE series	Natural Gas (G20)		Propane (G31)	
	Price €	article no.	Price €	article no.
DXE 80	8220	PDE02A0G20	8220	PDE02A0G31
DXE 100	9950	PDE03A0G20	9950	PDE03A0G31



DXE

Accessories DXE-series

DESCRIPTION	Price €	article no.
On/off thermostat -20°C / +40°C, water resistant to IP65	193	IP794209
Remote status reader	423	GD3202
Interface board for modulating burner control	382	IB5902
Modbus control set	80	GA5903
0-10 V input control set	80	GA5906
Service set alarm contact	30	GA4009
Service set alarm-reset	149	GA4012
Discharge cone DXE 80	569	GD4308
Discharge cone DXE 100	669	GD4310
Service parts box for DXE 60-80-100 (excl. fans) - version 4	1613	GA4004-1
Service set with system fan and flue fan for DXE 60-80	1001	GA4004-2
Service set with system fan and flue fan for DXE100	1133	GA4004-3
Flue gas outlet diam. 130, L=230mm	104	IA8355
DXF fan	655	PDF5000

GAS CONNECTION 3/4"	Price €	article no.
Gas hose 3/4" L 2000mm - CE approved - incl. nipples	412	IP779055
Gasball valve+ filter set 3/4" - incl. nipples	156	GD4000
Gas pressure regulator set natural gas- incl. nipples - inlet pressure max.200mbar, 27mbar outlet pressure	172	GD4004
Gas pressure regulator set propane - incl. nipples - inlet pressure max. 1,75 bar, 50mbar outlet pressure	210	GD4006

Gas fired warm-air heater DHX-series



DHX

DHX series	Natural gas (G20)		Propane (G31)	
	Price €	article no.	Price €	article no.
DHX 40	2545	PDX40A0G20	2545	PDX40A0G31
DHX 75	3010	PDX75A0G20	3010	PDX75A0G31
DHX 100	3395	PDX10A0G20	3395	PDX10A0G31
DHX 120	3770	PDX12A0G20	3770	PDX12A0G31

Accessories DHX-series

DESCRIPTION	Price €	article no.
On/off thermostat -20°C / +40°C, water resistant to IP65	193	IP794209
Remote status reader	423	GD3202
Interface board for modulating burner control	382	IB5902
Service set alarm contact	30	GA4009
Service set alarm-reset	149	GA4012
Suspension kit (4 chains of 110 cm + 8 carabiners)	79	GA8572
Service parts box for DHX	1599	GA4006-2
DXF fan	655	PDF5000

GAS CONNECTION 3/4"	Price €	article no.
Gas hose 3/4" L 2000mm - CE approved - incl. nipples	412	IP779055
Gasball valve+ filter set 3/4" - incl. nipples	156	GD4000
Gas pressure regulator set natural gas- incl. nipples - inlet pressure max.200mbar, 27mbar outlet pressure	172	GD4004
Gas pressure regulator set propane - incl. nipples - inlet pressure max. 1,75 bar, 50mbar outlet pressure	210	GD4006

Oil fired warm-air heater DHB-series

DHB series	Price €	article no.
DHB 100	Price upon request	xxxxxxx
DHB 120	Price upon request	xxxxxxx

Expected to be available in 2027



DHB

Innovative heating and lighting solutions

We strive for sustainable and healthy solutions that contribute to a better climate and a pleasant working environment. Whether it's making your business premises more sustainable or optimizing the indoor climate, Winterwarm is your reliable partner for green and efficient business spaces.

Versatile and applicable everywhere, a world of possibilities

In addition to heating, Winterwarm also provides lighting for every space. Thanks to innovative technology and energyefficient designs, we create a comfortable environment tailored to specific needs. Perfect for both large and small spaces.



www.winterwarm.com

Curious about our projects?
Check our website or scan the QR code!

Winterwarm Heating Solutions BV

Olden Goorweg 1 P.O.Box 36 NL-7100 AA Winterswijk The Netherlands
T +31 (0)543 54 63 00 info@winterwarm.nl www.winterwarm.com



Winterwarm