



PROFESSIONAL SOLUTIONS

for the Modern Home & Business



Product Catalogue Vol. III



(CANBERRA BRANCH)

OUR STORY

Formed back in 1998, Bitek is an Australian owned and operated family business, who's primary goal is to provide a comprehensive range of quality products across all aspects of communications for professionals and installers alike. Our unwavering commitment to quality and service over the years, has seen Bitek grow to become the leading supplier to the broadband, cable, satellite, pay TV, Free-To-Air (FTA), CCTV, security, data and electrical industries.

Our quest for premium products is so strong, it lead to Bitek acquiring the Hills Antenna division from Hills Industries in December 2019, who's iconic and official Australian Made and Owned products are still made in South Australia at the HillsATV Antenna factory. Over the years, we've also partnered with many world-leading suppliers and brands to better diversify and expand our product range. This has allowed us to continue to connect, entertain and provide security to everyday people.

Today, Bitek has branches based in Canberra, Adelaide, Sydney and Melbourne, servicing not only professionals and businesses nationwide, but connecting with off-shore consumers and overseas markets too. Whether you deal with us direct in-store, or remotely online, we always remain dedicated to providing all of our customers with a comprehensive range of specialised products, at the most competitive prices.

We understand the challenges and demands of today's ever evolving industry, which only re-affirms our commitment to quality and innovation. At Bitek, we constantly explore and implement emerging technologies where we can, to ensure our customers have access to the finest products available in the television, satellite, security, data and electronics markets.

In this catalogue you will find an extensive range of products from our family of companies including Digitek, Hills Antenna, StorageTek, DataTek and ProquipDigital, as well as some of our partners such as Kingray, Sanus, Energizer, Dahua and TP-Link.



(HILLSATV ANTENNA FACTORY)



(DIGITEK FACTORY)

OUR BRANDS - LOCALLY & INTERNATIONALLY



Please Note: Product features, specifications and images in this catalogue have been checked and are correct at time of print. However, errors and omissions are accepted. Bitek can not guarantee product features, specifications, images, even stock availability, won't change after printing and reserve the right to correct any printing errors.

OUR CUSTOMERS

Whether you're making your first purchase with us, or are a valued, long-standing account customer, at Bitek we endeavour to provide the best possible pricing options to all customers. We offer a few different ways to purchase depending on your needs:



WEB ORDERS

By creating a web login account to view pricing and purchase online.



CASH ON DELIVERY (COD)

Buying in-store or ordering over the phone from any Bitek Branch.



CREDIT ACCOUNT

Filling in our 30-day term form to apply for a Credit Account.

OUR QUALITY COMMITMENT



We are proud to produce Australian Made products like the Hills Antenna Tru-Max, Tru-Spec and Tru-Band Antenna ranges, as well as our Tru-Mount hardware range, all certified by the AMCL (Australian Made Campaign Limited).




Our Hills Antenna Tru-Series range goes a step further when it comes to reliability, utilising premium materials to withstand the harshest Australian weather conditions and back it with a Lifetime Warranty, giving you complete peace of mind.

OUR LOCATIONS

Want to stop by and see where all the magic happens? We have four branch locations servicing Australia wide:

Canberra

Head Office, Accounts, Showroom, Warehouse




1/13 Paspaley Street,
Hume, ACT, 2620

☎ 02 6260 1874

✉ actsales@bitek.com.au

Sydney

Showroom, Warehouse




7/463 Victoria Street,
Wetherill Park, NSW, 2164

☎ 02 9659 2272

✉ orders@bitek.com.au

Melbourne

Showroom, Warehouse



22 Constance Court,
Epping, VIC, 3076

☎ 03 9456 9222

✉ melbsales@bitek.com.au

Adelaide

Showroom, Warehouse



1 Temple Court,
Ottoway, SA, 5013

☎ 08 8395 4111

✉ sasales@bitek.com.au

OUR TERMS & CONDITIONS

Payment – We accept Cash, Visa/Mastercard, EFTPOS and Cheque (available to account customers only). Approved account customers also benefit from our 30-day credit terms.

Freight – We have our own delivery fleet, servicing the Sydney, Melbourne, Canberra and Adelaide areas, with a flat rate for areas outside our standard service range. Additional charges may also apply to heavy or large shipments.

You can find out more about our freight and delivery in regards to your particular order, by contacting your local branch.


We also suggest checking your order upon arrival, and informing us of any damage that may have occurred during transit, as promptly as possible.

Customer Pick Up / Click & Collect – You can elect to pick up your items yourself, or have your own courier pick up from one of our branches during normal weekly business hours.

Returns Policy – If there is an issue with your order, you can contact us so we can investigate and issue an RA (Return Authorisation) if necessary.

Most new, unopened items can be returned within 30 days of delivery for a full refund. We'll also pay the return shipping costs if the return is a result of an error on our part (incorrect item).

Refunds can take up to four weeks from when you return stock, however, in many cases you will receive a refund much sooner. This time period includes the transit time for returning package, processing the return order, and your bank processing our refund request. If you need to return an item, please contact us with your order number and details about the product you wish to return.



Give us a call and we'll put you in touch with your local branch:

☎ **1300 601 915**

✉ **enquiry@bitek.com.au**

Or visit: **www.bitek.com.au/contact-us**



OUR PRODUCT CATEGORIES

You can search our products by categories. Or if you're after a particular product, try the index at the back of the catalogue.

ANTENNAS	UHF / VHF / Combo / Wi-Fi / Radio	5
CABLES	Coax / Speaker / Data / Security	15
AMPLIFIERS	Amplifiers / PSU / etc.	19
WALL PLATES	F / Pal / Bullnose / etc.	21
PATCH LEADS	TV / CAT6 / HDMI / AV / etc.	29
MIXED PRODUCTS	Diplexers / Attenuators / etc.	35
POWER PRODUCTS	Boards / Blocks / Leads / etc.	39
SPLITTERS & COUPLERS	FTA / Satellite	43
CONNECTORS	Crimp / Compression / etc.	45
ADAPTORS	F / Pal / RCA / etc.	49
RF COMMUNICATION	Patch Leads / Connectors / Adaptors	53
HARDWARE	Masting / Mounts / Accessories	59
CONSUMABLES	Batteries / Silicone / Tape	73
TOOLS	Strippers / Crimpers / Tool Kits / etc.	77
AV EQUIPMENT	Splitters / Converters / etc.	83
METERS	Signal Meters / Testers	85
SATELLITE	Dishes / LNBF / etc.	87
BRACKETS	TV / Speaker / Projector	89
DATA & SECURITY CABINETS	Wall Mounted / Floor Standing / Accessories	93
ELECTRICAL	Meter Boxes / Cable Trays / Accessories	101
SECURITY	Which brands we have available	107
STORAGE SOLUTIONS	Cases / Frames / Cabinets / Bins / etc.	109
INDEXES	Model Number / Category	117

For our up-to-date, full range of products and services, please visit our website:

www.bitek.com.au



Search our products





A Starlink® Pole Adaptor that's a cut above the rest!



FB607313


The first precision injection moulded pole adaptor in the Australian market.

The FB607313 has been specifically designed for the Starlink® GEN 3 V4 Dish, and is so durable, it has successfully been tested to withstand the weight of a 3 tonne truck!

Check out the Hills Antenna FB607313 Starlink Pole Adaptor on **Page 60**.

ANTENNAS

VHF	6
VHF/UHF COMBO	9
UHF	11
3G/4G/5G/WI-FI	13
RADIO	14



*Designed and tested for
superior digital reception.*

Inner Metropolitan Folding Log Periodic VHF Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 11.5dBi	3 YEAR WARRANTY
-------------	---------------	-------------------	-----------------

01DLPF3

9340591003822

- Horizontal and Vertical Mounting Options
- Folding Elements
- F-Type Connection
- Lightweight and Durable Design

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	12
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	11.5dBi
FRONT TO BACK RATIO	>20dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	655(L) x 850(W) x 70(H) mm
COLOUR	Silver
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 200

LTE Series 4-Element Metropolitan Premium Yagi VHF Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN >7dBi	4G/5G FILTER	3 YEAR WARRANTY
-------------	---------------	-----------------	--------------	-----------------

01DV304L

9340591004201

01DV304LW (With Stand-Off Bracket)

9340591004973

- Heavy-Duty Construction
- Snap-Out Dipole
- Horizontal and Vertical Mounting Options (01DV304LW)
- F-Type Balun with 4G/5G LTE Low Pass Filter

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	4
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	>7dBi
FRONT TO BACK RATIO	>15dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	745(L) x 835(W) x 125(H) mm
COLOUR	Charcoal (Hammertone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 200

LTE Series 7-Element Metropolitan Premium Yagi VHF Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN >11dBi	4G/5G FILTER	3 YEAR WARRANTY
-------------	---------------	------------------	--------------	-----------------

01DV307L

9340591004218

01DV307LW (With Stand-Off Bracket)

9340591013159

- Heavy-Duty Construction
- Snap-Out Reflectors
- Horizontal and Vertical Mounting Options (01DV307LW includes [FB602376](#) Stand Off Bar)
- F-Type Balun with 4G/5G LTE Low Pass Filter

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	7
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	>11dBi
FRONT TO BACK RATIO	21dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1095(L) x 900(W) x 600(H) mm
COLOUR	Charcoal (Hammertone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 100

LTE Series 10-Element Outer Metropolitan Premium Yagi VHF Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN >15dBi	4G/5G FILTER	3 YEAR WARRANTY
-------------	---------------	------------------	--------------	-----------------

01DV310L

9340591004225

- Heavy-Duty Construction
- Snap-Out Reflectors
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Add a [FB602376](#) for Vertical Mounting Option

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	10
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	>15dBi
FRONT TO BACK RATIO	29dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	2035(L) x 900(W) x 600(H) mm
COLOUR	Charcoal (Hammertone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 100



LTE Series 14-Element Outer Fringe Premium Yagi VHF Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 17dBi	4G/5G FILTER	3 YEAR WARRANTY
-------------	---------------	-----------------	--------------	-----------------

01DV314L

9340591004232

- Heavy-Duty Construction
- Snap-Out Reflectors and Dipole
- Complete with Support Boom
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Add [FB602376](#) for Vertical Mounting


Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	14
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	17dBi
FRONT TO BACK RATIO	30dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	3430(L) x 1318(W) x 600(H) mm
COLOUR	Charcoal (Hammerstone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 5 / Pallet: 60



CA16 Regional Fringe VHF Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 10-12dBi	1 YEAR WARRANTY
-------------	---------------	--------------------	-----------------

FB601308B

9340591016594

- Phased Array Design for Variable & Low Signal Strength Areas
- F-Type Balun
- Heavy-Duty Hot-Dipped Galvanised Steel Frame
- Extruded Aluminium Elements

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	16
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	10-12dBi
FRONT TO BACK RATIO	11-19dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	2089(L) x 326(D) x 850(H) mm
COLOUR	Silver
PACKAGING	Single Piece with Cardboard Reinforcement & Label
QUANTITIES	Shipped Individually



DY-6 6-Element VHF Yagi Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 6-8dBi	1 YEAR WARRANTY
-------------	---------------	------------------	-----------------

FB608007A

9311313539257

- Powder-Coated, Square Aluminium Boom
- Heavy-Duty Construction
- Horizontal or Vertical Polarisation
- F-Type Balun

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	6
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	6-8dBi
FRONT TO BACK RATIO	15-17dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1200(L) x 835(W) x 100(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Carton: 6 / Pallet: 72



DY-10 10-Element VHF Yagi Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 8-11dBi	1 YEAR WARRANTY
-------------	---------------	-------------------	-----------------

FB608008A

9340591016969

- Powder-Coated, Rectangular Galvanised Steel Split Boom
- Heavy-Duty Construction
- Horizontal or Vertical Polarisation
- F-Type Balun

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	10
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	8-11dBi
FRONT TO BACK RATIO	20-26dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	2060(L) x 835(W) x 100(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Carton: 6 / Pallet: 42

VHF 4-Element Yagi Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 6.5dBi	4G/5G FILTER	LIFE TIME WARRANTY
-------------	---------------	------------------	--------------	--------------------

01DY4A-4G

9340591016310

- Unique Interlocking Clip for Element to Boom Connection
- Matched Balun for Best MER Performance
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	4
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	6.5dBi
FRONT TO BACK RATIO	14-15dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	900(L) x 860(W) x 50(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Pallet: 400

VHF 6-Element Yagi Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 8.1dBi	4G/5G FILTER	LIFE TIME WARRANTY
-------------	---------------	------------------	--------------	--------------------

01DY6A-4G

9340591016327


- Unique Interlocking Clip for Element to Boom Connection
- Matched Balun for Best MER Performance
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	6
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	8.1dBi
FRONT TO BACK RATIO	15-17dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1050(L) x 835(W) x 50(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Pallet: 350

Tru-Band VHF 5-Element Silver Bullet Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 6-8dBi	4G/5G FILTER	LIFE TIME WARRANTY
-------------	---------------	------------------	--------------	--------------------

01TBV5-4G

9340591019953

- Patented BoomLock™ Technology Used to Secure Elements
- Aluminium Finish
- F-Type Balun with 4G/5G LTE Low Pass Filter

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	5
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	6-8dBi
FRONT TO BACK RATIO	12-14dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	680(L) x 825(W) x 85(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Pallet: 50

Tru-Band VHF 7-Element Black Arrow Antenna



VHF ANTENNA	CHANNELS 6-12	MAX. GAIN 6-8dBi	4G/5G FILTER	LIFE TIME WARRANTY
-------------	---------------	------------------	--------------	--------------------

01TBV7-4G

9340591018444

01TBV7-4GTP (Trade Pack of 6)

9340591019212

- Patented BoomLock™ Technology Used to Secure Elements
- All-Black, Low Impact Finish
- F-Type Balun with 4G/5G LTE Low Pass Filter

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	7
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	6-8dBi
FRONT TO BACK RATIO	13-15dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	820(L) x 850(W) x 85(H) mm
COLOUR	Black
PACKAGING	Display Box
QUANTITIES	Pallet: 36



LTE Series 12-Element Metro Premium Yagi UHF/VHF Combo Antenna



UHF/VHF ANTENNA	CHANNELS 6-12 28-35	MAX. GAIN 4dBi / 11dBi	4G/5G FILTER	3 YEAR WARRANTY
-----------------	---------------------	------------------------	--------------	-----------------

01ACD12L

9340591004249

- Heavy-Duty Construction
- Snap-Out Elements
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Add a [FB602376](#) for Vertical Mounting Option

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	12
CHANNEL BAND	Bands 3 & 4
CHANNELS	6-12 & 28-35
MAX. GAIN	4dBi (UHF) & 11dBi (VHF)
FRONT TO BACK RATIO	>23dB (UHF) & >11dB (VHF)
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1060(L) x 710(W) x 80(H) mm
COLOUR	Charcoal (Hammertone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 120



LTE Series 14-Element Outer Metro Premium Yagi UHF/VHF Combo Antenna



UHF/VHF ANTENNA	CHANNELS 6-12 28-51	MAX. GAIN 11dBi / 12.5dBi	4G/5G FILTER	3 YEAR WARRANTY
-----------------	---------------------	---------------------------	--------------	-----------------

01ACD14L

9340591004256

- Heavy-Duty Construction
- Snap-Out Elements
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Add a [FB602376](#) for Vertical Mounting Option

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	14
CHANNEL BAND	Bands 3 & 4
CHANNELS	6-12 & 28-51
MAX. GAIN	11dBi (UHF) & 12.5dBi (VHF)
FRONT TO BACK RATIO	>16dB (UHF) & >16dB (VHF)
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1240(L) x 1318(W) x 340(H) mm
COLOUR	Charcoal (Hammertone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 40



Metropolitan Folding Log Periodic UHF/VHF Combination Antenna



UHF/VHF ANTENNA	CHANNELS 6-12 28-35	MAX. GAIN 12.5dBi / 12dBi	3 YEAR WARRANTY
-----------------	---------------------	---------------------------	-----------------

01ACLP34F/POLY

9340591003839

01ACLP34FB (Packed in Display Box)

9340591016112

- Easy Connecting F-Type fittings
- Folding VHF Elements for Easy Storage
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	28
CHANNEL BAND	Bands 3 & 4
CHANNELS	6-12 & 28-35
MAX. GAIN	12.5dBi (UHF) & 12dBi (VHF)
FRONT TO BACK RATIO	>20dB (UHF) & >20dB (VHF)
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1100(L) x 865(W) x 70(H) mm
COLOUR	Silver
PACKAGING	Display Box or Poly Bag with Label
QUANTITIES	01ACLP34F/POLY Carton: 10 / Pallet: 120 01ACLP34FB Carton: 10 / Pallet: 60



Tru-Band UHF/VHF 5-Element Silver Bullet Antenna



UHF/VHF ANTENNA	CHANNELS 6-12 28-38	MAX. GAIN 6-8dBi / 5-7dBi	4G/5G FILTER	LIFE TIME WARRANTY
-----------------	---------------------	---------------------------	--------------	--------------------

01TBUV5-4G

9340591019960

01TBUV5-4GTP (Trade Pack of 6)

9340591019991

- Patented BoomLock™ Technology Used to Secure Elements
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Strong Mechanical Build
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	5
CHANNEL BAND	Bands 3 & 4
CHANNELS	6-12 & 28-38
MAX. GAIN	6-8dBi (UHF) & 5-7dBi (VHF)
FRONT TO BACK RATIO	16-20dB (UHF) & 12-14dB (VHF)
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	900(L) x 835(W) x 85(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	01TBUV5-4G Pallet: 44 01TBUV5-4GTP Pallet: 14

VHF/UHF COMBO (continued)



Tru-Band UHF/VHF 7-Element Black Arrow Antenna



01TBUV7-4G

9340591019847

- Patented BoomLock™ Technology Used to Secure Elements
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Strong Mechanical Build • Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	14
CHANNEL BAND	Bands 3 & 4
CHANNELS	6-12 & 28-38
MAX. GAIN	8-10dBi (UHF) & 6-8dBi (VHF)
FRONT TO BACK RATIO	16-20dB (UHF) & 13-15dB (VHF)
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1245(L) x 850(W) x 85(H) mm
COLOUR	Black
PACKAGING	Display Box
QUANTITIES	Pallet: 37



Tru-Band UHF/VHF 7-Folding-Element Black Arrow Antenna



01TBUV7F-4G (Folding Elements)

9311313554618

- Unique Folding VHF Elements for Compact Transportation
- Patented BoomLock™ Technology Used to Secure Elements
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Strong Mechanical Build • Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	14
CHANNEL BAND	Bands 3 & 4
CHANNELS	6-12 & 28-38
MAX. GAIN	8-10dBi (UHF) & 6-8dBi (VHF)
FRONT TO BACK RATIO	16-20dB (UHF) & 13-15dB (VHF)
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1425(L) x 850(W) x 85(H) mm
COLOUR	Black
PACKAGING	Display Box
QUANTITIES	Pallet: 88

Fractal Indoor TV Antenna



01FFIA

9340591019182

- Receives Local Free-To-Air Channels
- Dual Purpose Capability (Plugs into TV RF Socket or Amplifier)
- Includes Adhesive Tape for Window or Wall Mounting

Included Accessories

- Instruction Manual, Power & Connection Cable, Amplifier, F-Type Female to PAL Male Adaptor, Mounting Dots

CHANNEL BAND	Bands 3 & 4/5
CHANNELS	6-12 & 28-69
MAX. GAIN	25dBi
DIMENSIONS	330(L) x 330(W) x 14(H) mm
COLOUR	Black
PACKAGING	Display Box
QUANTITIES	Carton: 20

Need Hardware for your Tru-Band or Tru-Spec Antennas? To see our full Hardware range, go to page 59.

Tru-Spec Centre Support



FB607251

9311313538205

- A Centre Mounted Boom Support Brace for Tru-Spec Antenna Range
- Materials: Aluminium Tube & Steel Fasteners

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

Tru-Spec U-Bolt & Nut Assembly



FB607311

- Used with Tru-Spec Antenna Range
- Material: Dacromet-Plated

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually



Cable Hanger Clips (Pair)



01TCH

9340591020065


- Compatible with Tru-Band, Tru-Spec and 01GLPDA-5G Antennas
- Supports 195/240/400 Size Coaxial Cables
- Sold as a Pair • Material: UV Stabilised Plastic

PACKAGING	Poly Bag with Label
QUANTITIES	Inner Carton: 50 / Carton: 200





01TSP2851-4G Tru-Spec-Prime UHF 12-Element Antenna



01TSP2851-4G

9340591018468

- Patented BoomLock™ Technology Used to Secure Elements
- Strong and Lightweight Design
- Split Boom
- F-Type Balun

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	12
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	9-11dBi
FRONT TO BACK RATIO	12-23dB (UHF)
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1100(L) x 290(W) x 250(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Pallet: 218



01TSF2851-4G Tru-Spec-Fringe UHF 17-Element Antenna



01TSF2851-4G

9340591018475

- Patented BoomLock™ Technology Used to Secure Elements
- Split Boom
- Suitable for Fringe Area Installations
- Strong and Lightweight Design
- Horizontal and Vertical Mounting Options
- F-Type Balun
- Use the **FB607251** Tru-Spec Centre Support to Protect Against Extreme Wind Conditions

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	16
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	10-13dBi
FRONT TO BACK RATIO	15-25dB (UHF)
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1745(L) x 290(W) x 250(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Pallet: 90



LTE Series 16-Element Metropolitan Premium Yagi UHF Antenna



01BUWX16L

9340591004270

- Heavy-Duty Construction
- Snap-Out Reflectors
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	16
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	15dBi
FRONT TO BACK RATIO	>19dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	800(L) x 340(W) x 340(H) mm
COLOUR	Charcoal (Hammer-tone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 120



LTE Series 18-Element Outer Metropolitan Premium Yagi UHF Antenna



01BUWX18L

9340591005970

- Heavy-Duty Construction
- Snap-Out Reflectors
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	18
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	15.5dBi
FRONT TO BACK RATIO	25dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1160(L) x 290(W) x 330(H) mm
COLOUR	Charcoal (Hammer-tone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 120



LTE Series Outer Metropolitan Premium Yagi UHF Antenna



UHF ANTENNA	CHANNELS 28-51	MAX. GAIN 16.5dBi	4G/5G FILTER	3 YEAR WARRANTY
-------------	----------------	-------------------	--------------	-----------------

01BUTRIFL

9340591004300

- Unique Tri-Boom Design
- Horizontal and Vertical Mounting Options
- Removeable Reflectors & Collapsible Boom(s)
- F-Type Balun with 4G/5G LTE Low Pass Filter

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	45
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	16.5dBi
FRONT TO BACK RATIO	30dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1040(L) x 380(W) x 340(H) mm
COLOUR	Silver
PACKAGING	Brown Box with Label
QUANTITIES	Carton: 10 / Pallet: 90



UHF Log Periodic Band 4/5 Antenna



UHF ANTENNA	CHANNELS 28-69	MAX. GAIN 14.5dBi	3 YEAR WARRANTY
-------------	----------------	-------------------	-----------------

01ACLP4/5

9340591009558

- Heavy-Duty Construction
- Elevation / Tilt Bracket Included
- F-Type Connection
- Horizontal and Vertical Mounting Options


Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	28
CHANNEL BAND	Band 4/5
CHANNELS	28-69
MAX. GAIN	14.5dBi
FRONT TO BACK RATIO	>22dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	960(L) x 360(W) x 60(H) mm
COLOUR	Silver
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 200



Mini UHF Log Periodic Band 4/5 Antenna



UHF ANTENNA	CHANNELS 28-69	MAX. GAIN 8-9dBi	3 YEAR WARRANTY
-------------	----------------	------------------	-----------------

01ACLPMINI4/5

9340591005956

- Compact Design, Perfect for Space-Restricted Installs
- Heavy-Duty Construction
- F-Type Connection
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	20
CHANNEL BAND	Band 4/5
CHANNELS	28-69
MAX. GAIN	8-9dBi
FRONT TO BACK RATIO	20-30dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	400(L) x 308(W) x 64(H) mm
COLOUR	Silver
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 120



LTE Series Outer Fringe Area Phased Array UHF Antenna



UHF ANTENNA	CHANNELS 28-51	MAX. GAIN >15dBi	4G/5G FILTER	3 YEAR WARRANTY
-------------	----------------	------------------	--------------	-----------------

01CUPA2LPOLY

9340591004317

01CUPA2L (Packed in Display Box)

9340591004294

- Phased Array Design for Variable & Low Signal Strength Areas
- Heavy-Duty Construction
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	36
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	>15dBi
FRONT TO BACK RATIO	16-21dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	783(L) x 600(W) x 210(H) mm
COLOUR	Silver
PACKAGING	Poly Bag with Label
QUANTITIES	01CUPA2LPOLY Carton: 10 / Pallet: 60 01CUPA2L Carton: 5 / Pallet: 40

SKYLINE
ANTENNA SOLUTIONS

QPA18 Medium UHF 4G Antenna



UHF ANTENNA	CHANNELS 28-51	MAX. GAIN 9dBi	4G/5G FILTER	1 YEAR WARRANTY
-------------	----------------	----------------	--------------	-----------------

G11890

9419706118925

- Ideal for Low Profile Installations and Hilly Terrain
- Folding Construction for Easy Installation
- Polished Aluminium for Corrosion Protection
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), Stand-Off Bracket, Mounting Hardware

NUMBER OF ELEMENTS	18
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	9dBi
FRONT TO BACK RATIO	N/A
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	435(L) x 75(W) x 415(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Carton: 10 / Pallet: 100

SKYLINE
ANTENNA SOLUTIONS

QPA36 UHF 4G Antenna



UHF ANTENNA	CHANNELS 28-51	MAX. GAIN 13.5dBi	4G/5G FILTER	1 YEAR WARRANTY
-------------	----------------	-------------------	--------------	-----------------

G11892

9419706118925

- Ideal for Low Profile Installations and Hilly Terrain
- Folding Construction for Easy Installation
- Polished Aluminium for Corrosion Protection
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), Stand-Off Bracket, Mounting Hardware

NUMBER OF ELEMENTS	36
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	13.5dBi
FRONT TO BACK RATIO	N/A
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	565(L) x 75(W) x 800(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Carton: 10 / Pallet: 60

HILLS
Antenna

Tru-Max Phase Array UHF Antenna



UHF ANTENNA	CHANNELS 28-51	MAX. GAIN 11.5-14dBi	4G/5G FILTER	LIFE TIME WARRANTY
-------------	----------------	----------------------	--------------	--------------------

FB608601-4G

9311313539479

- Patented BoomLock™ Technology Used to Secure Elements
- Lightweight and Compact Design
- F-Type Balun with 4G/5G LTE Low Pass Filter
- Horizontal and Vertical Mounting Options

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	30
CHANNEL BAND	Band 4/5
CHANNELS	28-51
MAX. GAIN	11.5-14dBi
FRONT TO BACK RATIO	17-21dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	850(L) x 650(W) x 110(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Pallet: 35

3G/4G/5G/WI-FI

DIGITEK
Complete Digital Solutions

3G/4G/Wi-Fi Antenna



WI-FI ANTENNA	MAX. GAIN 11dBi	1 YEAR WARRANTY
---------------	-----------------	-----------------

01GWIFIA

9340591019199

- Greatly Improves Wireless Internet and Mobile Phone Service in Rural and Marginal Signal Areas
- All 3G/4G 700,850,900,1800,2300 & 2600MHz Bands Including 4GX and 4G CA
- For Fixed Wireless, Outdoor and Indoor Installations


Included Accessories

- Mounting Hardware

NUMBER OF ELEMENTS	30
CHANNEL BAND	698MHz - 2700MHz
MAX. GAIN	11dBi
MATERIALS	Aluminium Elements, Weatherproof ABS Housing
DIMENSIONS	445(L) x 65(W) x 265(H) mm
COLOUR	Cream
PACKAGING	Brown Box no Label
QUANTITIES	Carton: 10

HILLS
Antenna

Black Pointer 5G LPDA Antenna


01GLPDA-5G

9340591016693

- Unique Log Periodic Design, Specifically Crafted for High Speed 3G and 4G LTE & 5G Applications from all Providers
- Seamlessly Links 698-960MHz (10-11dBi), 1710-2700MHz (9-10dBi) & 3400-3800MHz (6-9dBi) Frequencies Together
- Patented Boomlock™ Technology
- Sensational Black Finish with Corrosion Protection
- Matched Diplexer PCB Balun, Ultrasonically Sealed
- N-Type Connector Output with Cable Sealing Boot & Amalgamation Tape
- 4.3-10 Connector Version Available
- Class 3, Plated-Steel Mounting Clamp Hardware & Fasteners
- 0°, 90°, -45°, 45° Polarisation Mounting Clamp
- Size 195/240/400 Coaxial Cable Hangers
- Australian Designed, Made and Owned

Included Accessories

- Rubber Boot (for N-Connector), Cable Hangers, Class-3 Plated-Steel Mounting Clamp with Hardware and Fasteners



4G LTE/5G/WI-FI ANTENNA

3 YEAR WARRANTY



NUMBER OF ELEMENTS	32
TRI-BAND FREQUENCY	698-960MHz, 1700-2700MHz & 3400-3800MHz
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1760(L) x 290(W) x 240(H) mm
COLOUR	Black
PACKAGING	Display Box
QUANTITIES	Pallet: 130

RADIO

DIGITEK
Complete Digital Solutions

DAB+ Digital Radio Antenna



CHANNELS DAB+

MAX. GAIN 2dBi

3 YEAR WARRANTY


01EDAB

9340591003808

- Designed and Tested for Digital Radio Reception (DAB+)
- Heavy-Duty Construction
- Horizontally and Vertically Mounting Options
- F-Type Balun

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	1
CHANNEL BAND	Band 3
CHANNELS	6-12
MAX. GAIN	2dBi
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	670(L) x 370(W) x 100(H) mm
COLOUR	Silver
PACKAGING	Display Box
QUANTITIES	Carton: 5 / Pallet: 60

DIGITEK
Complete Digital Solutions

FM3 FM Antenna



CHANNELS FM

MAX. GAIN FM 5dBi

3 YEAR WARRANTY


01EFM3

9340591001750

- Tough Powder-Coated Boom
- 12mm Extruded Aluminium Heavy-Duty Elements
- FM 96-106MHz
- F-Type Balun

Included Accessories

- Rubber Boot (for F-Connector), V-Block & U-Bolt Fitted to Antenna

NUMBER OF ELEMENTS	3
CHANNEL BAND	Band 2
CHANNELS	87.5-108MHz
MAX. GAIN	5dBi
FRONT TO BACK RATIO	>15dB
MATERIALS	Aluminium, UV Stabilised Plastics
DIMENSIONS	1020(L) x 1540(W) x 70(H) mm
COLOUR	Charcoal (Hammerstone), Silver Elements
PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 10 / Pallet: 120

CABLES

COAXIAL	16
DATA	17
SECURITY	17
SPEAKER	18

A close-up photograph of a person's hands using wire cutters to strip a black cable. The person is wearing a black long-sleeved shirt. The background is a wooden wall with vertical planks. The lighting is warm and golden, suggesting a sunset or sunrise. The cable is being held taut by the left hand, while the right hand uses the wire cutters to strip the outer jacket. The cutters are black and silver. The cable has some text on it, including "V7" and "100".

*Premium cables for
professional installations.*

COAX - RG6 75 OHM

RG6 FTA/SAT Quad Shield Cable



BC85120

BC85087



BC85084

BC85085



BC85120 (30m)		9340591016433
BC85087 (100m)		9340591016426
BC85084 (305m)		9340591016402
BC85085 (305m)		9340591016419

- RG6 Quad Shield with CCS Center Conductor, and Black UV Stabilised PVC Jacket
- Meter Marking on Cable Jacket
- Available in:
 - 30m Heavy-Duty Wooden Reel
 - 100m Heavy-Duty Wooden Reel
 - 305m Heavy-Duty Wooden Reel
 - 305m Reel in Box
- Foxtel Approved:
 - BC85120 (30m): F31070
 - BC85087 (100m): F31021
 - BC85084 (305m): F31020
 - BC85085 (305m): F31019

PACKAGING	BC85120 30m Reel with Label BC85087 100m Reel with Label BC85084 305m Reel with Label BC85085 305m Display Box
QUANTITIES	Pallet: 225 (BC85120) / 128 (BC85087) / 36 (BC85084) / 27 (BC85085)

RG6 Quad Shield White Cable - 100m Reel



02BDRG6QWR1		9340591004782
--------------------	--	---------------

- RG6 Quad Shield with CCS Center Conductor, FPE Dielectric, and White UV Stabilised PVC Jacket
- Meter Marking on Cable Jacket
- 100m Heavy-Duty Wooden Reel

PACKAGING	100m Reel with Label
QUANTITIES	Pallet: 125

RG6 Quad Shield Siamese Cable - 152m Reel



BELDEN #: 1617A

BC71502		9340591019823
----------------	--	---------------

- RG6 Siamese Quad Shield with Black PVC Jacket
- Outside Cable Diameter 2x 7.54mm (Joined Figure-8)
- Foxtel Approved: F30460
- 152m Heavy-Duty Wooden Reel

PACKAGING	152m Reel with Label
QUANTITIES	Pallet: 36

RG6 Quad Shield Cable - 305m Smart Reel Box



02BDRG6QBE		9340591016358
-------------------	--	---------------

- RG6 Quad Shield with CCS Center Conductor, FPE Dielectric, and Black UV Stabilised PVC Jacket
- 305m Smart Reel in Box with Internal / Removeable, Heavy-Duty Cable Caddy
- Outside Cable Diameter 7.2mm ± 0.1mm
- Reverse Meter Marking on Cable Jacket

PACKAGING	305m Display Box
QUANTITIES	Pallet: 27

NEED MORE RG6 QUAD SHIELD CABLE?



We also have 30m, 100m and 305m wooden reel versions available.

COAX - 50 OHM

High Quality 50 Ohm LL400/ LMR400 Low Loss Coaxial Cable



BC85203 (100m)		9340591016464
BC85204 (305m)		9340591019762

- 50Ω LL400 CCA Centre Conductor, Foamed PE Dielectric, Double Shield with Black UV Stabilised PVC Jacket
- Outside Cable Diameter 10.29mm ± 0.20mm
- Meter Marking on Cable Jacket
- Available in 100m or 305m Heavy-Duty Wooden Reel

PACKAGING	100m / 305m Reel with Label
QUANTITIES	Pallet: 75 (BC85203) / 18 (BC85204)

High Quality 50 Ohm LL240/ LMR240 Low Loss Coaxial Cable



BC85205 (100m)		9340591019779
BC85206 (305m)		9340591019786

- 50Ω LL240 Bare Copper Centre Conductor, Foamed PE Dielectric, Double shield with Black UV Stabilised PVC Jacket
- Outside Cable Diameter 6.1mm ± 0.20mm
- Meter Marking on Cable Jacket
- Available in 100m or 305m Heavy-Duty Wooden Reel

PACKAGING	100m / 305m Reel with Label
QUANTITIES	Pallet: 75 (BC85205) / 18 (BC85206)

High Quality 50 Ohm LL195/ LMR195 Low Loss Coaxial Cable - 100m Reel



BC85207		9340591019793
----------------	--	---------------

- 50Ω LL195 Bare Copper Centre Conductor, Foamed PE Dielectric, Double shield with Black UV Stabilised PVC Jacket
- Outside Cable Diameter 4.95mm ± 0.20mm
- Meter Marking on Cable Jacket
- 100m Heavy-Duty Wooden Reel

PACKAGING	100m Reel with Label
QUANTITIES	Pallet: 100

COAX - 50 OHM (continued)

High Quality 50 Ohm RG58
Mini Low Loss Coaxial Cable
- 100m Reel



HILLS.
Antenna

BC85208

9340591019809

- 50Ω RG58 Mini Bare Copper Centre Conductor, Foamed PE Dielectric, Double Shield with Black UV Stabilised PVC Jacket
- Outside Cable Diameter 5.00mm ± 0.20mm
- Meter Marking on Cable Jacket
- 100m Heavy-Duty Wooden Reel

PACKAGING 100m Reel with Label
QUANTITIES Pallet: 100

High Quality 50 Ohm RG213
Low Loss Coaxial Cable



HILLS.
Antenna

BC85211 (100m)

9311313554526

BC85210 (305m)

9340591019816

- 50Ω RG213 Bare Copper Centre Conductor, Solid PE Dielectric, Shielded with Black UV Stabilised PVC Jacket
- Outside Cable Diameter 10.30mm ± 0.20mm
- Meter Marking on Cable Jacket
- Available in 100m or 305m Heavy-Duty Wooden Reel

PACKAGING 100m / 305m Reel with Label
QUANTITIES Pallet: 27 (BC85211) / 18 (BC85210)

COAX - RG11

RG11 Quad Shield Cable
- 305m Reel



FOXTEL
APPROVED

BELDEN

BELDEN #: YJ52455

BC46034

9340591019830

- RG11 Quad Shield with Black PVC Jacket
- Foxtel Approved: F30467
- 305m Heavy-Duty Wooden Reel

PACKAGING 305m Reel with Label
QUANTITIES Pallet: 27

DATA

4-Pair CAT6 Jelly-Filled Data Cable
- 300m Reel - Black



DATATEK
Quality Data Products

03JCAT6R3JF

9340591005642

- 23 AWG, Category 6 (CAT6)
- Jelly Filled Flooding Compound & PE with Black UV Stabilised Jacket
- RCM Approved
- Outdoor / Direct Buried

PACKAGING 300m Reel with Label
QUANTITIES Pallet: 45

CAT6 Data
UTP Cable
- 305m Box



DATATEK
Quality Data Products

03JDCAT6BL (Blue)

9340591017133

03JDCAT6GN (Green)

9340591017157

03JDCAT6YL (Yellow)

9340591017140

- 24 AWG, Category 6 (CAT6)
- Bare Copper with PVC Jacket
- Available in Blue, Green, and Yellow
- 305m Reel in Box
- RCM Approved

PACKAGING 305m Display Box
QUANTITIES Pallet: 36

4-Pair CAT6 UTP
LAN Cable
- 305m Box



HILLS.
Antenna

03JCAT6-BL (Blue)

9340591005260

03JCAT6-GN (Green)

9340591005338

03JCAT6-GY (Grey)

9340591017157

03JCAT6-PR (Purple)

9340591005376

03JCAT6-RD (Red)

9340591014064

03JCAT6-YL (Yellow)

9340591005345

- 23 AWG, Category 6 (CAT6)
- Solid Bare Copper with PVC Jacket
- Available in Blue, Green, Purple, Red, Grey and Yellow
- 305m Reel in Box
- RCM Approved

PACKAGING 305m Display Box
QUANTITIES Pallet: 36

SECURITY

4-Core 14-Strand/0.20mm
Security Cable
- 300m Box



DIGITEK
Complete Digital Solutions

03B144B3-GY (Grey)

9340591005444

03B144B3-WH (White)

9340591005437

- 14-Strand / 4-Core
- Bare Copper with PVC Jacket
- Available in Grey and White

PACKAGING 300m Display Box
QUANTITIES Pallet: 45

6-Core 14-Strand/0.20mm
Security Cable
- 300m Box



DIGITEK
Complete Digital Solutions

03B146B3-GY (Grey)

9340591005482

03B146B3-WH (White)

9340591005475

- 14-Strand / 6-Core
- Bare Copper with PVC Jacket
- Available in Grey and White

PACKAGING 300m Display Box
QUANTITIES Pallet: 45

Have you
tried our RJ45
Pass Through
Connectors?



See page 48.

SPEAKER

17-Strand/0.16mm 22AWG Speaker Cable - 100m Reel - Clear



DIGITEK
Complete Digital Solutions

03C1716R1 9340591012541

- 22 AWG, 17-Strand / 0.16mm • 100m Plastic Reel
- Reverse Meter Marking on Cable Jacket
- Polarity Marked with Red Trace
- OFC (Oxygen Free Copper) with Clear PVC Jacket

PACKAGING 100m Reel with Label
QUANTITIES Pallet: 150

65-Strand/0.16mm 16AWG Speaker Cable - 100m Reel - Clear



DIGITEK
Complete Digital Solutions

03C6516R1 9340591013074

- 16 AWG, 65-Strand / 0.16mm • 100m Plastic Reel
- Reverse Meter Marking on Cable Jacket
- Polarity Marked with Red Trace
- OFC (Oxygen Free Copper) with Clear PVC Jacket

PACKAGING 100m Reel with Label
QUANTITIES Pallet: 150

105-Strand/0.16mm 14AWG Speaker Cable - 100m Reel - Clear



DIGITEK
Complete Digital Solutions

03C10516R1 9340591012626

- 14 AWG, 105-Strand / 0.16mm • 100m Plastic Reel
- Reverse Meter Marking on Cable Jacket
- Polarity Marked with Red Trace
- OFC (Oxygen Free Copper) with Clear PVC Jacket

PACKAGING 100m Reel with Label
QUANTITIES Carton: 2

16-Gauge Speaker Cable - 100m Reel - Clear



HILLS
Antenna

BC74610 9340591017898

- 16 AWG, 65-Strand / 0.16mm • 100m Plastic Reel
- Reverse Meter Marking on Cable Jacket
- Polarity Marked with Red Trace
- CCA (Copper Clad Aluminium) with Clear PVC Jacket

PACKAGING 100m Reel with Label
QUANTITIES Pallet: 225

14-Gauge Speaker Cable - 100m Reel - Clear



HILLS
Antenna

BC74611 9340591017690

- 14 AWG, 105-Strand / 0.16mm • 100m Plastic Reel
- Reverse Meter Marking on Cable Jacket
- Polarity Marked with Red Trace
- CCA (Copper Clad Aluminium) with Clear PVC Jacket

PACKAGING 100m Reel with Label
QUANTITIES Pallet: 225

12-Gauge Speaker Cable - 100m Reel - Clear



HILLS
Antenna

BC74612 9340591016457

- 12 AWG, 168-Strand / 0.16mm • 100m Plastic Reel
- Reverse Meter Marking on Cable Jacket
- Polarity Marked with Red Trace
- CCA (Copper Clad Aluminium) with Clear PVC Jacket

PACKAGING 100m Reel with Label
QUANTITIES Pallet: 112

4-Core 64-Strand/0.15mm Speaker Cable - 100m Reel - Green



DIGITEK
Complete Digital Solutions

03CSP4CORER1 9340591004966

- 17-16 AWG, 64-Strand / 0.15mm 4-Core Colour Coded
- 100m Plastic Reel
- OFC (Oxygen Free Copper) with Green PVC Jacket

PACKAGING 100m Reel with Label
QUANTITIES Pallet: 64

Next level
speaker installs
start with the
right hardware.



See page 27.



AMPLIFIERS

MASTHEAD	20
DISTRIBUTION	20
ACCESSORIES	20



*Ensuring a clear signal
each and every time.*

MASTHEAD, DISTRIBUTION, ACCESSORIES

LARA UHF Masthead Amplifier with 4G Filter



FC658233C

9340591017720

- UHF 1-Input/1-Output Amplifier with Fully Shielded Enclosure and Waterproof Case
- Max. Gain: 34dB • Hi/Lo Adjustable Gain
- Channels: 28-51 (UHF) • Max. Output Level: 104dB
- Frequency Range: 525-694MHz
- 14V DC 150mA (PSU6F) Power Supply and 4G/LTE Rejection Filter Included

PACKAGING Display Box
QUANTITIES Inner: 6 / Carton: 12

Q-Amp UHF/VHF Masthead Amplifier with 4G Filter



FC658261C

9340591016808

- An All Purpose 2-Inputs/1-Output amplifier with Fully Shielded Enclosure and Waterproof Case
- Max. Gain: 34dB • VHF/UHF Hi/Lo Adjustable Gain
- Channels: 6-12(VHF)/28-51(UHF) • Output Level: 104dB
- Frequency Range: 175-230MHz & 527-694MHz
- 14V DC 150mA (PSU6F) Power Supply and 4G/LTE Rejection Filter Included

PACKAGING Display Box
QUANTITIES Inner: 6 / Carton: 12

PSU6F - 14V 150mA Plug Pack Power Supply & Injector



FC658274A

9340591019137

- 14V DC 150mA Plug Pack
- Suitable for Lara/Q-AMP Amplifiers
- Fitted with F-Type Injector
- Includes F-Type Female to PAL Male Right-Angle Adaptor and F-Type Male to PAL Female Adaptor

PACKAGING White Box with Label
QUANTITIES Carton: 50

Maxilink-30 Distribution Amplifier



FC658002C

9340591016709

- Max. Gain: 30dB +/- 2dB
- Max. Output Level: 115dB
- Frequency Range: 47-860MHz
- Zamak Housing with Protective Cover greatly reduces Electrical or RF Ingress
- Gain Adjustment for each Frequency Band
- 12V DC 500mA Power Supply Included

PACKAGING Display Box
QUANTITIES Carton: 20

Maxilink-40 Distribution Amplifier



FC658005C

9340591019908

- Max. Gain: 40dB +/- 2dB
- Max. Output Level: 115dB
- Frequency Range: 47-860MHz
- Zamak Housing with Protective Cover greatly reduces Electrical or RF Ingress
- Gain Adjustment for each Frequency Band
- 12V DC 500mA Power Supply Included

PACKAGING Display Box
QUANTITIES Carton: 20

Antiference Empty Enclosure



04AMENC01

9340591004010

04AMENC02

9340591004027

- Black ABS Plastic Outdoor Enclosure with 5 Round Cable Outlets
- Suitable for Mounting Masthead Amps, Splitters etc.
- Internal Dimensions:
Small - 110(W) x 85(H) x 25(D) mm
Large - 110(W) x 110(H) x 45(D) mm
- Door Secured with Phillips Screw
- Molded V-Block on Rear and Black Cable Tie Included for Mast Mounting

PACKAGING Poly Bag
QUANTITIES Carton: 100

ALCAD

Masthead Amplifiers • Distribution Amplifiers • Channel Processors



Kingray


Masthead Amplifiers,
Distribution Amplifiers,
Power Supplies
and more...



Want to see our range of Kingray products?
www.bitek.com.au/kingray/

WALL PLATES

SKIRTING PLATES	22
WALL PLATES	22
F-TYPE	22
GANG	23
MEDIA	24
MOUNTING BLOCK	24
HARDWARE	24
INSERTS	25
F-TYPE	25
BNC	25
HDMI	25
USB	26
RJ45 MECH	26
KEYSTONE	26
AUDIO	27
BLANK	27
RECESSED WALL BOXES	27



*Seamless connectivity,
perfectly plated.*

SKIRTING OUTLETS

Single F-Type Skirting Outlet
- Foxtel Approved



HLLS
Antenna

FOXTEL
APPROVED

BC86921HR

9311313526950

- F-Type Female to F-Type Female 3GHz Barrel Skirting Outlet with Mounting Screws
- Foxtel Approved: #F30914
- White ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 50 / Carton: 500

Earthing Skirting Outlet
- Foxtel Approved



HLLS
Antenna

FOXTEL
APPROVED

BC88214B

9311313548259

- F-Type Female to F-Type Female 3GHz Barrel Skirting Outlet with Earthing & Mounting Screws
- Foxtel Approved: #F10436
- White ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 50 / Carton: 500

F-Type to PAL Skirting Outlet



DIGITEK
Complete Digital Solutions

05A2FP

9340591010615

- F-Type Female to PAL Female Skirting Outlet with Mounting Screws
- Suitable for Free-To-Air
- White ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 50 / Carton: 500

WALL PLATES - F-TYPE

F-Type Wall Plate with 3GHz Barrel



DIGITEK
Complete Digital Solutions

05A1FU3

9340591012787

- F-Type Female to F-Type Female Wall Plate with 3GHz Barrel & Mounting Screws
- Suitable for Free-To-Air, Satellite & PAYTV
- White ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

Dual F-Type High Return Loss Wall Plate



HLLS
Antenna

BC74727

9311313548464

- Dual F-Type Female to F-Type Female Wall Plate with 3GHz Barrel & Mounting Screws
- Suitable for Free-To-Air, Satellite & PAYTV
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Carton: 200

Foxtel 3 x F-Type High Return Loss Wall Plate - Foxtel Approved



HLLS
Antenna

FOXTEL
APPROVED

BC81407

9340591015863

- Triple F-Type Female to F-Type Female Wall Plate with 3GHz Barrel & Mounting Screws
- Foxtel Approved: #F30770
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Carton: 200

F-Type Female to PAL Female Wall Plate



DIGITEK
Complete Digital Solutions

05APFP

9340591010738

- F-Type Female to PAL Female Wall Plate with Mounting Screws
- Suitable for Free-To-Air TV Connections
- White ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

Blank Wall Plate



DIGITEK
Complete Digital Solutions

05ABL

9340591019458

- Blank Standard Wall Plate with Mounting Screws
- Suitable to Cover Holes or Custom Installations
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Inner: 100 / Carton: 200

Blank Wall Plate with Hex Cut Out



DIGITEK
Complete Digital Solutions

05ABLF

9340591019465

- Blank Hexagon Hole-Cut Wall Plate with Mounting Screws
- Suitable for Custom Installations with Hex Type Barrels
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Inner: 100 / Carton: 200

WALL PLATES - GANG

1-Gang Architrave Wall Plate
(No Mech)



DIGITEK
Complete Digital Solutions

05DAWP01 (White) 9340591012985

05DAWP01BK (Black) 9340591019472

- Architrave 1-Gang Wall Plate with Mounting Screws
- Suits Digitek & Clipsal® Style Inserts
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

2-Gang Architrave Wall Plate
(No Mech)



DIGITEK
Complete Digital Solutions

05DAWP02 (White) 9340591019489

05DAWP02BK (Black) 9340591019496

- Architrave 2-Gang Wall Plate with Mounting Screws
- Suits Digitek & Clipsal® Style Inserts
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

Blank Wall Plate



DIGITEK
Complete Digital Solutions

05DWP00 (White) 9340591010646

05DWP00BK (Black) 9340591019502

- Blank Gang Style Wall Plate with Mounting Screws
- Suitable to Cover Holes
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

1-Gang Wall Plate (No Mech)



DIGITEK
Complete Digital Solutions

05DWP01 (White) 9340591010769

05DWP01BK (Black) 9340591013005

- 1-Gang Wall Plate with Mounting Screws
- Suits Digitek & Clipsal® Style Inserts
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

2-Gang Wall Plate (No Mech)



DIGITEK
Complete Digital Solutions

05DWP02 (White) 9340591010585

05DWP02BK (Black) 9340591019519

- 2-Gang Wall Plate with Mounting Screws
- Suits Digitek & Clipsal® Style Inserts
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

3-Gang Wall Plate (No Mech)



DIGITEK
Complete Digital Solutions

05DWP03 (White) 9340591019526

05DWP03BK (Black) 9340591019533

- 3-Gang Wall Plate with Mounting Screws
- Suits Digitek & Clipsal® Style Inserts
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

4-Gang Wall Plate (No Mech)



DIGITEK
Complete Digital Solutions

05DWP04 (White) 9340591010677

05DWP04BK (Black) 9340591019540

- 4-Gang Wall Plate with Mounting Screws
- Suits Digitek & Clipsal® Style Inserts
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

5-Gang Wall Plate (No Mech)



DIGITEK
Complete Digital Solutions

05DWP05 (White) 9340591011896

05DWP05BK (Black) 9340591019557

- 5-Gang Wall Plate with Mounting Screws
- Suits Digitek & Clipsal® Style Inserts
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

6-Gang Wall Plate (No Mech)



DIGITEK
Complete Digital Solutions

05DWP06 (White) 9340591019564

05DWP06BK (Black) 9340591019571

- 6-Gang Wall Plate with Mounting Screws
- Suits Digitek & Clipsal® Style Inserts
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

WALL PLATES - MEDIA

Media Style Brush Wall Plate (Flat)



05DWPMF (White) 9340591004188

05DWPMFBK (Black) 9340591004362

- Flat Media Wall Plate with Single Bristle Brush & Mounting Screws
- Aperture Size: 53(W) x 30(H) mm
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

Media Wall Plate with Detachable Front Panel



05DWPMF (White) 9340591004904

- Detachable Bullnose Media Wall Plate with Single Bristle Brush & Mounting Screws
- Aperture Size: 50.20(W) x 40.20(H) mm
- Fits a Full-Sized Power Plug
- White ABS Plastic

PACKAGING Display Box
QUANTITIES Carton: 200

Media Style Wall Plate (Bullnose)



05DWPM (White) 9340591007820

05DWPMBK (Black) 9340591011995

- Bullnose Media Wall Plate with Single Black Bristle Brush & Mounting Screws
- Aperture Size: 63.80(W) x 40.70(H) x 28.74(D) mm
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

MOUNTING BLOCK

Media Style Wall Plate (Reverse Bullnose)



05DWPMR (White) 9340591007875

05DWPMRBK (Black) 9340591019595

- Reverse Bullnose Media Wall Plate with Single Black Bristle Brush & Mounting Screws
- Aperture Size: 66.42(W) x 43.49(H) x 31.45(D) mm
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

Media Style Wall Plate (Slim Bullnose)




05DWPMR (White) 9340591007905

05DWPMR (Black) 9340591019588

- Slim Bullnose Media Wall Plate with Single Black Bristle Brush & Mounting Screws
- Aperture Size: 54.21(W) x 40.70(H) x 16.85(D) mm
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 200

Mounting Block - 35mm



05EMB35 9340591010912

- Allows You to Mount Your Wall Plate an Extra 35mm out from the Wall
- Dimensions: 123.2(W) x 81.2(H) x 34.6(D) mm (±0.2mm)
- White ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Carton: 120

HARDWARE

Plaster Bracket (C-Clip) 154U



05E154U 9340591019731

- Pre-Galvanised Steel Bracket (C-Clip)
- Compatible with Digitek, Clipsal® & HPM Style Wall Plate

PACKAGING Single Piece
QUANTITIES Inner: 20 / Carton: 500

Nail-in Stud Bracket 155N



05E155N 9340591019748

- Pre-Galvanised Steel
- Horizontal Nail-In Bracket with Nails Included
- Fits Most Brands of Wall Plates

PACKAGING Single Piece
QUANTITIES Inner: 20 / Carton: 240

Stud Bracket 155U




05E155U 9340591019755

- Pre-Galvanised Steel
- Horizontal Right-Angle Stud Bracket
- Fits Most Brands of Wall Plates

PACKAGING Single Piece
QUANTITIES Inner: 20 / Carton: 200

INSERTS - F-TYPE

F-Type Female to F-Type Female Insert with 3GHz Barrel



**FOXTEL
APPROVED**

DIGITEK
Complete Digital Solutions

05BCFF3 (White) 9340591007745

05BCFF3BK (Black) 9340591010851

- F-Type Female to F-Type Female with 3Ghz Barrel
- Suits Digitek & Clipsal® Style Wall Plates
- Foxtel Approved: #F30724
- ABS Plastic with Nickel-Plated Barrel

PACKAGING	Poly Bag with Label
QUANTITIES	Inner: 100 / Carton: 1000

F-Type Female to F-Type Female Insert with 2GHz Barrel



DIGITEK
Complete Digital Solutions

05BCFFG2 9340591012800

- F-Type Female to F-Type Female with 2Ghz Barrel
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic with Gold-Plated Barrel

PACKAGING	Poly Bag
QUANTITIES	Inner: 100 / Carton: 1000

HPM Style F-Type Female to F-Type Female Insert with 3GHz Barrel



DIGITEK
Complete Digital Solutions

**FOXTEL
APPROVED**

05BHFF3 9340591019663

- F-Type Female to F-Type Female with 3Ghz Barrel
- Suits HPM Style Wall Plates
- Foxtel Approved: #F30724 • White ABS Plastic

PACKAGING	Poly Bag
QUANTITIES	Inner: 100 / Carton: 1000

INSERTS - BNC

HPM Style F-Type Female to PAL Female Insert



DIGITEK
Complete Digital Solutions

05BHFPS 9340591019670

- F-Type Female to PAL Female
- Suits HPM Style Wall Plates
- White ABS Plastic

PACKAGING	Poly Bag
QUANTITIES	Inner: 100 / Carton: 1000

F-Type Female to PAL Female Insert



DIGITEK
Complete Digital Solutions

05BCFPS (White) 9340591007776

05BCFPSBK (Black) 9340591015894

- F-Type Female to PAL Female
- Suits Digitek & Clipsal® Styles Wall Plates
- ABS Plastic

PACKAGING	Poly Bag with Label
QUANTITIES	Inner: 100 / Carton: 1000

BNC Female to F-Type Female Insert



DIGITEK
Complete Digital Solutions

05BCBF 9340591019687

- BNC Female to F-Type Female
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic

PACKAGING	Poly Bag
QUANTITIES	Inner: 100 / Carton: 1000

INSERTS - HDMI

BNC Female to BNC Female Insert



DIGITEK
Complete Digital Solutions

05BCBBB 9340591019694

- BNC Female to BNC Female
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic

PACKAGING	Poly Bag
QUANTITIES	Inner: 100 / Carton: 1000

HDMI Female to HDMI Female Insert - Straight



DIGITEK
Complete Digital Solutions

05BC6BK 9340591019700

- HDMI Female to HDMI Female Straight
- Suits Digitek & Clipsal® Style Wall Plates
- Black ABS Plastic

PACKAGING	Poly Bag with Label
QUANTITIES	Inner: 25 / Carton: 500

HDMI Female to HDMI Female (4K@60Hz) Insert - Straight



DIGITEK
Complete Digital Solutions

05BC6V2 9340591009077

- HDMI Female to HDMI Female Straight
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic • 4k@60Hz

PACKAGING	Poly Bag with Label
QUANTITIES	Inner: 25 / Carton: 500

INSERTS - HDMI (continued)

HDMI Female to HDMI Female Right-Angle Insert - Black



DIGITEK
Complete Digital Solutions

05BC6RBK

9340591019717

- Black ABS Plastic Insert
- HDMI Female to HDMI Female Right-Angle
- Suits Digitek & Clipsal® Style Wall Plates

PACKAGING Poly Bag with Label
QUANTITIES Inner: 25 / Carton: 500

HDMI Female to HDMI Female Right-Angle (4K@60Hz) Insert - White



DIGITEK
Complete Digital Solutions

05BC6RV2

9340591009091

- HDMI Female to HDMI Female Right-Angle
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic • 4k@60Hz

PACKAGING Poly Bag with Label
QUANTITIES Inner: 25 / Carton: 500

HDMI Female to HDMI Female (4K@60Hz) Insert with Flexible Tail



DIGITEK
Complete Digital Solutions

05BC6TV2 (White)

9340591009114

05BC6TBKV2 (Black)

9340591009121

- HDMI Female to HDMI Female 4K@60Hz with Flexible Tail
- Suits Digitek & Clipsal® Style Wall Plates
- ABS Plastic Insert

PACKAGING Poly Bag with Label
QUANTITIES Inner: 50

INSERTS - USB

USB Female to USB Female Insert - Flexible Tail



DIGITEK
Complete Digital Solutions

05BC7T (White)

9340591007707

05BC7TBK (Black)

9340591019724

- USB 3.0 Female to USB 3.0 Female with Flexible Tail
- Suits Digitek & Clipsal® Style Wall Plates
- ABS Plastic Insert

PACKAGING Poly Bag with Label
QUANTITIES Inner: 50

INSERTS - RJ45 MECH

RJ45 CAT3 Voice Mech/Insert



DIGITEK
Complete Digital Solutions

05CRJ45C3

9340591019625

- Wire Punch Down to RJ45 Female (CAT3)
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Inner: 50 / Carton: 500

RJ45 Mech/Insert to Suit Wall Plates - CAT6



DIGITEK
Complete Digital Solutions

05CRJ45C6

9340591007806

- Wire Punch Down to RJ45 Female (CAT6)
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Inner: 50 / Carton: 500

INSERTS - KEYSTONE

RJ45 Mech/Insert to Suit Wall Plates - CAT6a



DIGITEK
Complete Digital Solutions

05CRJ45C6A

9340591019632

- Wire Punch Down to RJ45 Female (CAT6A)
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Inner: 50 / Carton: 500

Keystone Bezel to Suit Australian Style Wall Plates



DIGITEK
Complete Digital Solutions

05BC9CA

9340591005802

- Bezel Adaptor (Compatible with 05CRJ456J)
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Inner: 100 / Carton: 1000

Keystone CAT6 RJ45 Inline Coupler



DIGITEK
Complete Digital Solutions

05CRJ456J


9340591019618

- RJ45 Female to RJ45 Female (Compatible with 05BC9CA)
- CAT6 Joiner • White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Inner: 20 / Carton: 1000

INSERTS - AUDIO

Speaker Binding Post Insert
- Black Band



DIGITEK
Complete Digital Solutions

05BC5B (White) 9340591007561

05BC5BBLK (Black) 9340591010790

- Gold-Plated Speaker Binding Post to Speaker Binding Post - Black Band
- Suits Digitek & Clipsal® Style Wall Plates • ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 1000

Speaker Binding Post Insert
- Red Band



DIGITEK
Complete Digital Solutions

05BC5R (White) 9340591007592

05BC5RBLK (Black) 9340591010820

- Gold-Plated Speaker Binding Post to Speaker Binding Post - Red Band
- Suits Digitek & Clipsal® Style Wall Plates • ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 1000

3.5mm Female To 3.5mm Female
Insert - Flexible Tail



DIGITEK
Complete Digital Solutions

05BC8 9340591004164

- 3.5mm Female to 3.5mm Female with Flexible Tail
- Suits Digitek & Clipsal® Style Wall Plates
- White ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Carton: 1000

INSERTS - BLANK

Blank Insert



DIGITEK
Complete Digital Solutions

05BCBL (White) 9340591011018

05BCBLBK (Black) 9340591019601

- Flush Finish when Inserted
- Suits Digitek & Clipsal® Style Wall Plates
- ABS Plastic

PACKAGING Poly Bag with Label
QUANTITIES Inner: 100 / Carton: 1000

Blank Insert with Hexagonal Hole



DIGITEK
Complete Digital Solutions

05BCBLH (Digitek/Clipsal) 9340591019649

05BHBLH (HPM) 9340591019656

- Hexagon Opening Allows for Fitting a Custom Barrel
- Available in HPM or Digitek & Clipsal® Styles
- White ABS Plastic

PACKAGING Poly Bag
QUANTITIES Inner: 100 / Carton: 3000

**REQUIRE
IN-WALL OR
IN-CEILING
SPEAKERS?**

Talk to your local branch
about our speaker range.

Call us on **1300 601 915**.

RECESSED WALL BOXES

Recessed AV Wall Box - Small



HILLS.
Antenna

05DRWBS 9340591019304

- 1mm Mild Steel Construction
- Dimensions: 320(H) x 450(W) x 85(D) mm
- Cut Out: 410(W) x 290(H) mm (75mm Depth)
- Includes: 1x Double Powerpoint, 1x Detachable Gear Plate, 1x Brush Plate & 1x Pair of Mounting Brackets

PACKAGING Brown Box with Label
QUANTITIES Carton: 2

Recessed AV Wall Box - Large



HILLS.
Antenna

05DRWBL 9340591019328

- 1mm Mild Steel Construction
- Dimensions: 450(H) x 450(W) x 85(D) mm
- Cut Out: 410(W) x 420(H) mm (75mm Depth)
- Includes: 1x Double Powerpoint, 1x Detachable Gear Plate, 1x Brush Plate (Pre-fitted) & 2x Pairs of Mounting Brackets

PACKAGING Brown Box with Label
QUANTITIES Carton: 2

Recessed Wall Box



05DRWP2 9339340003428

- Can hold 1x Australian Standard Power Outlet & 2x Clipsal® Compatible AV Inserts (not Included)
- Fast Installation, no Brackets Required
- 185x145mm Face Plate • 60mm Depth
- Suits Wall Thickness: 8mm (Min.) - 20mm (Max.)

PACKAGING White Box with Label
QUANTITIES Carton: 40

05DRWP2 - Recessed Wall Box



Versatile & Space Saving

A smart solution for modern installations.



We have a wide range of products that enable low profile solutions for managing cables and connections behind wall-mounted TV's, monitors, or furniture.

Ideally suited to the home or commercial spaces, this recessed AV box enables a professional appearance whilst reducing possible installation issues including cable strain.

Paired with any number of wall plates and inserts from our range, this recessed wall box gives the installer and end user the flexibility required in a rapidly changing world.



Want the best for your AV setup? Check out our Patch Leads on **Page 29**.

PATCH LEADS

COAXIAL	30
FIBRE OPTIC	30
AUDIO	31
CAT6	31
USB	32
HDMI	33



*Quality leads for
reliable connections.*

COAXIAL LEADS

F-Type Male to PAL Male RG6
Tri Shield TV Fly Lead - 1.5m



DIGITEK
Complete Digital Solutions

06A315MTB

9340591005772

- Connector Type: F-Type Male to PAL Male
- RG6 Tri-Shield Coaxial Cable with Black PVC Jacket
- Available Length: 1.5m

PACKAGING Poly Bag with Label
QUANTITIES Inner: 75 / Carton: 150

F-Type Male to PAL Male RG6
Quad Shield Fly Lead



DIGITEK
Complete Digital Solutions

06A318MQB (1.8m Black) 9340591000104

06A318MQW (1.8m White) 9340591001019

06A33MQB (3m Black) 9340591001279

06A33MQW (3m White) 9340591001286

- Connector Type: F-Type Male to PAL Male
- RG6 Quad-Shield Coaxial Cable with PVC Jacket
- Available Lengths: 1.8m & 3m
- Available Colours: Black & White

PACKAGING Poly Bag with Label
QUANTITIES Carton: 100 (06A318MQ) / 60 (06A33MQ)

F-Type Male to F-Type Male RG6
Quad Shield Fly Lead - 1.8m



DIGITEK
Complete Digital Solutions

06A218MQB

9340591001293

- Connector Type: F-Type Male to F-Type Male
- RG6 Quad-Shield Coaxial Cable with Black PVC Jacket
- Available Length: 1.8m

PACKAGING Poly Bag with Label
QUANTITIES Inner: 50 / Carton: 100

PAL Male to PAL Male RG6
Tri Shield TV Fly Lead - 1.5m



DIGITEK
Complete Digital Solutions


06A15MTB

9340591005765

- Connector Type: PAL Male to PAL Male
- RG6 Tri-Shield Coaxial Cable with Black PVC Jacket
- Available Length: 1.5m

PACKAGING Poly Bag with Label
QUANTITIES Inner: 75 / Carton: 150

PAL Male to PAL Male RG59
TV Fly Lead - 1.8m



DIGITEK
Complete Digital Solutions

06A18MB (Black) 9340591000067

06A18MW (White) 9340591000081

- Connector Type: PAL Male to PAL Male
- RG59 Coaxial Cable with PVC Jacket
- Available Length: 1.8m
- Available Colours: Black & White

PACKAGING Poly Bag with Label
QUANTITIES Inner: 50 / Carton: 100

PAL Male to PAL Male RG6
Quad Shield TV Fly Lead - 1.8m



DIGITEK
Complete Digital Solutions

06A18MQB (Black) 9340591001040

06A18MQW (White) 9340591000074

- Connector Type: PAL Male to PAL Male
- RG6 Quad-Shield Coaxial Cable with PVC Jacket
- Available Length: 1.8m
- Available Colours: Black & White

PACKAGING Poly Bag with Label
QUANTITIES Inner: 50 / Carton: 100

FIBRE OPTIC LEADS

PAL Male to PAL Male Lead
Coaxial - 4m (Boxed)



HILLS
Antenna

BC3626B

9311313553710

- Connector Type: PAL Male to PAL Male
- RG59 Dual-Shield Coaxial Cable with White PVC Jacket
- Available Length: 4m

PACKAGING Display Box
QUANTITIES Carton: 100

PAL Male to PAL Female Lead
Coaxial - 1.5m (Boxed)



HILLS
Antenna

BC3608B

9311313553697

- Connector Type: PAL Male to PAL Female
- RG59 Dual-Shield Coaxial Cable with White PVC Jacket
- Available Length: 1.5m

PACKAGING Display Box
QUANTITIES Carton: 100

SC-APC to SC-APC Optical Fiber
Simplex Patch Lead



DIGITEK
Complete Digital Solutions

06LSCAPC5.0 (5m) 9340591005147

06LSCAPC10.0 (10m) 9340591005154

06LSCAPC50.0 (50m) 9340591005178

- Connector Type: SC-APC Male to SC-APC Male
- SM (Single Mode) OS2 9/125UM Optical Fibre with Yellow PVC Jacket
- Available Lengths: 5m, 10m & 50m

PACKAGING Poly Bag with Label
QUANTITIES Carton: 100 (06LSCAPC5.0) / 50 (06LSCAPC10.0) / 25 (06LSCAPC50.0)

AUDIO LEADS

Toslink Optical Audio Lead



06COPT1 (1m)	9340591005079
06COPT1-1.8 (1.8m)	9340591005086
06COPT1-2.5 (2.5m)	9340591005093
06COPT1-3 (3m)	9340591003280
06COPT1-5 (5m)	9340591005109
06COPT1-10 (10m)	9340591005116
06COPT1-15 (15m)	9340591003686
06COPT1-20 (20m)	9340591003693

- Connector Type: Toslink Male to Toslink Male
- PMMA Optical Fiber Core with Metal Case Connectors and Black PVC Jacket
- Available Lengths: 1m, 1.8m, 2.5m, 3m, 5m, 10m, 15m & 20m

PACKAGING	Hang Sell Bag
QUANTITIES	Carton: 120 (06COPT1) / 80 (06COPT1.8) / 60 (06COPT1-2.5) / 125 (06COPT1-3) / 50 (06COPT1-5) / 24 (06COPT1-10) / 20 (06COPT1-15) / 18 (06COPT1-20)



Extend your TOSLINK cable's reach with a...

TOSLINK Extension Female Adaptor



13COPTIC	9340591005123
CONNECTION 1	TOSLINK Female
CONNECTION 2	TOSLINK Female
PACKAGING	Single Piece
QUANTITIES	Inner: 50



3.5mm Male to Male Audio Lead



06BAU0.5 (0.5m)	9340591005819
06BAU1 (1m)	9340591005826
06BAU2 (2m)	9340591005833
06BAU3 (3m)	9340591005840
06BAU5 (5m)	9340591005857
06BAU10 (10m)	9340591005864
06BAU15 (15m)	9340591005871
06BAU20 (20m)	9340591005888

- Connector Type: 3.5mm Male to 3.5mm Male
- Stereo Audio Cable with Gold-Plated Connectors and Black PVC Jacket
- Available Lengths: 0.5m, 1m, 2m, 3m, 5m, 10m, 15m & 20m

PACKAGING	Hang Sell Bag
QUANTITIES	Carton: 1000 (06BAU0.5) / 500 (06BAU1) / 500 (06BAU2) / 250 (06BAU3) / 200 (06BAU5) / 100 (06BAU10) / 60 (06BAU15) / 50 (06BAU20)

RCA Male to RCA Male Audio Lead



06BA18 (1.8m)	9340591003532
06BA3 (3m)	9340591003549
06BA5 (5m)	9340591003556
06BA10 (10m)	9340591003563

- Connector Type: RCA Male to RCA Male
- Analogue Stereo Coax Cable with Black PVC Jacket
- Available Lengths: 1.8m, 3m, 5m & 10m

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 80 (06BA18) / 70 (06BA3) / 30 (06BA5) / 24 (06BA10)

3x RCA Male to 3x RCA Male AV Lead - 1.8m



06BAVL03	9340591000128
-----------------	---------------

- Connector Type: 3x RCA Male to 3x RCA Male
- Composite A/V Cable with Red, Yellow and White Connector Identifiers and Black PVC Jacket
- Available Length: 1.8m

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 200

3x RCA Male to 3x RCA Male AV Coaxial Video Lead



06BAVL03CV (1m)	9340591000135
06BAVL03CV3 (3m)	9340591000906
06BAVL03CV5 (5m)	9340591001880
06BAVL03CV10 (10m)	9340591008537
06BAVL03CV20 (20m)	9340591005383

- Connector Type: 3x RCA Male to 3x RCA Male
- Composite A/V Cable with Coaxial Video Lead, Red, Yellow and White Connector Identifiers and Black PVC Jacket
- Available Lengths: 1.8m, 3m, 5m, 10m & 20m

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 100 (06BAVL03CV) / 60 (06BAVL03CV3) / 40 (06BAVL03CV5) / 20 (06BAVL03CV10) / 10 (06BAVL03CV20)

CAT6 PATCH LEADS



CAT6 UTP Patch Lead - Blue



(Other colours available upon request.)



06DC6PL0.5B (0.5m)	9340591012220
06DC6PL1.0B (1m)	9340591012237
06DC6PL2.0B (2m)	9340591012251
06DC6PL3.0B (3m)	9340591012275
06DC6PL5.0B (5m)	9340591012299
06DC6PL10B (10m)	9340591012398
06DC6PL15B (15m)	9340591012879
06DC6PL20B (20m)	9340591012411
06DC6PL30B (30m)	9340591012435

- Connector Type: 8P8C RJ45 Male to RJ45 Male
- Data Rate (Max.): 10Gbps (10GBASE-T)
- CAT6 4x Stranded Twisted Pairs Cable with Brass Gold-Plated Contacts and Blue PVC Jacket
- Available Lengths: 0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m & 30m

PACKAGING	Hang Sell Bag
QUANTITIES	Carton: 250 (06DC6PL0.5B) / 200 (06DC6PL1.0B) / 120 (06DC6PL2.0B) / 90 (06DC6PL3.0B) / 50 (06DC6PL5.0B) / 25 (06DC6PL10B) / 15 (06DC6PL15B) / 12 (06DC6PL20B) / 18 (06DC6PL30B)

USB LEADS

USB Male to Micro USB Male
Lead - 1m



DIGITEK
Complete Digital Solutions

06ILC7241

9340591012305

- Connector Type: USB Male to Micro USB Male
- USB 2.0 480Mbit/s Lead with White Jacket
- Available Length: 1m

PACKAGING Hang Sell Bag

QUANTITIES Bag: 50 / Carton: 200

USB Male to Lightning Male
Lead - 1m



DIGITEK
Complete Digital Solutions

06IP5LEAD1B

9340591012312

- Connector Type: USB Male to Lightning (8-pin) Male
- USB 2.0 480Mbit/s Lead with White Jacket
- Available Length: 1m

PACKAGING Hang Sell Bag

QUANTITIES Bag: 50 / Carton: 250

USB Male to USB Type-A
Lead - 5m



DIGITEK
Complete Digital Solutions

06IUSBMF5M (Female)

9340591005895

06IUSBMM5M (Male)

9340591005901

- Connector Type:
06IUSBMF5M: USB Male to USB Female
06IUSBMM5M: USB Male to USB Male Type-A
- USB 2.0 480Mbit/s Lead with Black Jacket
- Available Length: 5m

PACKAGING Hang Sell Bag

QUANTITIES Inner: 50 / Carton: 100

BLUSTREAM

When it comes to excellent performance and value for money in AV products, it's hard to go past Blustream!

With a product development team that spans three continents, the reliability of their products, coupled with their high standard of service, demonstrate why they're a leader in delivering HDMI distribution products that offer more for the AV architects and installers.



An award winning option for advanced HDMI distribution.

To view our Blustream range, go to bitek.com.au/blustream

4K ULTRA HD HDMI LEADS

Experience the difference in viewing entertainment with our range of 4K HDMI Leads.

- Connector Type: HDMI Male to HDMI Male
- Resolution (Max.): 4K@60Hz 4:4:4
- 18Gbps Bandwidth
- HDMI High Speed with Ethernet
- 24K Gold-Plated Pins



4K
ULTRA HD

DIGITEK
Complete Digital Solutions

Flat 4K@60Hz
18Gbps HDMI Lead

06HDF1 (1m)	9340591008896
06HDF1.8 (1.8m)	9340591008926
06HDF3 (3m)	9340591008957
06HDF5 (5m)	9340591008988

- Multi Core Flat Cable
- Black PVC Jacket
- Available Lengths: 1m, 1.8m, 3m & 5m

PACKAGING	Hang Sell Bag
QUANTITIES	Carton: 140 (06HDF1) / 100 (06HDF1.8) / 60 (06HDF3) / 40 (06HDF5)



*Only on selected lengths.

4K
ULTRA HD

HILLS.
Antenna

4K HDMI Cable
- Trade Pack

06HD500 (0.5m)	9340591003570
BC85138 (1m)	9340591018178
BC85127 (2m)*	9340591018086
BC85128 (3m)*	9340591018116
BC85129 (5m)*	9340591018147
BC85130 (10m)	9340591017584

- Multi Core Cable
- Return Audio Pass
- Black PVC Jacket
- Supports Dolby HD & HDR
- Available Lengths: 0.5m, 1m, 2m, 3m, 5m & 10m
- *Premium Certification on 2m, 3m, & 5m Lengths

PACKAGING	Hang Sell Bag
QUANTITIES	Carton: 250 (06HD500) / 120 (BC85138) / 60 (BC85127) / 50 (BC85128) / 32 (BC85129) / 12 (BC85130)



4K
ULTRA HD

HILLS.
Antenna

4K AOC
(Active Optical Cable)
HDMI Cable

06HDAOC15 (15m)	9340591012107
06HDAOC20 (20m)	9340591012114
06HDAOC30 (30m)	9340591012121
06HDAOC50 (50m)	9340591012619

- Active Optical Cable (AOC) Fibre Optic Core
- Optoelectronic Conversion Module
- Directional: Source to Display
- Space Grey PVC Jacket
- Available Lengths: 10m, 15m, 20m, 30m & 50m

PACKAGING	White Box with Label
QUANTITIES	Carton: 36



ULTRA
Certified Cable

HDMI
ULTRA
HIGH SPEED



BCDFG123456
www.HDMI.org

— CERTIFIED — **8K ULTRA HD** **HDMI** **LEADS**

Enjoy the full potential of your 8K displays with these fully certified 8K Ultra HD HDMI Leads.

- Connector Type: HDMI Male to HDMI Male
- Resolution (Max.): 8K@60Hz, 4K@120Hz
- 48Gbps Bandwidth
- HDMI Ultra High Speed Certified
- Multi Core with 24K Gold-Plated Pins & Aluminium Plug Casing



8K Certified Ultra High Speed HDMI Cable

BC85415 (1m)		9340591015924
BC85416 (2m)		9340591015931
BC85417 (3m)		9340591015948
BC85418 (5m)		9340591015955

- Black PVC Jacket
- Available Lengths: 1m, 2m, 3m, & 5m

PACKAGING	Display Box
QUANTITIES	Carton: 36



8K AOC Certified Ultra High Speed HDMI Cable - 10m

BC85419		9340591015962
----------------	--	---------------

- Active Optical Cable (AOC) Fibre Optic Core
- Directional: Source to Display
- Space Grey PVC Jacket
- Available Length: 10m

PACKAGING	Display Box
QUANTITIES	Carton: 20

MIXED PRODUCTS

DIPLEXERS	36
ATTENUATORS	36
FILTERS	36
BALUN	36
DC BLOCKER	37
POWER INSERTER	37



*Specialised accessories
to simplify your installations*

DIPLEXERS

Diplexer Channels 0-36 & 40-69



DIGITEK
Complete Digital Solutions

07ADP10F

- Diplexer Channels (UHF/VHF): 0-36 / 40-69
- Frequency Range: 5-580MHz, 610-862MHz
- Insertion Loss: <2.5dB
- F-Type Connections

PACKAGING	Single Piece
QUANTITIES	Inner: 25 / Carton: 200

ATTENUATORS

Attenuator F-Type

DIGITEK
Complete Digital Solutions



08AF03 (3dB)

08AF06 (6dB)

08AF09 (9dB)

08AF10 (10dB)

08AF12 (12dB)

08AF16 (16dB)

08AF20 (20dB)

- Connector Type: F-Type Female to F-Type Male
- Reduce Signal Strength
- Frequency Range: 5-1000MHz
- Attenuation: 3dB (08AF03), 6dB (08AF06), 9dB (08AF09), 10dB (08AF10), 12dB (08AF12), 16dB (08AF16) & 20dB (08AF20)

PACKAGING	Single Piece
QUANTITIES	Inner: 10 (bag) / Carton: 500

BALUN

Outdoor Balun F-Type



DIGITEK
Complete Digital Solutions

BC3607

- Connector Type: F-Type
- UHF/VHF Outdoor Balun
- Pre-Terminated Soldered Terminals

PACKAGING	Single Piece
QUANTITIES	Inner: 100 (bag) / Carton: 1000

Diplexer 5-800MHz & 950-2400MHz



DIGITEK
Complete Digital Solutions

07CCS101UV

- Free-To-Air & Satellite Diplexer
- Frequency Range: 5-800MHz, 950-2400MHz
- All Ports Power Pass
- F-Type Connections
- Foxtel Approved: #F165

PACKAGING	Single Piece
QUANTITIES	Inner: 25 / Carton: 200

FOXTEL
APPROVED

FILTERS

Band Pass Filter

DIGITEK
Complete Digital Solutions



09ABPFA (Block A) 9340591005703

09ABPFB (Block B) 9340591005710

09ABPFC (Block C) 9340591005727

09ABPFD (Block D) 9340591005734

09ABPFE (Block E) 9340591005741

- Connector Type: F-Type Female to F-Type Male
- Channel Pass Through / Band Pass Frequency: (09ABPFA) Ch 6-12 / 174-230MHz (09ABPFB) Ch 28-33 / 526-568MHz (09ABPFC) Ch 34-39 / 568-610MHz (09ABPFD) Ch 40-45 / 610-652MHz (09ABPFE) Ch 46-51 / 652-694MHz
- Typical Signal Rejection: 40-45dB
- IP Rating: IPX4

PACKAGING	Single Piece
QUANTITIES	Inner: 10 / Carton: 500

Indoor Diplexer F-Type VHF/UHF



DIGITEK
Complete Digital Solutions

07CUVSJ

- VHF/UHF Diplexer
- F-Type Connections
- Zinc Die Cast Housing with Nickel Plating
- Indoor Use Only (or with Enclosure)
- Insertion Loss: 0.3-0.5dB
- Isolation: 20-30dB

PACKAGING	Single Piece
QUANTITIES	Inner: 25 / Carton: 200

4G/5G Low Pass LTE Filter



DIGITEK
Complete Digital Solutions

09ALPF694MA 9340591005758

- Connector Type: F-Type Female to F-Type Male
- Channel Pass Through: 46-52
- Band Pass Frequency Range: 5-694MHz
- Stop Band 778-1000MHz
- Typical Signal Rejection: 45dB
- IP Rating: IPX4

PACKAGING	Single Piece
QUANTITIES	Inner: 10 / Carton: 500

Antiference

WEATHER SEAL YOUR OUTDOOR CONNECTIONS.

Use an Antiference Outdoor Enclosure.

See Page 20.



DC BLOCKER & TERMINATOR

POWER INSERTER

DC In-Line Blockers - 2 Pack

DC Isolated Terminator - 2 Pack

Power Inserter 24V DC 5-1002MHz



DIGITEK
Complete Digital Solutions

FOXTEL
APPROVED

DIGITEK
Complete Digital Solutions

FOXTEL
APPROVED

DIGITEK
Complete Digital Solutions

09CDCBL2

- Isolates Voltage in Your System
- 100V DC Max.
- Sold in a Pack of 2
- Foxtel Approved: # F30865

PACKAGING	Poly Bag
QUANTITIES	Inner: 50

09CDCIT2

- Terminates Unused Ports in Your System
- Sold in a Pack of 2
- Foxtel Approved: # F30858

PACKAGING	Poly Bag
QUANTITIES	Inner: 50

09CDCPI

- F-Type Connections
- 24V DC, 5-1002MHz

PACKAGING	Single Piece
QUANTITIES	Carton: 500



MATV

SYSTEM DIAGRAMS

*You need it.
We design it.*

Do you have a commercial or complex build that requires an efficient, straight-forward Master Antenna Television system?

At Bitek, we have experienced professionals who can help custom design a MATV solution to meet your specific requirements.

Call us on 1300 601 915 to discuss our MATV design services.

Elevate Your Entertainment



We have a range of products to help take your Home Theatre setup to the next level.



Brush Plates, Inserts, Bull Nose, we have a wall plate fitting to suit any need.

WALL PLATES

See **Page 21.**



Future proof your media devices with 4K & 8K HDMI Leads.

HDMI LEADS

See **Page 33.**



Need a wall mounted TV Bracket? Fixed, Tilt or Full Motion, we have them!

TV MOUNTS

See **Page 89.**

POWER PRODUCTS

EXTENSION LEADS	40
ADAPTORS	40
POWER BLOCK	40
POWER BOARDS	41
POWER LEADS	41



*Providing stable power
for every application.*

EXTENSION LEADS

High-Vis Heavy-Duty Extension Lead 1mm² - 25m - Orange



HILLS.
Antenna


09HHDELHV-25M-ORG/WP

9312663333045

- High Visibility Orange Jacket, Ideal for Job Sites
- Length: 25m • 3x 1mm² Copper Conductors
- 240V AC 10A Rating • LED Indicator in Socket

PACKAGING	Coil with Label
QUANTITIES	Carton: 4

Heavy-Duty Extension Lead 1mm² - 25m - Yellow



HILLS.
Antenna

09HHDEL-25M-YLW

9312663332444

- High Visibility Yellow Jacket, Ideal for Job Sites
- Length: 25m • 3x 1mm² Copper Conductors
- 240V AC 10A Rating • LED Indicator in Socket

PACKAGING	Coil with Label
QUANTITIES	Carton: 4

Heavy-Duty Extension Lead 1.5mm² - 25m - Yellow



HILLS.
Antenna

09HHDEL-25M-1.5-YLW

9312663332758

- High Visibility Yellow Jacket, Ideal for Job Sites
- Length: 25m • 3x 1.5mm² Copper Conductors
- 240V AC 10A Rating • LED Indicator in Socket

PACKAGING	Coil with Label
QUANTITIES	Carton: 4

Auto-Retracting Heavy-Duty 4 Outlet Power Lead - 15m - Black



HILLS.
Antenna

09HPRSD-AUTO-1.0MM/15.0M

9312663333793

- Heavy-Duty, Auto-Retracting Extension Reel
- 240V AC 10A Rating • Master LED Switch
- 4x Outlets • 3x 1mm² Copper Conductors
- Length: 15m • Overload & Overheat Protection
- Fence Hook for Convenient Mounting

PACKAGING	Single Piece
QUANTITIES	Carton: 2

Power Extension Lead - White



HILLS.
Antenna

09HPL3-2 L WE (2m)

9312663332437

09HPL3-3 L WE (3m)

9312663902654

09HPL3-5 L WE (5m)

9312663902661

09HPL3-7 L WE (7m)

9312663902739

09HPL3-10 L WE (10m)

9312663902685

09HPL3-15 L WE (15m)

9312663902746

09HPL3-20 L WE (20m)

9312663902753

- Indoor/Domestic Extension Lead
- Available Lengths: 2m, 3m, 5m, 7m, 10m, 15m & 20m
- 240V AC 10A Rating • Colour: White

PACKAGING	Hang Sell Bag
QUANTITIES	Carton: Various

Dual Socket Y Power Extension Lead - 1.8m - White



HILLS.
Antenna

09HPL3-Y L

9312663902722

- Dual-Docket Indoor/Domestic Extension Lead
- 240V AC 10A Rating
- Length: 1.8m • Colour: White

PACKAGING	Hang Sell Bag
QUANTITIES	Carton: 36

ADAPTORS

10A Double Adaptor



HILLS.
Antenna

09HDA-2 L WE (Right)

9312663902623

09HDA-2 R WE (Left)

9312663902630

09HDA-2 V WE (Vertical)

9312663902647

- Standard Double Adaptor • 240V AC 10A Rating
- Insulated Pins for Safety • RoHS Compliant
- Available in Left, Right and Vertical Configurations

PACKAGING	Blister Pack
QUANTITIES	Inner: 10 / Carton: 50

10A Double Adaptor - Vertical Surge Protector



HILLS.
Antenna

09HDA-2 V-S/WHT

9312663333403

- Standard Double Adaptor with Surge Protection
- Vertical Bottom Plug • 240V AC 10A Rating
- Insulated Pins for Safety • RoHS Compliant

PACKAGING	Blister Pack
QUANTITIES	Inner: 10 / Carton: 50

POWER BLOCK

4 Outlet Power Block with RCBO Protection



HILLS.
Antenna

09HPBL4

9340591020232

- Built-in RCBO, Auto Disconnects and Protects Against Earth Leakage Currents, Short Circuits, and Overload Conditions
- 4 Individually Switched and Protected Outlets
- Australian Standard 10A Plug • 240V AC
- Flame-retardant PE Housing • 2m Power Cord

PACKAGING	White Box with Label
QUANTITIES	Carton: 10

POWER BOARDS

4-Way Power Board with
Overload Protection - 1m - White



HILLS.
Antenna

09HPB-4 WE

9312663902708

09HPB-4 WE/2P (2-Pack)

9312663333106

- 4x Outlets with 1m Cord
- 240V AC 10A Rating
- Reset Overload Protection
- RoHS Compliant

PACKAGING Hang Sell Bag

QUANTITIES Inner: 6 (09HPB-4WE) / 3 (09HPB-4WE/2P)

4-Way Surge Protector with
Individual Power Switches - 1m



HILLS.
Antenna

09HPB-4-IS/WHT (White)

9312663334042

09HPB-4-IS/BLK (Black)

9312663333052

- 4x Outlets with 1m Cord
- 240V AC 10A Rating
- Individual LED Switches
- RFI/EMI Filtering
- Reset Overload Protection & Surge Protection with LED Indicator
- Available in Black or White

PACKAGING Hang Sell Bag

QUANTITIES Inner: 6 / Carton: 24

6-Way Power Board with
Overload Protection - 1m - White



HILLS.
Antenna

09HPB-6 WE

9312663902791

09HPB-6 WE/2P (2-Pack)

9312663333113

- 6x Outlets with 1m Cord
- 240V AC 10A Rating
- Reset Overload Protection
- RoHS Compliant

PACKAGING Hang Sell Bag

QUANTITIES Inner: 6 (09HPB-6WE) / 3 (09HPB-6WE/2P)

POWER LEADS

Power Pack - 2m Power Extension Lead + 4-Way Power Board + Vertical Double Adaptor



HILLS.
Antenna

09HTEPOW01

9312663332710

- Indoor/Domestic Power Pack: Includes 1x 2m Extension Lead (09HPL3-2 L WE), 1x 4-Way Power Board (09HPB-4 WE) & 1x Vertical Double Adaptor (09HDA-2 V WE)
- 240V AC 10A Rating
- Colour: White

PACKAGING Poly Bag with Label

QUANTITIES Carton: 20

10-Way Surge Protector with
2x USB Ports + TV Outlet +
Network - 1.8m - Black



HILLS.
Antenna

09HPB-10-HT3/BLK

9312663334059

- 10x Well-Spaced, Labeled Outlets, 2x USB Ports, 2x TV Outlets & 2x Network Ports
- Master Switch
- 1800 Joules Surge Protection
- 10 Amp Circuit Breaker
- EMI/RF Noise Filter
- LED Indicators for Surge Protection, Earth/Grounding and Power
- 1.8m Heavy-Duty Cord

PACKAGING Blister Pack

QUANTITIES Inner: 4 / Carton: 8

IEC Power Lead - 1.8m - Black



HILLS.
Antenna

09HPL240/3/90 (Right-angle)

09HPL240/3 (Straight)

- Length: 1.8m
- 240V AC 10A Rating
- Colour: Black
- Available in Straight or Right-Angle IEC Plug

PACKAGING Single Piece

QUANTITIES Carton: 80

IEC to 240V AC Power Lead -
3m - Black



HILLS.
Antenna

09HPL240/33-1

- IEC Plug to Australian 3-Pin Plug
- Length: 3m
- 240V AC 10A Rating
- Colour: Black

PACKAGING Single Piece

QUANTITIES Carton: 40

Figure-8 Power Lead -
1.8m - Black



HILLS.
Antenna

09HPL240/8P

- Figure-8 Plug to Australian 2-Pin Plug
- Length: 1.8m
- 240V AC 10A Rating
- Colour: Black

PACKAGING Single Piece

QUANTITIES Carton: 100

Clover Leaf Power Lead -
1.8m - Black



HILLS.
Antenna

09HPL240/CL

- Clover Leaf 3-Pin Plug to Australian 3-Pin Plug
- Length: 1.8m
- 240V AC 10A Rating
- Colour: Black

PACKAGING Single Piece

QUANTITIES Carton: 80



STRUCTURE YOUR STORAGE VEHICLE'S

Professionally fit-out your work van or ute with a Storagetek storage solution.

Designed for heavy-duty use, and made from quality materials, Storagetek have a range of cabinets, drawers, frames and cases that will help keep your work gear organised and ready to go.



Stress less with a quality storage solution you can rely on.

See the full range of Storagetek products on **page 109**.

SPLITTERS & COUPLERS

SPLITTERS	44
TAPS	44



Great signal at every outlet.

SPLITTERS

5-1000MHz F-Type Splitter - 1 Leg Power Pass



HLLS.
Antenna

10BSPF2 (2-Outlet)		9340591017287
10BSPF3 (3-Outlet)		9340591017317
10BSPF4 (4-Outlet)		9340591017348
10BSPF6 (6-Outlet)		9340591017379
10BSPF8 (8-Outlet)		9340591017409

- Free-To-Air Splitter
- Single Port Power Pass
- Frequency Range: 5-1000MHz
- F-Type Female Connections (Top & Bottom)
- Models Available: 2, 3, 4, 6 & 8 Outlets

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 200 (10BSPF2, 10BSPF3, 10BSPF3) / 100 (10BSPF6, 10BSPF8)

5-1000MHz F-Type Splitter - 1 Leg Power Pass (Commercial)



HLLS.
Antenna

10BSPF12 (12-Outlet)		9340591016471
10BSPF16 (16-Outlet)		9340591016488

- Free-To-Air Splitter for Commercial Applications
- Single Port Power Pass
- Frequency Range: 5-1000MHz
- F-Type Female Connections (Front Facing)
- Models Available: 12 & 16 Outlets

PACKAGING	Display Box
QUANTITIES	Carton: 100 (10BSPF12) / 50 (10BSPF16)

5-2400MHz F-Type Splitter - All Ports Power Pass



HLLS.
Antenna

BC15482B (2-Way)		9340591017164
BC15166B (3-Way)		9340591017188
BC15484B (4-Way)		9340591017201

- Free-To-Air & Satellite Splitter
- All Ports Power Pass
- Frequency Range: 5-2400MHz
- F-Type Female Connections (Top & Bottom)
- Models Available: 2, 3 & 4 Way

PACKAGING	Display Box
QUANTITIES	Carton: 200 (BC15166B) / 100 (BC15482B, BC15484B)

TAPS

5-2400MHz F-Type Splitter - All Ports Power Pass (Commercial)



HLLS.
Antenna

BC15164B (6-Way)		9340591017225
BC15254B (8-Way)		9340591017249

- Free-To-Air & Satellite Splitter
- All Ports Power Pass
- Frequency Range: 5-2400MHz
- F-Type Female Connections (Front Facing)
- Models Available: 6 & 8 Way

PACKAGING	Display Box
QUANTITIES	Carton: 100

1-Drop 5-1000MHz Right-Angle Coupler



DIGITEK
Complete Digital Solutions

11E109 (9dB)
11E116 (16dB)
11E120 (20dB)
11E124 (24dB)
11E127 (27dB)
11E130 (30dB)

- Free-To-Air 1-Drop Coupler
- Frequency Range: 5-1000MHz
- F-Type Female Connections (Front & Bottom)
- Models Available (Tap Loss): 9dB, 16dB, 20dB, 24dB, 27dB & 30dB

PACKAGING	Single Piece
QUANTITIES	Carton: 500 (11E109) / 200 (11E116, 11E120, 11E124, 11E127, 11E130)

1-Drop 5-2400MHz Coupler



DIGITEK
Complete Digital Solutions

11A110 (10dB)
11A112 (12dB)
11A115 (15dB)
11A120 (20dB)

- Free-To-Air & Satellite 1-Drop Coupler
- Frequency Range: 5-2400MHz
- F-Type Female Connections (Top & Bottom)
- Models Available (Tap Loss): 10dB, 12dB, 15dB & 20dB

PACKAGING	Single Piece
QUANTITIES	Inner: 50 / Carton: 100

2-Drop 5-2400MHz Coupler



DIGITEK
Complete Digital Solutions

11B210 (10dB)
11B212 (12dB)
11B215 (15dB)
11B220 (20dB)
11B224 (24dB)
11B230 (30dB)

- Free-To-Air & Satellite 2-Drop Coupler
- Frequency Range: 5-2400MHz
- F-Type Female Connections (Top & Bottom)
- Models Available (Tap Loss): 10dB, 12dB, 15dB, 20dB, 24dB & 30dB

PACKAGING	Single Piece
QUANTITIES	Inner: 25 / Carton: 200

4-Drop 5-2400MHz Coupler



DIGITEK
Complete Digital Solutions

11C410 (10dB)
11C412 (12dB)
11C415 (15dB)
11C420 (20dB)
11C424 (24dB)

- Free-To-Air & Satellite 4-Drop Coupler
- Frequency Range: 5-2400MHz
- F-Type Female Connections (Top & Bottom)
- Models Available (Tap Loss): 10dB, 12dB, 15dB, 20dB & 24dB

PACKAGING	Single Piece
QUANTITIES	Carton: 100

6-Drop 5-2500MHz Coupler



DIGITEK
Complete Digital Solutions

11D615 (15dB)
11D620 (20dB)
11D625 (25dB)

- Free-To-Air & Satellite 6-Drop Coupler
- Frequency Range: 5-2400MHz
- F-Type Female Connections (Top & Bottom)
- Models Available (Tap Loss): 15dB, 20dB & 25dB

PACKAGING	Single Piece
QUANTITIES	Inner: 25 / Carton: 100

CONNECTORS

F-TYPE	46
PAL	47
BNC	47
RCA	47
PROTECTIVE BOOTS	47
RJ45 CAT6	48



*Quality connectors for a
reliable connection.*

F-TYPE

F-Type Male RG59 Twist-On Connector



BC88095

9311313514353

• Twist-On Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG59 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Inner: 2500 / Carton: 5000

F-Type Male RG59 Crimp Connector



BC2090

9311313310443

• Crimp Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG59 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Inner: 1500 / Carton: 3000

F-Type Male RG59 Crimp Connectors - 10 Pack



BC2090B

9340591019014

• Crimp Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG59 Coax
PACKAGING	Display Box
QUANTITIES	Carton: 100

F-Type Male DS6Q Compression Connector



BC88097

9311313514360

• Compression Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Carton: 2000

F-Type Male RG6 Self-Lock Connector



12B6FSLQ

9340591004850

• Push On Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Inner: 1000 / Carton: 2000

F-Type Male RG6 Compression Connector



12B6FC

9340591004867

• Compression Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Inner: 1000 / Carton: 2000

F-Type Male RG6 Double Bubble Connector



BC80490

9311313541250

• Compression Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Inner: 1500 / Carton: 3000

F-Type Male RG6 Double Bubble Connectors - 25 Pack



BC80490B

9311313553222

• Compression Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Display Box
QUANTITIES	Carton: 50

F-Type Male RG6 Twist-On Connector



BC14302

9311313509298

• Twist-On Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Carton: 5000

F-Type Male RG6 Twist-On Connectors - 10 Pack



BC14302B

9311313553161

• Twist-On Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Display Box
QUANTITIES	Carton: 100

F-Type Male RG6 Hex Crimp Connector



BC2092

9311313310450

• Crimp Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Carton: 3000

F-Type Male RG6 Hex Crimp Connectors - 10 Pack



BC2092B

9340591017959

• Crimp Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Display Box
QUANTITIES	Carton: 100

F-Type Male RG6 Hex Crimp Connector with Silicon O-Ring



BC15203A

9311313542646

• Crimp Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100

F-Type Male RG11 Compression Connector



BC89237F

9311313549751

• Compression Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG11 Quad Shield Coax
PACKAGING	Poly Bag with Label
QUANTITIES	Bag: 50

F-Type Male Terminator



12CFTF

9340591015764

• Foxtel Approved: # F667 • 75 Ohm

CONNECTION	F-Type Male
CABLE	N/A
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Inner: 2500 / Carton: 5000

F-Type Male Waterproof Terminator



BC72028A

9311313547764

• Crimp Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	N/A
PACKAGING	Single Piece
QUANTITIES	Bag: 20 / Inner: 100

F-TYPE (continued)

APFTRSF6L RG6 F-Type
Compression Connector



12BPC6CF

• Compression Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG6 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 50

APFTRSF11L RG11 F-Type
Compression Connector



12CPC11CF

• Compression Termination • 75 Ohm

CONNECTION	F-Type Male
CABLE	RG11 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 25

PAL

PAL Female RG6
Crimp Connector



12B6PF

• Crimp Termination • 75 Ohm

CONNECTION	PAL Female
CABLE	RG6 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100

PAL Female RG6 Hex
Crimp Connector - 2 Pack



BC87156B

9311313553581

• Crimp Termination • 75 Ohm

CONNECTION	PAL Female
CABLE	RG6 Coax
PACKAGING	Display Box
QUANTITIES	Carton: 200

PAL Male RG6 Hex
Crimp Connector



BC87157

9311313504071

• Crimp Termination • 75 Ohm

CONNECTION	PAL Male
CABLE	RG6 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Inner: 800 / Carton: 1600

PAL Male RG6 Hex Crimp
Connector - 2 Pack



BC87157B

9311313553598

• Crimp Termination • 75 Ohm

CONNECTION	PAL Male
CABLE	RG6 Coax
PACKAGING	Display Box
QUANTITIES	Carton: 200

PAL Male RG6 Double
Bubble Connector



BC72483A

9311313526264

• Compression Termination • 75 Ohm

CONNECTION	PAL Male
CABLE	RG6 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100

BNC

BNC Female RG59
Crimp Connector



12D59F

• Crimp Termination • 75 Ohm

CONNECTION	BNC Female
CABLE	RG59 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100

BNC Male RG59 Crimp
Connector - 3 Piece



12D59

• Crimp Termination • 75 Ohm

CONNECTION	BNC Male
CABLE	RG59 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Carton: 2000

BNC Male RG59 Crimp
Connector - 1 Piece



12D59I

• Crimp Termination • 75 Ohm

CONNECTION	BNC Male
CABLE	RG59 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100

BNC Female RG6
Crimp Connector



12E6F

• Crimp Termination • 75 Ohm

CONNECTION	BNC Female
CABLE	RG6 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100

BNC Male RG6 Crimp
Connector - 3 Piece



12E6

• Crimp Termination • 75 Ohm

CONNECTION	BNC Male
CABLE	RG6 Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100

BNC Male RG6 Connector
with Integrated Pin



12E6I

9340591009930

• Crimp Termination • 75 Ohm

CONNECTION	BNC Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Carton: 1000

RCA Male RG6
Compression Connector



12BRCAMC

• Compression Termination • 75 Ohm

CONNECTION	RCA Male
CABLE	RG6 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Carton: 1000

PROTECTIVE BOOTS

Protective Boot RG11



12C11RB

• PVC Waterproof & UV Stabilised

CONNECTION	Rubber Boot
CABLE	RG11 Quad Shield Coax
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Carton: 1000

Protective Boot RG6



12B6RB

9340591008414

• PVC Waterproof & UV Stabilised

CONNECTION	Rubber Boot
CABLE	RG6 Dual, Tri & Quad Shield
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Carton: 1000

RJ45 CAT6

RJ45 8P8C CAT6 Solid Shielded Modular Plug



12IC68P8CS/SLD

9340591012329

• Crimp Termination • Shielded

CONNECTION	RJ45
CABLE	CAT6 Data

PACKAGING	Single Piece
QUANTITIES	Bag: 50 / Carton: 10000

RJ45 8P8C CAT6 Solid Modular Plug



12IPK3930

9340591012497

• Crimp Termination

CONNECTION	RJ45
CABLE	CAT6 Data

PACKAGING	Single Piece
QUANTITIES	Bag: 50 / Carton: 10000

RJ45 8P8C CAT6 Open Pass Modular Plug



12IDC6RJ458P8C

9340591011148

• Pass-Through Crimp Termination

CONNECTION	RJ45
CABLE	CAT6 Data

PACKAGING	Single Piece
QUANTITIES	Bag: 50 / Carton: 10000

THE RIGHT TOOL FOR THE JOB



Use the 16BCT12 for RJ45 8P8C Pass Through Cutting & Crimping. See page 81.

How to terminate an RJ45 8P8C Connector with a UTP CAT6 Data Cable

16BCT12


RJ45 8P8C Pass Through Crimping & Cutter Tool

Stripper Blade


Crimp Blade

Plug Holder


Wire Cutter Blade




1. Insert cable at wire cutter blade. Squeeze handle hard to cut cable to desired length.




2. Insert cable end at stripper blade. Squeeze and rotate handle, then strip off cable jacket to expose inner wires.



3. Prepare inner wires in a 568A or B configuration when inserting into connector.



4. Ensure cable jacket is fully inserted into the connector, past the clamp point.




5. Insert connector (with exposed wires) into plug holder/crimp blade.



6. Squeeze handle hard to crimp connector with cable and cut off excess inner wires.

7. The connector and cable are now terminated and ready for testing.



ADAPTORS

F-TYPE	50
BNC	51
PAL	51
RCA	51



*Seamlessly adapting for
all your installation needs.*

F-TYPE

F-Type Female to Female Barrel High Return Loss Adaptor



BC71150

9311313512304

CONNECTION 1 F-Type Female
CONNECTION 2 F-Type Female

PACKAGING Single Piece
QUANTITIES Bag: 100 / Carton: 2000

F-Type Female to Female Barrel High Return Loss Adaptor - 2-Pack



BC71150B

9311313553215

CONNECTION 1 F-Type Female
CONNECTION 2 F-Type Female

PACKAGING Display Box
QUANTITIES Carton: 200

F-Type Female to PAL Female Adaptor



BC15298

9311313503777

CONNECTION 1 F-Type Female
CONNECTION 2 PAL Female

PACKAGING Single Piece
QUANTITIES Bag: 100

F-Type Female to PAL Male Adaptor



BC3718

9311313503807

CONNECTION 1 F-Type Female
CONNECTION 2 PAL Male

PACKAGING Single Piece
QUANTITIES Bag: 100 / Carton: 2000

F-Type Female to PAL Male Adaptor - 2-Pack



BC3718B

9311313553185

CONNECTION 1 F-Type Female
CONNECTION 2 PAL Male

PACKAGING Display Box
QUANTITIES Carton: 200

F-Type Female to PAL Male Right Angle Adaptor



BC87045

9311313503951

CONNECTION 1 F-Type Female
CONNECTION 2 PAL Male

PACKAGING Single Piece
QUANTITIES Bag: 100 / Carton: 1000

F-Type Female to PAL Male Right Angle Adaptor-2-Pack



BC87045B

9311313553574

CONNECTION 1 F-Type Female
CONNECTION 2 PAL Male

PACKAGING Display Box
QUANTITIES Carton: 200

F-Type Male to PAL Male Right-Angle Adaptor



13AFMPMRA

CONNECTION 1 F-Type Male
CONNECTION 2 PAL Male

PACKAGING Single Piece
QUANTITIES Bag: 100

F-Type Male to Female Right-Angle Adaptor



BC3720HR

9311313536973

CONNECTION 1 F-Type Male
CONNECTION 2 F-Type Female

PACKAGING Single Piece
QUANTITIES Bag: 50 / Carton: 1500

F-Type Male to Female Right-Angle Adaptor - 10-Pack



BC3720B

9311313553536

CONNECTION 1 F-Type Male
CONNECTION 2 F-Type Female

PACKAGING Display Box
QUANTITIES Carton: 200

F-Type Male to F-Type Male Adaptor



13AFFM

CONNECTION 1 F-Type Male
CONNECTION 2 F-Type Male

PACKAGING Single Piece
QUANTITIES Bag: 100

F-Type Male to F-Type Male Adaptor



BC15306

9311313503883

CONNECTION 1 F-Type Male
CONNECTION 2 F-Type Male

PACKAGING Single Piece
QUANTITIES Carton: 2500

F-Type Male to F-Type Male Push-On Adaptor - 5-Pack



BC71622

9311313515305

CONNECTION 1 F-Type Male
CONNECTION 2 F-Type Male

PACKAGING Single Piece
QUANTITIES Bag: 5

F-Type Male to PAL Female Adaptor



BC5728

9311313310696

CONNECTION 1 F-Type Male
CONNECTION 2 PAL Female

PACKAGING Single Piece
QUANTITIES Bag: 100 / Carton: 2000

F-Type Male to PAL Female Adaptor - 2-Pack



BC5728B

9311313553208

CONNECTION 1 F-Type Male
CONNECTION 2 PAL Female

PACKAGING Display Box
QUANTITIES Carton: 100

F-Type Male to PAL Male Adaptor



13AFMPM

CONNECTION 1 F-Type Male
CONNECTION 2 PAL Male

PACKAGING Single Piece
QUANTITIES Carton: 2000

F-TYPE (Cont.)

F-Type Male to F-Type Female Adaptor

DIGITEK
Complete Digital Solutions



13AQCF

CONNECTION 1	F-Type Male
CONNECTION 2	F-Type Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Carton: 2000

BNC

BNC Female to BNC Female Adaptor - Chassis Mount

DIGITEK
Complete Digital Solutions



13BBNCBNCC

CONNECTION 1	BNC Female
CONNECTION 2	BNC Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

BNC Male to PAL Female Adaptor

DIGITEK
Complete Digital Solutions



13BBNCMPF

CONNECTION 1	BNC Male
CONNECTION 2	PAL Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

BNC Male to RCA Female Adaptor

DIGITEK
Complete Digital Solutions



13BBNCRCAF

CONNECTION 1	BNC Male
CONNECTION 2	RCA Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

PAL

PAL Female Coaxial Joiner - 2-Pack

HILLS
Antenna



BC3618B

 9311313553772	
CONNECTION 1	PAL Female
CONNECTION 2	PAL Female
PACKAGING	Display Box
QUANTITIES	Bag: 100 / Carton: 2000

PAL Female to F-Type Female Adaptor

DIGITEK
Complete Digital Solutions



13APFFF

CONNECTION 1	PAL Female
CONNECTION 2	F-Type Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100 / Carton: 2000

PAL Female to PAL Female Adaptor

DIGITEK
Complete Digital Solutions



13APPF

CONNECTION 1	PAL Female
CONNECTION 2	PAL Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

PAL Male to PAL Male Adaptor

DIGITEK
Complete Digital Solutions



13APPM

CONNECTION 1	PAL Male
CONNECTION 2	PAL Male
PACKAGING	Single Piece
QUANTITIES	Bag: 100

RCA

RCA Female to F-Type Female Adaptor

DIGITEK
Complete Digital Solutions



13CRCAFF

CONNECTION 1	RCA Female
CONNECTION 2	F-Type Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

RCA Female to F-Type Female Adaptor - Gold

DIGITEK
Complete Digital Solutions



13CRCAFFFG

CONNECTION 1	RCA Female
CONNECTION 2	F-Type Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

RCA Female to F-Type Male Adaptor - Gold

DIGITEK
Complete Digital Solutions



13ARCAFFMG

CONNECTION 1	RCA Female
CONNECTION 2	F-Type Male
PACKAGING	Single Piece
QUANTITIES	Bag: 100

RCA Female to F-Type Male Adaptor

DIGITEK
Complete Digital Solutions



13CRCAFFM

CONNECTION 1	RCA Female
CONNECTION 2	F-Type Male
PACKAGING	Single Piece
QUANTITIES	Bag: 100

RCA Female to RCA Female Adaptor

DIGITEK
Complete Digital Solutions



13CRCAFF

CONNECTION 1	RCA Female
CONNECTION 2	RCA Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

2x RCA Female to 2x RCA Female Adaptor

DIGITEK
Complete Digital Solutions



13C2RCAFF

CONNECTION 1	2x RCA Female
CONNECTION 2	2x RCA Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

RCA Male to F-Type Female Right-Angle Adaptor

DIGITEK
Complete Digital Solutions



13CRCAMFFRA

CONNECTION 1	RCA Male
CONNECTION 2	F-Type Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

RCA Male to RCA Female Right-Angle Adaptor

DIGITEK
Complete Digital Solutions



13CRCAMFRA

CONNECTION 1	RCA Male
CONNECTION 2	RCA Female
PACKAGING	Single Piece
QUANTITIES	Bag: 100

HILLS. Antenna®


The BLACK POINTER

Meticulously crafted for
high speed 3G, 4G LTE
& 5G applications.



Tri-Band
Antenna

Seamlessly receives and links
three frequency ranges for
high performance.



Find out more about the Black Pointer on **page 14**.

RF COMMUNICATIONS

CONNECTORS	54
ADAPTORS	55
PATCH LEADS	57



Providing superior connections.

CONNECTORS

N-Type Male LL195 & RG-58 Mini Crimp Connector



BC85266

9340591015610

• Crimp Termination

CONNECTION	N-Type Male
CABLE	50 Ohm LL195 & RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Female LL195 & RG-58 Mini Crimp Connector



BC85267

9340591015542

• Crimp Termination

CONNECTION	N-Type Female
CABLE	50 Ohm LL195 & RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male LL240 Crimp Connector



BC85268

9340591015306

• Crimp Termination

CONNECTION	N-Type Male
CABLE	50 Ohm LL240 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Female LL240 Crimp Connector



BC85269

9340591015238

• Crimp Termination

CONNECTION	N-Type Female
CABLE	50 Ohm LL240 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male RG-213 Crimp Connector



BC85270

9340591015627

• Crimp Termination

CONNECTION	N-Type Male
CABLE	50 Ohm RG-213 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Female RG-213 Crimp Connector



BC85271

9340591015313

• Crimp Termination

CONNECTION	N-Type Female
CABLE	50 Ohm RG-213 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male LL400 Hex Crimp Connector



BC85272

9340591015634

• Hex Crimp Termination

CONNECTION	N-Type Male
CABLE	50 Ohm LL400 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male LL400 Hex Crimp Connector



BC85273

9340591015641

• Hex Clamp Termination

CONNECTION	N-Type Male
CABLE	50 Ohm LL400 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male LL400 Clamp Connector



BC85274

9340591015658

• Clamp Termination

CONNECTION	N-Type Male
CABLE	50 Ohm LL400 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male LL400 Crimp Connector



BC85275

9340591015665

• Crimp Termination

CONNECTION	N-Type Male
CABLE	50 Ohm LL400 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male LL400 Clamp Right-Angle Connector



BC85276

9340591015320

• Clamp Termination

CONNECTION	N-Type Male
CABLE	50 Ohm LL400 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

UHF/PL-259 Male LL195 & RG-58 Mini Crimp Connector



BC85278

9340591015337

• Crimp Termination

CONNECTION	UHF/PL-259 Male
CABLE	50 Ohm LL195 & RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

UHF/PL-259 Male LL195 & RG-58 Mini Clamp Connector



BC85279

9340591015344

• Solder Centre Clamp Termination

CONNECTION	UHF/PL-259 Male
CABLE	50 Ohm LL195 & RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

UHF/PL-259 Male LL240 Crimp Connector



BC85280

9340591015573

• Crimp Termination

CONNECTION	UHF/PL-259 Male
CABLE	50 Ohm LL240 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

UHF/PL-259 Male RG-213 Hex Clamp Connector



BC85281

9340591015559

• Hex Clamp Termination

CONNECTION	UHF/PL-259 Male
CABLE	50 Ohm RG-213 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

BNC Male RG-58 Mini Crimp Connector



BC85282

9340591015672

• Crimp Termination

CONNECTION	BNC Male
CABLE	50 Ohm RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

CONNECTORS (continued)

BNC Female RG-58 Mini Crimp Connector



BC85283

9340591015561

- Crimp Termination

CONNECTION	BNC Female
CABLE	50 Ohm RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

BNC Male LL240 Crimp Connector



BC85284

9340591015245

- Crimp Termination

CONNECTION	BNC Male
CABLE	50 Ohm LL240 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

BNC Female LL240 Crimp Connector



BC85285

9340591015276

- Crimp Termination

CONNECTION	BNC Female
CABLE	50 Ohm LL240 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SMA Male RG-58 Mini Crimp Connector



BC85286

9340591015580

- Crimp Termination

CONNECTION	SMA Male
CABLE	50 Ohm RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SMA Male LL195 & RG-58 Mini Crimp Right-Angle Connector



BC85287

9340591015351

- Crimp Termination

CONNECTION	SMA Male
CABLE	50 Ohm LL195 & RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SMA Male LL240 Crimp Connector



BC85288

9340591015368

- Crimp Termination

CONNECTION	SMA Male
CABLE	50 Ohm LL240 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SMA Female LL400 Crimp Connector



BC85289

9340591015252

- Crimp Termination

CONNECTION	SMA Female
CABLE	50 Ohm LL400 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

FME Female LL195 & RG-58 Mini Crimp Connector



BC85290

9340591015375

- Crimp Termination

CONNECTION	FME Female
CABLE	50 Ohm LL195 & RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

FME Female LL240 Crimp Connector



BC85291

9340591015269

- Crimp Termination

CONNECTION	FME Female
CABLE	50 Ohm LL240 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

TNC Male LL195 & RG-58 Mini Crimp Connector



BC85292

9340591015382

- Crimp Termination

CONNECTION	TNC Male
CABLE	50 Ohm LL195 & RG-58 Mini Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

4.3-10 Male LL400 Crimp Connector



BC85293

9340591015139

- Crimp Termination

CONNECTION	4.3-10 Male
CABLE	50 Ohm LL400 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

4.3-10 Female LL400 Crimp Connector



BC85294

9340591015146

- Crimp Termination

CONNECTION	4.3-10 Female
CABLE	50 Ohm LL400 Coax

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

ADAPTORS

N-Type Female to N-Type Female Adaptor



BC85295

9340591015399

- Nickel-Plated Body

CONNECTION 1	N-Type Female
CONNECTION 2	N-Type Female

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male to FME Female Adaptor



BC85296

9340591015405

- Nickel-Plated Body

CONNECTION 1	N-Type Male
CONNECTION 2	FME Female

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Female to SMA Female Adaptor



BC85297

9340591015412

- Nickel-Plated Body

CONNECTION 1	N-Type Female
CONNECTION 2	SMA Female

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Female to FME Female Adaptor



BC85298

9340591015429

- Nickel-Plated Body

CONNECTION 1	N-Type Female
CONNECTION 2	FME Female

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

ADAPTORS (continued)

N-Type Male to N-Type Male Adaptor



BC85299

9340591015436

- Nickel-Plated Body

CONNECTION 1 N-Type Male
CONNECTION 2 N-Type Male

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

N-Type Male to SMA Male Adaptor



BC85300

9340591015443

- Nickel-Plated Body

CONNECTION 1 N-Type Male
CONNECTION 2 SMA Male

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

N-Type Male to UHF/ SO-239 Female Adaptor



BC85301

9340591015283

- Nickel-Plated Body

CONNECTION 1 N-Type Male
CONNECTION 2 UHF/SO-239 Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

N-Type Male to SMA Female Adaptor



BC85302

9340591015597

- Nickel-Plated Body

CONNECTION 1 N-Type Male
CONNECTION 2 SMA Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

N-Type Male to N-Type Female Right-Angle Adaptor



BC85303

9340591015450

- Nickel-Plated Body

CONNECTION 1 N-Type Male
CONNECTION 2 N-Type Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

UHF/PL-259 Male to UHF/SO-239 Female Right-Angle Adaptor



BC85304

9340591015467

- Nickel-Plated Body

CONNECTION 1 UHF/PL-259 Male
CONNECTION 2 UHF/SO-239 Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

FME Male to SMA Male Adaptor



BC85305

9340591015474

- Nickel-Plated Body

CONNECTION 1 FME Male
CONNECTION 2 SMA Male

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

FME Male to TNC Male Adaptor



BC85306

9340591015481

- Nickel-Plated Body

CONNECTION 1 FME Male
CONNECTION 2 TNC Male

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

N-Type Male to FME Male Adaptor



BC85307

9340591015603

- Nickel-Plated Body

CONNECTION 1 N-Type Male
CONNECTION 2 FME Male

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

UHF/PL-259 Male to FME Male Adaptor



BC85308

9340591015535

- Nickel-Plated Body

CONNECTION 1 UHF/PL-259 Male
CONNECTION 2 FME Male

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

TNC Male to BNC Female Adaptor



BC85309

9340591015498

- Nickel-Plated Body

CONNECTION 1 TNC Male
CONNECTION 2 BNC Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

N-Type Male to BNC Female Adaptor



BC85310

9340591015504

- Nickel-Plated Body

CONNECTION 1 N-Type Male
CONNECTION 2 BNC Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

BNC Male to N-Type Female Adaptor



BC85311

9340591015511

- Nickel-Plated Body

CONNECTION 1 BNC Male
CONNECTION 2 N-Type Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

UHF/PL-259 Male to BNC Female Adaptor



BC85312

9340591015528

- Nickel-Plated Body

CONNECTION 1 UHF/PL-259 Male
CONNECTION 2 BNC Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

UHF/SO-239 Female to UHF/SO-239 Female Adaptor



BC85313

9340591015290

- Nickel-Plated Body

CONNECTION 1 UHF/SO-239 Female
CONNECTION 2 UHF/SO-239 Female

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually



PATCH LEADS

N-Type Male to SMA Male LL195 Patch Lead



HILLS.
Antenna

BC85314 (1m)		9340591014842
BC85315 (2m)		9340591014859
BC85316 (5m)		9340591014866
BC85317 (10m)		9340591014873
BC85318 (15m)		9340591014880

- Connector Type: N-Type Male to SMA Male
- 50 Ohm, Solid Copper Center Conductor LL195 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 1m, 2m, 5m, 10m & 15m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male to SMA Male LL240 Patch Lead



HILLS.
Antenna

BC85319 (1m)		9340591014897
BC85320 (2m)		9340591014903
BC85321 (5m)		9340591014941
BC85322 (10m)		9340591014958
BC85323 (15m)		9340591014965
BC85324 (20m)		9340591014972
BC85325 (25m)		9340591014989

- Connector Type: N-Type Male to SMA Male
- 50 Ohm, Solid Copper Center Conductor LL240 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 1m, 2m, 5m, 10m, 15m, 20m & 25m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SMA Female to SMA Male LL195 Patch Lead



HILLS.
Antenna

BC85326 (1m)		9340591014460
BC85327 (2m)		9340591014477
BC85328 (3m)		9340591014484
BC85329 (5m)		9340591014491
BC85330 (10m)		9340591014507
BC85331 (15m)		9340591014514

- Connector Type: SMA Female to SMA Male
- 50 Ohm, Solid Copper Center Conductor LL195 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 1m, 2m, 3m, 5m, 10m & 15m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SMA Female to SMA Male LL240 Patch Lead - 20M



HILLS.
Antenna

BC85332		9340591014521
----------------	--	---------------

- Connector Type: SMA Female to SMA Male
- 50 Ohm, Solid Copper Center Conductor LL240 Coax Cable with Black UV Stabilised Jacket
- Available Length: 20m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male to N-Type Male LL195 Patch Lead



HILLS.
Antenna

BC85333 (2m)		9340591014996
BC85334 (3m)		9340591015009
BC85335 (5m)		9340591015016
BC85336 (10m)		9340591015023
BC85337 (15m)		9340591015030

- Connector Type: N-Type Male to N-Type Male
- 50 Ohm, Solid Copper Center Conductor LL195 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 2m, 3m, 5m, 10m & 15m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male to N-Type Male LL240 Patch Lead



HILLS.
Antenna

BC85338 (2m)		9340591015153
BC85339 (3m)		9340591015047
BC85340 (5m)		9340591015054
BC85341 (10m)		9340591015061
BC85342 (15m)		9340591015078
BC85343 (20m)		9340591015085
BC85344 (25m)		9340591015092

- Connector Type: N-Type Male to N-Type Male
- 50 Ohm, Solid Copper Center Conductor LL240 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 2m, 3m, 5m, 10m, 15m, 20m & 25m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Male to N-Type Male LL400 Patch Lead



HILLS.
Antenna

BC85345 (3m)		9340591015108
BC85346 (5m)		9340591015160
BC85347 (10m)		9340591015177
BC85348 (15m)		9340591015184
BC85349 (20m)		9340591015191
BC85350 (25m)		9340591015207
BC85351 (30m)		9340591015115
BC85352 (50m)		9340591014538

- Connector Type: N-Type Male to N-Type Male
- 50 Ohm, Solid CCA Center Conductor LL400 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 3m, 5m, 10m, 15m, 20m, 25m, 30m & 50m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

BNC Male to BNC Male LL195 Patch Lead



HILLS.
Antenna

BC85353 (1m)		9340591014545
BC85354 (2m)		9340591014552
BC85355 (3m)		9340591014569
BC85356 (5m)		9340591014576
BC85357 (10m)		9340591014583
BC85358 (15m)		9340591014590

- Connector Type: BNC Male to BNC Male
- 50 Ohm, Solid Copper Center Conductor LL195 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 1m, 2m, 3m, 5m, 10m & 15m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

BNC Male to BNC Male LL240 Patch Lead - 20m



HILLS.
Antenna

BC85359		9340591014422
----------------	--	---------------

- Connector Type: BNC Male to BNC Male
- 50 Ohm, Solid Copper Center Conductor LL240 Coax Cable with Black UV Stabilised Jacket
- Available Length: 20m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

PATCH LEADS (continued)

N-Type Male to SMA Male
LL400 Patch Lead



HILLS.
Antenna

BC85360 (3m)		9340591014439
BC85361 (5m)		9340591014606
BC85362 (10m)		9340591015221
BC85363 (15m)		9340591015214
BC85364 (20m)		9340591015122

- Connector Type: N-Type Male to SMA Male
- 50 Ohm, Solid CCA Center Conductor LL400 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 3m, 5m, 10m, 15m & 20m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SMA Male to SMA Male
LL195 Patch Lead



HILLS.
Antenna

BC85365 (2m)		9340591014910
BC85366 (3m)		9340591014927
BC85367 (5m)		9340591014934
BC85368 (10m)		9340591014613
BC85369 (15m)		9340591014620

- Connector Type: SMA Male to SMA Male
- 50 Ohm, Solid Copper Center Conductor LL195 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 2m, 3m, 5m, 10m & 15m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SMA Male to SMA Male
LL240 Patch Lead - 20m



HILLS.
Antenna

BC85370		9340591014637
----------------	--	---------------

- Connector Type: SMA Male to SMA Male
- 50 Ohm, Solid Copper Center Conductor LL240 Coax Cable with Black UV Stabilised Jacket
- Available Length: 20m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

UHF Male to UHF Male
LL400 Patch Lead



HILLS.
Antenna

BC85371 (2m)		9340591014644
BC85372 (3m)		9340591014651
BC85373 (5m)		9340591014668
BC85374 (10m)		9340591014675
BC85375 (15m)		9340591014682
BC85376 (20m)		9340591014699
BC85377 (25m)		9340591014705

- Connector Type: UHF Male to UHF Male
- 50 Ohm, Solid CCA Center Conductor LL400 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 2m, 3m, 5m, 10m, 15m, 20m & 25m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

FME Female to N-Type Male
LL195 Patch Lead



HILLS.
Antenna

BC85378 (2m)		9340591014712
BC85379 (3m)		9340591014729
BC85380 (5m)		9340591014736
BC85381 (10m)		9340591014743
BC85382 (15m)		9340591014750

- Connector Type: FME Female to N-Type Male
- 50 Ohm, Solid Copper Center Conductor LL195 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 2m, 3m, 5m, 10m & 15m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

FME Female to N-Type Male
LL240 Patch Lead



HILLS.
Antenna

BC85383 (2m)		9340591014767
BC85384 (3m)		9340591014774
BC85385 (5m)		9340591014781
BC85386 (10m)		9340591014798
BC85387 (15m)		9340591014804

- Connector Type: FME Female to N-Type Male
- 50 Ohm, Solid Copper Center Conductor LL240 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 2m, 3m, 5m, 10m & 15m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

FME Female to N-Type Male
LL400 Patch Lead



HILLS.
Antenna

BC85388 (2m)		
BC85389 (3m)		
BC85390 (5m)		9340591014811
BC85391 (10m)		9340591014828
BC85392 (15m)		9340591014835
BC85393 (20m)		9340591014446
BC85394 (25m)		9340591014453

- Connector Type: FME Female to N-Type Male
- 50 Ohm, Solid CCA Center Conductor LL400 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 2m, 3m, 5m, 10m, 15m, 20m & 25m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Female to N-Type Female
LL240 Patch Lead



HILLS.
Antenna

BC85407 (10m)		9340591015689
BC85408 (15m)		9340591015696
BC85409 (20m)		9340591015702
BC85410 (25m)		9340591015719

- Connector Type: N-Type Female to N-Type Female
- 50 Ohm, Solid Copper Center Conductor LL240 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 10m, 15m, 20m & 25m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

N-Type Female to N-Type Female
LL400 Patch Lead



HILLS.
Antenna

BC85411 (10m)		9340591015726
BC85412 (15m)		9340591015733
BC85413 (20m)		9340591015740
BC85414 (25m)		9340591015757

- Connector Type: N-Type Female to N-Type Female
- 50 Ohm, Solid CCA Center Conductor LL400 Coax Cable with Black UV Stabilised Jacket
- Available Lengths: 10m, 15m, 20m & 25m

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

HARDWARE

STARLINK® MOUNTS	60
ANTENNA MOUNTS	60
CHIMNEY	60
ROOF	60
RAFTER	62
EAVE/FASCIA	63
GUTTER	64
POA RISERS	64
WALL	64
MASTS & TELOMASTS	65
MAST ACCESSORIES	66
GUY WIRE	70
STAY BARS	70
SATELLITE MOUNTS	71
GUTTER	71
ROOF	71
ALTERNATE	72
MISCELLANEOUS	72



*Built strong,
made to last.*

STARLINK® COMPATIBLE MOUNTS

Satellite Universal Mount Matt
Black Finish with Starlink® Adaptor



FB607318

- Kit includes the FB607316 Satellite Universal Mount and FB607313 Starlink Pole Adaptor
- Multiple-Hole Baseplate for Various Roof Profiles
- Used to Mount Starlink® GEN 3 V4 Satellite Dish
- Can be used With or Without Included Stay Bars
- Material: Black Powder-Coated, Galvanised Steel

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Starlink® Compatible Adaptor
Tin Roof Mount Kit



FB607317

- Mounting Type: Tin Roof (Timber Frame)
- Kit Includes FB607042A Curved Mast, Base Plate, 2x Stay Bars with FB607313 Starlink® Pole Adaptor
- Used to Mount Starlink® GEN 3 V4 Satellite Dish
- Heavy-Duty Materials, Exceptional UV Resistance
- Mast Length: 55mm • Foxtel Approved IPL #G99

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

1.8m Metal Roof
Mount & Pole
Starlink®
Adaptor Kit



FB607327

- Mounting Type: Tin Roof
- Base Plate features Multiple Holes for Various Metal Roof Profiles
- Kit Includes FB607314 Tall Mast, Base Plate, 2x Telescopic Stay Bars with FB607313 Starlink® Pole Adaptor
- Used to Mount Starlink® GEN 3 V4 Satellite Dish
- Mast Length: 1.8m

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Starlink® GEN 3 V4 Pole Adaptor

FB607313 9340591019281

- Precision Injection Moulded with Proprietary Formulation
- Suits Starlink® GEN 3 V4 Dish (Click-In Design)
- Supports Pole Diameter: 32mm to 50mm
- Heavy-Duty Materials, Exceptional UV Resistance

PACKAGING	Display Box
QUANTITIES	Carton: 4

STARLINK COMPATIBLE

View all of our Starlink compatible accessories, by visiting: bitek.com.au/starlink/

Transporting Your Satellite Dish Mount Couldn't Be Easier!

FB607332 (Suits 14CCM Tripod Mount)
9340591020324

FB607334 (Suits Starlink® GEN 3 V4 Satellite Dish and Accessories)
9340591020348

- Durable 600D PVC Polyester Material
- Double Stitched • Dual-opening Zipper
- Unbranded Models are Also Available

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

ANTENNA MOUNTS - CHIMNEY

Chimney Kit Single Strap



14ECKSGAL

9340591009374

- Mounting Type: Chimney
- Single Strapping • Mast Not Included
- Material: Galvanised Steel
- Kit Includes: 1x Bracket, 1x J-Bolts, 2x U-Bolts, 1x Strap Seal, 1x Steel Strapping

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Chimney Kit Double Strap



14ECCKGAL

9340591009251

- Mounting Type: Chimney
- Double Strapping • Mast Not Included
- Material: Galvanised Steel
- Kit Includes: 2x Brackets, 4x J-Bolts, 2x U-Bolts, 4x Strap Seals, 2x Steel Strapping

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

ANT. MOUNTS - ROOF

Adjustable
Roof Mount



FB602430

9311313271409

- Mounting Type: Tin Roof
- Adjustable Mast & Base Bracket
- Suits Roof Pitches: 0°-30°
- Mast Length: 900mm • Mast Diameter: 32mm
- Material: Hot Dipped Galvanised Steel Pole & Base
- Designed in Australia

PACKAGING	Single Piece with Label
QUANTITIES	Sold Individually

ANTENNA MOUNTS - ROOF (continued)

Tin Roof Tripod
& Mast Mount

**FOXTEL
APPROVED**

**HLLS.
Antenna**

BC2844



9340591018550

BC2844BK (Black)



9340591018536

- Mounting Type: Tin Roof
- Mast Length: 1.2m • Mast Diameter: 25mm
- Material: Pre-Galvanised Steel Pole with Hot Dipped Galvanised Steel Base
- Tripod Stay Bars Welded to Base Plate
- Foxtel Approved IPL #F31171

PACKAGING	Two Piece with Label
QUANTITIES	Carton: 10

Tin Roof Tripod
& Mast Mount
- 6 Pack

**HLLS.
Antenna**

BC2844-6PACK



9340591016822

- Mounting Type: Tin Roof
- Mast Length: 1.2m • Mast Diameter: 25mm
- Material: Pre-Galvanised Steel Pole with Hot Dipped Galvanised Steel Base
- Unique 2-Piece Hinging Base Plate
- Comes in a Pack of 6

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 6

Tile Roof Tripod
& Mast Mount

**FOXTEL
APPROVED**

**HLLS.
Antenna**

BC2880



9340591016549

- Mounting Type: Tile Roof
- Mast Length: 1.15m • Mast Diameter: 25mm
- Material: Pre-Galvanised Steel Pole with Hot Dipped Galvanised Steel Base
- Tripod Stay Bars Welded to Base Plate
- Foxtel Approved IPL #F31172

PACKAGING	Two Piece with Label
QUANTITIES	Carton: 10

Tile Roof Tripod
& Mast Mount
- 6 Pack

**HLLS.
Antenna**

BC2880-6PACK



9311313553901

- Mounting Type: Tile Roof
- Mast Length: 1.15m • Mast Diameter: 25mm
- Material: Pre-Galvanised Steel Pole with Hot Dipped Galvanised Steel Base
- Unique 2-Piece Hinging Base Plate
- Comes in a Pack of 6

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 6

Mast for
BC2844/BC2880
Tripod Mounts

**HLLS.
Antenna**

BC2844-MAST



9340591018550

- Mounting Type: Tin Roof
- Spare Mast for BC2844 & BC2880 Tripod Roof Mounts
- Mast Length: 1.2m • Mast Diameter: 25mm
- Material: Pre-Galvanised Steel

PACKAGING	Single Piece
QUANTITIES	Carton: 10

FTA
Tile Roof
Mount

**HLLS.
Antenna**

FB607236



9311313510225

- Mounting Type: Tile Roof (Timber Frame)
- Tripod-Style Mount includes Mast, U-Bolt, 3x Mounting Feet & 2x Stay Bars
- Ideal for Domestic Applications where Roof Mounting is Not Feasible
- Mast Length: 1.4m • Mast Diameter: 28.6mm
- Material: Pre-Galvanised Steel

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

1.8m Metal Roof
Tripod Mount

**HLLS.
Antenna**

FB607314



9340591019267

- Mounting Type: Tin Roof
- Base Plate features Multiple Holes for Various Metal Roof Profiles
- Tripod-Style Mount includes Mast, Base Plate, & 2x Telescopic Stay Bars
- Mast Length: 1.8m • Mast Diameter: 44.5mm
- Material: 1.2mm thick, Pre-Galvanised Steel

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 2

FTA
Tin Ridge
Mount

**HLLS.
Antenna**

FB607198



9311313510225

- Mounting Type: Tin Roof
- Mounts to the Timber Roof Purlins through the Crests of the Corrugated Profile
- Tripod-Style Mount includes Mast, Mast Collar, Base Plate & 2x Stay Bars
- Suits Max. Roof Slope 30°
- Mast Length: 1.4m • Mast Diameter: 28.6mm
- Material: Pre-Galvanised Steel

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

1.8m Tin Roof
Tripod Mount

**HLLS.
Antenna**

FB607286




9311313552898

- Mounting Type: Tin Roof (Timber Frame)
- Tripod-Style Mount includes Mast, Mast Collar, Base Plate & 2x Stay Bars
- Mast Length: 1.8m • Mast Diameter: 28.6mm
- Material: Pre-Galvanised Steel with Galvabond Finish

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

ANTENNA MOUNTS - ROOF (continued)

1.8m Tile Roof Tripod Mount



HILLS.
Antenna


FB607287

9311313552904

- Mounting Type: Tile Roof (Timber Frame)
- NBN Fixed Wireless N5/C3 W60
- Tripod-Style Mount includes Mast, Mast Collar, Base Plate & 2x Stay Bars
- Mast Length: 1.8m • Mast Diameter: 28.6mm
- Material: Pre-Galvanised Steel with Galvabond Finish
- NBN APL Approved: MA-2018-000019

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

3m Tin Roof Tripod Mount



HILLS.
Antenna

FB607288

9311313552911

- Mounting Type: Tin Roof (Timber Frame)
- NBN Fixed Wireless N5/C3 W50
- Tripod-Style Mount includes 2-Piece Mast, Mast Collar, Base Plate & 2x Stay Bars
- Mast Length: 3m • Mast Diameters: 38/44.5mm
- Material: Pre-Galvanised Steel with Galvabond Finish
- NBN APL Approved: MA-2018-000019

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

Universal Stramit Roof Base Plate



HILLS.
Antenna

14JUSBP

9340591020218

- Non-penetrating, Rib-clamp Design
- 8x M8 Screw Holes on Base Plate for Flexible Mounting Options
- High-strength Aluminium 6005-TS with Anodised Silver Finish
- Certifications: ISO, CE, SGS, AS/NZS, JIS, ASCE7-10
- Dimensions: 100(L) x 100(W) x 56.6(H) mm

PACKAGING Single Piece with Label
QUANTITIES Sold Individually

Stramit Roof Mount - Wide Foot



HILLS.
Antenna

14ASMTW

9340591007301

- Non-Penetrating Design, Able to Support a Standard Mast Without Guying
- Supports Max. Mast Diameter: 55mm
- Material: Hot Dipped Galvanised Steel
- Dimensions: Foot Width 40mm & 8mm Thick Stays
- Suits Stramit or Brownbuilt Clamp-down Flat Decking

PACKAGING Single Piece with Label
QUANTITIES Carton: 6

Stramit Roof Mount - Extra Wide Foot



HILLS.
Antenna


14ASMTWE

9340591010370

- Non-Penetrating Design, Able to Support a Standard Mast Without Guying
- Supports Max. Mast Diameter: 55mm
- Material: Hot Dipped Galvanised Steel
- Dimensions: Foot Width 55mm & 8mm Thick Stays
- Suits Stramit or Brownbuilt Clamp-down Flat Decking

PACKAGING Single Piece with Label
QUANTITIES Carton: 6

Universal Tin/Tile Adjustable Roof Mount



HILLS.
Antenna

14ATPMBKE

9340591006953

- Mounting Type: Tin or Tile Roof
- Expandable Stay Bars & Tile Kit
- Requires 14ATPM 25mm or 32mm Diameter Mast
- Includes 2x Telescopic Stays, 1x 25mm Mast Clamp, 1x 32mm Mast Clamp, 3x Z Brackets, Screws & Hardware
- Material: Pre-Galvanised Steel

PACKAGING Single Piece with Label
QUANTITIES Carton: 6

25mm Diameter Mast to Suit 14ATPMBKE



DIGITEK
Complete Digital Solutions

14ATPM1.2 (1.2m)

9340591007059

14ATPM1.8 (1.8m)

9340591006991

14ATPM2.4 (2.4m)

9340591007035

- Mounting Type: Tin or Tile Roof
- Suits 14ATPMBKE Bracket
- Non-Penetrating Design
- Mast Diameter: 25mm
- Material: 1.2mm Thick, Pre-Galvanised Steel
- Available Mast Lengths: 1.2m, 1.8m & 2.4m

PACKAGING Single Piece with Label
QUANTITIES Carton: 10

Heavy-Duty 32mm Diameter Mast to Suit 14ATPMBKE



DIGITEK
Complete Digital Solutions

14ATPM1.2HD (1.2m)

9340591012367

14ATPM1.8HD (1.8m)

9340591006977

14ATPM2.4HD (2.4m)

9340591007011

- Mounting Type: Tin or Tile Roof
- Suits 14ATPMBKE Bracket
- Non-Penetrating Design
- Mast Diameter: 32mm
- Material: 1.2mm Thick, Pre-Galvanised Steel
- Available Mast Lengths: 1.2m, 1.8m & 2.4m

PACKAGING Single Piece with Label
QUANTITIES Carton: 6

3mm Z-Bracket to Suit 14ATPMBKE



DIGITEK
Complete Digital Solutions

14ATPMBKE-ZBKT3

9340591004911

- Mounting Type: Tin or Tile Roof
- Suits 14ATPMBKE Bracket
- Non-Penetrating Design
- Material: 3mm Thick, Pre-Galvanised Steel

PACKAGING Poly Bag
QUANTITIES Carton: 125

ANT. MOUNTS - RAFTER

ANTENNA MOUNTS - RAFTER (continued)

1.8m Rafter Mount



DIGITEK
Complete Digital Solutions

14BRMGAL
 9340591007189

- Mounting Type: Tile Roof
- Attaches to Rafter and Penetrates Roof with the aid of a Lead Flashing Kit (14HALFK)
- Mast Length: 1.8m • Mast Diameter: 25mm
- Material: 1.5mm Thick, Hot Dipped Galvanised Steel

PACKAGING Single Piece with Label
QUANTITIES Bundle: 5

1.8m x 32mm
Left-Hand
Rafter Bracket


FOXTEL
APPROVED



HILLS
Antenna

FB606340
 9311313271980

- Mounting Type: Tile Roof (Timber Rafters)
- Mast Length: 1.8m • Mast Diameter: 32mm
- Material: 1.5mm Thick, Hot Dipped Galvanised Steel
- Includes 1x 32mm Mast Cap
- Foxtel Approved IPL #F31193

PACKAGING Single Piece with Label
QUANTITIES Bundle: 5

1.8m Heavy-Duty Rafter Mount



HILLS
Antenna

FB607292
 9311313553345

- Mounting Type: Tile Roof (Timber Rafters)
- Mast Length: 1.8m • Mast Diameter: 32mm
- Material: 1.5mm Thick, Hot Dipped Galvanised Steel
- Includes 1x 32mm Mast Cap

PACKAGING Single Piece with Label
QUANTITIES Bundle: 5

ANTENNA MOUNTS - EAVE & FASCIA

Metal Fascia Bracket



DIGITEK
Complete Digital Solutions

14BMFB
 9340591012725

- Mounting Type: Metal Fascia
- Use with a Curved Fascia Bracket (Hockey Stick)
- Material: Hot Dipped Galvanised Steel

PACKAGING Single Piece with Label
QUANTITIES Carton: 10

Sheet Metal Fascia Bracket



HILLS
Antenna

FB602842
 9311313272000

- Mounting Type: Metal Fascia
- Used to Mount a Hills Antenna Curved Fascia Bracket onto a Sheet Metal Fascia
- Material: Pre-Galvanised Steel

PACKAGING Single Piece with Label
QUANTITIES Carton: 10

300mm Fascia Riser Mount



HILLS
Antenna

FB606874
 9340591016785

- Mounting Type: Timber Fascia
- 300mm Curved Hockey Stick Mast with 4-Hole Mounting Base Plate
- Includes Adjustable Hook Bolt, Securing the Support Wire for Cable Runs
- Welded for Robust Construction
- Material: Hot Dipped Galvanised Steel

PACKAGING Single Piece with Label
QUANTITIES Pallet: 300

Satellite Single Arm Wall Mount



DIGITEK
Complete Digital Solutions

14CWMSA

- Mounting Type: Wall
- One-Piece Curved Mast with Incorporated Heavy-Duty 8-Hole Wall Plate
- Material: Hot Dipped Galvanised Steel

PACKAGING Single Piece with Label
QUANTITIES Bundle: 2

1m Pig Tail
Fascia Riser


FOXTEL
APPROVED



HILLS
Antenna

FB607024A
 9340591016563

- Mounting Type: Timber Fascia
- 1m Curved Hockey Stick Mast with 4-Hole Mounting Base Plate
- Includes Pig-Tail Hook, Securing the Support Wire for Cable Runs
- Material: Hot Dipped Galvanised Steel
- Foxtel Approved IPL #30363

PACKAGING Single Piece with Label
QUANTITIES Pallet: 150

Curved
Fascia Bracket


HILLS
Antenna

FB603004
 9340591016501

- Mounting Type: Timber Fascia
- 1m Curved Hockey Stick Mast with 6-Hole Mounting Base Plate
- Mast Length: 1m • Mast Diameter: 25mm
- Material: 1.2mm Thick, Hot Dipped Galvanised Steel

PACKAGING Single Piece with Label
QUANTITIES Bundle: 5

ANTENNA MOUNTS - EAVE & FASCIA (continued)

Curved
Heavy-Duty
Fascia Bracket

HILLS.
Antenna

FB606404



9311313271997

- Mounting Type: Timber Fascia
- 1m Curved Hockey Stick Mast with 6-Hole Mounting Base Plate
- Mast Length: 1.6m • Mast Diameter: 32mm
- Material: 1.2mm Thick, Hot Dipped Galvanised Steel

PACKAGING	Single Piece with Label
QUANTITIES	Bundle: 5

1.4m Curved
Fascia Bracket

FOXTEL
APPROVED

HILLS.
Antenna

FB602406



9340591016600

FB602406B (Black)



9311313538489

- Mounting Type: Timber Fascia
- 1.4m Curved Hockey Stick Mast with 6-Hole Mounting Base Plate
- Mast Length: 1.4m • Mast Diameter: 25mm
- Material: 1.2mm Thick, Hot Dipped Galvanised Steel
- Foxtel Approved IPL #F31194
- Also Available in Black (FB602406B)

PACKAGING	Single Piece with Label
QUANTITIES	Bundle: 5

1.8m Curved
Fascia Bracket

FOXTEL
APPROVED

HILLS.
Antenna

FB603298



9340591016624

- Mounting Type: Timber Fascia
- 1.8m Curved Hockey Stick Mast with 6-Hole Mounting Base Plate
- Mast Length: 1.8m • Mast Diameter: 25mm
- Material: 1.2mm Thick, Hot Dipped Galvanised Steel
- Foxtel Approved IPL #F31195

PACKAGING	Single Piece with Label
QUANTITIES	Bundle: 5

ANTENNA MOUNTS - GUTTER MOUNTS

1.8m FTA Antenna
Gutter Mount

DIGITEK
Complete Digital Solutions

14BGMGAL



9340591007455

- Mounting Type: Tile Roof
- One-Piece Mast with Incorporated 10mm Heavy-Duty Base Plate
- Mast Length: 1.8m • Mast Diameter: 25mm
- Material: Hot Dipped Galvanised Steel

PACKAGING	Single Piece with Label
QUANTITIES	Bundle: 4

Single Arm Satellite
Gutter Mount

DIGITEK
Complete Digital Solutions

14CGMGAL



9340591011773

- Mounting Type: Tile Roof
- One-Piece Mast with Incorporated 10mm Heavy-Duty Gutter Mount Arm Plate
- Mast Length: 600mm • Mast Diameter: 44mm
- Material: Hot Dipped Galvanised Steel

PACKAGING	Single Piece with Label
QUANTITIES	Bundle: 4

1.8m 2-Piece FTA
Antenna Gutter Mount
with Pole

HILLS.
Antenna

14BGMGAL2



9340591007196

- Mounting Type: Tile Roof
- Two-Piece Mast with Separate 10mm Heavy-Duty Base Plate
- Mast Length: 1.8m • Mast Diameter: 25mm
- Material: Pre-Galvanised Steel

PACKAGING	Two Piece with Label
QUANTITIES	Bundle: 10

ANTENNA MOUNTS - POA

POA Fascia
Riser Bracket

HILLS.
Antenna

FB607301 (300mm)



9340591017485

FB607302 (450mm)



9340591017492

FB607303 (600mm)



9340591017508

FB607304 (750mm)



9340591017515

FB607305 (900mm)



9340591017522

- Mounting Type: Timber Fascia
- Material: 8mm Thick, Hot Dipped Galvanised Steel
- Structural Steel Grade: 300 AS/NZ3679.1
- Includes 2x Bolts, 1x J-Hook with Nuts & Washers
- Available Sizes: 300mm, 450mm, 600mm, 750mm & 900mm

PACKAGING	Single Piece with Label
QUANTITIES	Sold Individually

POA Rafter
Riser Bracket

HILLS.
Antenna

FB607306 (300mm)



9340591017539

FB607307 (450mm)



9340591017546

FB607308 (600mm)



9340591017553

- Mounting Type: Tile Roof (Rafter)
- Material: 8mm Thick, Hot Dipped Galvanised Steel
- Structural Steel Grade: 300 AS/NZ3679.1
- Includes 2x Bolts, 1x J-Hook with Nuts & Washers
- Available Sizes: 300mm, 450mm & 600mm

PACKAGING	Single Piece with Label
QUANTITIES	Sold Individually

ANT. MOUNTS - WALL

229mm (9") Eave Mount Bracket

HILLS.
Antenna

14DWB09GAL




9340591009503

- Mounting Type: Wall
- Used in conjunction with a Wall Mount
- Suits Mounts or Masts greater than 1.8m
- Mast Length: 229mm • Mast Diameter: 25mm
- Material: 1.2mm Thick, Hot Dipped Galvanised Steel

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 20

ANTENNA MOUNTS - WALL (continued)

275mm (11") Eave Bracket



HILLS.
Antenna

FB602594

9340591017676

- Mounting Type: Wall/Timber Fascia
- Ideal for Two-Storey Dwellings
- Front/Back & Side/Side Holes on Mast for Mounting Horizontally or Vertically
- Mast Length: 275mm • Mast Diameter: 25mm
- Material: 1.2mm Thick, Hot Dipped Galvanised Steel

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 20

460mm (18") Eave Mount Bracket



DIGITEK
Complete Digital Solutions

14DWB18GAL

9340591013692

- Mounting Type: Wall/Timber Fascia
- Used in conjunction with a Wall Mount
- Suits Mounts or Masts greater than 1.8m
- Mast Length: 460mm • Mast Diameter: 25mm
- Material: 1.2mm Thick, Hot Dipped Galvanised Steel

PACKAGING	Single Piece with Label
QUANTITIES	Bundle: 2

Wall Bracket



HILLS.
Antenna

FB602608 (685mm) 9311313271508

FB602616 (1m) 9311313271515

FB603554 (1.4m) 9340591016983

- Mounting Type: Wall/Timber Fascia
- Mast Diameter: 25mm
- Ideal for Domestic Applications
- Material: 1.2mm Thick, Hot Dipped Galvanised Steel
- Available Sizes: 685mm, 1m & 1.4m

PACKAGING	Single Piece with Label
QUANTITIES	Sold Individually

ANTENNA MOUNTS - STANDARD MASTS



HILLS. (1.8m x 25mm) **BC602746**
Antenna 9340591017003

HILLS. (2m x 32mm) **14GM2032**
Antenna 9340591011728

HILLS. (2.4m x 32mm) **BC602826**
Antenna 9340591017027

HILLS. (3m x 32mm) **BC602762**
Antenna 9311313280463

HILLS. (3m x 38mm) **14GM3038**
Antenna 9340591012763

HILLS. (3m x 51mm) **BC602972**
Antenna 9311313280531

HILLS. (3.3m x 38mm) **BC602948**
Antenna 9311313280517

HILLS. (4.5m x 32mm) **BC602922**
Antenna 9340591017041

HILLS. (4.5m x 38mm) **BC602930**
Antenna 9340591017065

- Works with various Mounting Accessories
- Ideal for Metropolitan Domestic FTA Digital TV Antennas
- Material: 1.2mm Thick, Pre-Galvanised Steel

PACKAGING	Single Piece with Label
QUANTITIES	Sold Individually

ANTENNA MOUNTS - TELESCOPIC MASTS



DIGITEK (3m Mini) **14GTM10**
Complete Digital Solutions 9340591008803

- 3-Section Mini Telescopic Mast with 2x Locking Rings
- Works with various Mounting Accessories
- Material: 1.2mm Thick, Pre-Galvanised Steel

HILLS. (6m 2-Piece) **FB180A**
Antenna 9340591017003

HILLS. (9m 3-Piece) **FB172A**
Antenna 9340591011728

HILLS. (12m 4-Piece) **FB164A**
Antenna 9340591017027

HILLS. (15m 5-Piece) **FB156A**
Antenna 9311313280463

- Expands from 3m Base & Collapses in 3.5m Sections
- Material: 1.2mm Thick, Pre-Galvanised Steel
- Manufactured Standards:
AS-1170.1:1989, AS-1170.2:1989, AS-4055:1992,
AS-4100:1990, AS/NZ-4600:1996

PACKAGING	Single Piece with Label
QUANTITIES	Sold Individually

TAKE YOUR ANTENNA TO NEW HEIGHTS

We've got Masts, Telomasts and Mast Accessories to suit any need.



ANTENNA MOUNTS - MAST ACCESSORIES

Telomast Accessory Kit



HILLS
Antenna

FB50A (for 6m Telomast) 9311313510522

FB68A (for 9m Telomast) 9340591016945

FB76A (for 12m Telomast) 9311313510546

FB84A (for 15m Telomast) 9311313510553

- Used with Hills Antenna Telomasts
- Material: Zinc-Plated
- Includes Retaining Pins, Thumbscrews, Thimbles & Mast Cap (Quantities differ per Kit)
- Kits Available for 6m, 9m, 12m & 15m Telomasts

PACKAGING Poly Bag with Label

QUANTITIES Carton: 10

Telomast Foot Mount



HILLS
Antenna

FB602498

9311313271447

- Use with a Guyed Mast or Hills Antenna Telomast
- Adjustable Tilt Angle to ensure the Mast is upright on a Sloped Roof but has No Apex to use a Ridge Mount
- Accommodates Mast Diameter: Up to 58mm
- Material: Gold Zinc-Plated Steel
- Mounting Plane Fasteners Not Included

PACKAGING Poly Bag with Label

QUANTITIES Carton: 24

1.5m x 25mm Add A-Mast



HILLS
Antenna

FB603684

9340591016839

- Used to Add Extra Height onto an Existing Mast (Max. Diameter 40mm)
- Mast Length: 1.5m • Mast Diameter: 25mm
- Material: 1.5mm Thick, Hot Dipped Galvanised Steel
- Includes 2x U-Bolts & 4x Nuts

PACKAGING Single Piece with Label

QUANTITIES Bundle: 2

VM1S Vertical Mount 381mm



HILLS
Antenna

FB602376

9311313271355

- Used to Install an Antenna Vertically
- Moves a Vertically Polarised Antenna Elements approx. 350mm away from Mast
- Mast Length: 380mm • Mast Diameter: 25mm
- Materials: 1.2mm Thick, Pre-Galvanised Steel Mast & Zinc-Plated Mounting Hardware
- Includes End Caps, U-Bolt & V-Block Mounting Hardware

PACKAGING Single Piece with Label

QUANTITIES Carton: 20

Mast Cap



DIGITEK
Complete Digital Solutions

14GMC1 (for Ø25mm)

14GMC2 (for Ø32mm)

14GMC3 (for Ø38mm)

- Caps off Mast to Prevent Water Build Up
- Material: UV Stabilised PVC
- Available for with 25mm, 32mm & 38mm Diameter Masts

PACKAGING Single Piece

QUANTITIES Carton: 1000

Lock Ring for Mast



HILLS
Antenna

FB902178 (31.8mm)

9311313360332

FB902186 (38mm)

9311313360349

FB902194 (44.5mm)

9311313360356

- Material: Gold Zinc-Plated
- Includes 1x Locking Thumb Bolt
- Available Sizes: For 31.8mm, 38mm & 44.5mm

PACKAGING Single Piece with Label

QUANTITIES Carton: 100

Stay Bar Collar



HILLS
Antenna

(25mm)

FB902328

9311313360912

DIGITEK
Complete Digital Solutions

(25mm)

14JSBC1Z

DIGITEK
Complete Digital Solutions

(32mm)

14JSBC2

9340591012701

HILLS
Antenna

(38mm)

FB902110

9311313271881

HILLS
Antenna

(51mm)

FB902102


9311313271874

- Material: 1.2mm Thick, Galvanised Steel
- Includes 2x Fastening Bolts & 2x Nuts

PACKAGING Single Piece with Label

QUANTITIES Carton: 100 (FB902328/14JSBC1Z) / 50 (FB902110/14JSBC2/FB902102)

Light Angle Roof Mount



DIGITEK
Complete Digital Solutions

14ALARMGAL

9340591007134

- Mounting Type: Tin Roof
- Supports Max. Mast Diameter: 58mm
- Material: Hot Dipped Galvanised Steel
- Dimensions: 270 x 85 x 75 mm
- Includes U-Bolt Kit

PACKAGING Single Piece with Label

QUANTITIES Carton: 15

Guyed Mast Tile Ridge Mount



HILLS
Antenna

FB606366

9340591011575

- Mounting Type: Tile Roof
- Used for Custom Guyed Mast & Mount Applications
- Material: Hot Dipped Galvanised Steel
- Includes 1x U-Bolt & 2x Nuts

PACKAGING Single Piece with Label

QUANTITIES Carton: 5

ANTENNA MOUNTS - MAST ACCESSORIES (continued)

Iron Roof Mount



HILLS
Antenna

FB606374

9340591012664

- Mounting Type: Tin Roof
- Used for Custom Guyed Mast & Mount Applications
- Material: Hot Dipped Galvanised Steel
- Includes 1x U-Bolt & 2x Nuts

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 8

Clevis Bracket



HILLS
Antenna **FOXTEL**
APPROVED

FB607202

9311313510263

- Mounting Type: Tile Roof
- Used as an Alternative Bracket where the Flexi Mount is Installed on a Deep Rib Deck
- Also used in NBN Fixed Wireless Installs with "Kliplock" roofs
- Material: Pre-Galvanised Steel
- NBN APL Approved: MA-2018-000019
- Foxtel Approved IPL #F10025

PACKAGING	Single Piece with Label
QUANTITIES	Bag: 10

Mast Foot Stramit



DIGITEK
Complete Digital Solutions

14JMFS

9340591009534

- Mast Foot for Stramit/Klip-Lock style Roofs
- Dimensions: Foot Width 32mm
- Material: 5mm Thick, Hot Dipped Galvanised Steel
- Includes 2x Fastening Bolts & 1x U-Bolt
- Mast Not Included

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 20

Wall Mount Accessory Pack



HILLS
Antenna

FB602350

9311313271348

- Works with Hills Antenna Wall Mounting Brackets
- Includes 1x Off Set V Block, 2x U Bolts & 4x Flange Nuts
- Material: Zinc-Plated Steel

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

Mast Extension Kit



HILLS
Antenna


FB602392

9340591016655

- Used to Secure Two Masts Together
- Includes 2x U-Bolts, 6x Saddle Clamps, 4x Thimbles, 4x Flange Nuts & 4x Washers
- Material: Zinc-Plated Steel

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 20

VPB1 Assembly



HILLS
Antenna

FB602384

9311313271362

- Used to Mount an Antenna for Vertical Polarity Signal Areas
- Includes 2x Flat Back V-Blocks, 1x Round Back V-Block, 2x U-Bolts, 4x Nuts & 4x Washers, Off-Set V-Block, 2x U-Bolts & 4x Flange Nuts
- Material: Zinc-Plated Steel

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 40

Flush Wall Mount Bracket



DIGITEK
Complete Digital Solutions

14DFWM

9340591007158

- Mounting Type: Wall
- Use for a Flush Wall Mount Finish
- Suits various Mounts
- Material: Gold Zinc-Plated

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 30

Clamp Saddles – 10 Pack



HILLS
Antenna **FOXTEL**
APPROVED

FB901222

9340591013197

- Used in Conjunction with a U-bolt when Securing a Connection Between Two Masts or a Mast and an Antenna
- Material: Pre-Galvanised Steel
- Foxtel Approved IPL #G123
- Comes in a Pack of 10

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 200

C-Clamp



DIGITEK
Complete Digital Solutions

14KCCL

- Works with various Mounting Accessories
- Material: Gold Zinc-Plated

PACKAGING	Single Piece
QUANTITIES	Carton: 200

ANTENNA MOUNTS - MAST ACCESSORIES (continued)

Heavy-Duty Off Set V-Block



DIGITEK
Complete Digital Solutions

14KOV

- Works with various Mounting Accessories
- Material: Zinc-Plated

PACKAGING	Single Piece
QUANTITIES	Carton: 200

V-Block Heavy-Duty (Flat Back)



DIGITEK
Complete Digital Solutions


14KVB

9340591012183

- Flush, Flat Back
- Works with various Mounting Accessories
- Material: Gold Zinc-Plated

PACKAGING	Single Piece
QUANTITIES	Carton: 200

V-Block Heavy-Duty (Round Back)



DIGITEK
Complete Digital Solutions

14KVB

9340591009381

- Concave, Round Back
- Works with various Mounting Accessories
- Material: Gold Zinc-Plated

PACKAGING	Single Piece
QUANTITIES	Carton: 200

80mm U-Bolt



HILLS
Antenna

FB607218

9311313525588

- Spare or Replacement U-bolt for various Hills Antenna Ranges
- Dimensions: M8 x 80mm x 60C
- Material: Zinc-Plated Steel
- Includes 2x Nuts

PACKAGING	Poly Bag with Label
QUANTITIES	Bag: 50

U-Bolt with Nuts & Washers



DIGITEK
Complete Digital Solutions


14KUBM (Medium)

14KUBL (Long)

- Works with various Mounting Accessories
- Material: Gold Zinc-Plated • Thread Length: 70
- Available Sizes: Medium (100mm) & Long (140mm)

PACKAGING	Single Piece
QUANTITIES	Carton: 300 (14KUBL) / 200 (14KUBM)

Universal Clamp Galvanised



DIGITEK
Complete Digital Solutions

14KUNVGAL

9340591009428

- Joins Masts at Right Angles
- Heavy-Duty Welded Steel
- Material: Hot Dipped Galvanised Steel

PACKAGING	Single Piece
QUANTITIES	Carton: 25

75mm x 6mm Screw Eye



DIGITEK
Complete Digital Solutions

14JSE075-6

- Works with various Mounting Accessories
- Eye Diameter: 6mm • Thread Length: 75mm
- Material: Zinc-Plated

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 100

75mm x 8mm Screw Eye



DIGITEK
Complete Digital Solutions

14JSE075-8

- Works with various Mounting Accessories
- Eye Diameter: 8mm • Thread Length: 90mm
- Material: Zinc-Plated

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 100

175mm x 8mm Screw Eye



DIGITEK
Complete Digital Solutions

14JSE175-8

9340591005796

- Works with various Mounting Accessories
- Eye Diameter: 8mm • Thread Length: 90mm
- Material: Zinc-Plated

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 100

ANTENNA MOUNTS - MAST ACCESSORIES (continued)

Pig Tail Hook with Wood Screw Thread



DIGITEK
Complete Digital Solutions

14JPTD

- Works with various Mounting Accessories
- Material: Dacromet Coating

PACKAGING	Single Piece
QUANTITIES	Carton: 100

Pig Tail Hook



DIGITEK
Complete Digital Solutions

14JPT

- Works with various Mounting Accessories
- Material: Zinc-Plated

PACKAGING	Single Piece
QUANTITIES	Carton: 100

J-Bolt with Nuts & Washers



DIGITEK
Complete Digital Solutions

14JJB

- J-Style Hook
- Works with various Cables & Wire
- Material: Dacromet Coating
- Includes 2x Washers & 2x Nuts

PACKAGING	Single Piece
QUANTITIES	Carton: 200

Pig Tail Hook Threaded Bolt with Nuts & Washer



DIGITEK
Complete Digital Solutions

14JPTB

- Works with various Mounting Accessories
- Material: Dacromet Coating
- Includes 2x Washers & 2x Nuts

PACKAGING	Single Piece
QUANTITIES	Carton: 100

Aerial Lead In Insulator



DIGITEK
Complete Digital Solutions

14JALITI

9340591006014

- Works with various Cables
- Material: UV Stabilised PVC

PACKAGING	Single Piece
QUANTITIES	Carton: 1000

Turnbuckle



HILLS
Antenna

BC286 (6mm)

9340591017874

BC294 (8mm)

9311313271171

- Ideal for at the Anchor Point of Guy Wire to Adjust Wire Tension
- Right-End Hook with Left-End Eyelet
- Material: Zinc Cast
- Available Sizes: 6mm (1/4") & 8mm (5/16")

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 200 (BC286) / 100 (BC294)

Guy Foot Stramit



DIGITEK
Complete Digital Solutions

14JGFS

9340591009305

- Guy Wire Anchoring Point with Oval Eyelet for Stramit/Klip-Lock style Roofs
- Dimensions: Foot Width 32mm
- Material: 5mm Thick, Hot Dipped Galvanised Steel
- Includes 2x Fastening Bolts

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 40

Stramit Mount Foot with Bolt



DIGITEK
Complete Digital Solutions


14JGFSB

9340591009954

- Guy Wire Anchoring Point with Fastening Bolt for Stramit/Klip-Lock style Roofs
- Dimensions: Foot Width 32mm
- Material: 5mm Thick, Hot Dipped Galvanised Steel
- Includes 2x Fastening Bolts & 1x fixing Bolt

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 40

Guy Anchor Plate



HILLS
Antenna

FB901706

9340591016891

- Used as an Anchor Point for Guyed Masts on Various Roof Types
- Dimensions: 267(W) x 30(D) x 30(H) mm
- Material: 2.5mm Thick, Hot Dipped Galvanised Steel

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 50

ANTENNA MOUNTS - MAST ACCESSORIES (continued)

Galvanised Guy Cleat


HILLS.
Antenna

FB602770

9311313271546

- Mounting Type: Tin Roof or Ground
- Use as an Anchor Point for Guy Wire Applications
- Material: Hot Dipped Galvanised Steel

PACKAGING Single Piece with Label
QUANTITIES Carton: 100

Guy Plate


HILLS.
Antenna

FB902224 (32mm)

6340181012145

FB902312 (39.5mm)

9311313360899

FB902240 (44.5mm)

9311313360400

FB902320 (52mm)

9311313360905

- Used for Standard Masts or Telomasts when Anchoring & Stabilising with Guy Wire
- Guy Wire is Looped Through the Outer Holes & a Lock Ring is used to Secure the Guy Plate in place
- Material: Gold Zinc-Plated
- Available Sizes: 32mm, 39.5mm, 44.5mm & 52mm

PACKAGING Single Piece with Label
QUANTITIES Carton: 50

6mm Guy Wire Clamp


DIGITEK
Complete Digital Solutions

(Single)

14JGWC

HILLS.
Antenna

(12-Pack)

FB901302

9311313360295

- Used to a Terminate Wire Rope or Secure the End of Steel Wire Rope that Needs to be Shortened
- Material: Zinc Body & Zinc-Plated U-Bolt
- Available Individually or in a Pack of 12

PACKAGING Single Piece with Label

QUANTITIES Carton: 500 (14JGWC) / Sold Individually (FB901302)

ANT. MOUNTS - GUY WIRE

6mm Guy Wire Thimble – 12 Pack


HILLS.
Antenna

FB901310

9340591017706

- Ideal for using with Guy Wire
- Weight: 10g
- Dimensions: 35 x 21mm
- Material: Zinc-Plated
- Comes in a Pack of 12

PACKAGING Poly Bag with Label
QUANTITIES Carton: 100

180m Coil of Guy / Catenary Wire


HILLS.
Antenna

BC85126

9311313553475

- Ideal for bracing and supporting masts
- Breaking Strain: 1.40KN
- Length: 180m
- Tensile Strength: 490N/mm²
- Material: Heavy-Duty Galvanised Seizing Strand (7x 0.90mm Strand Wire)
- Manufactured Standard: AS-2841:2005

PACKAGING Reel with Label
QUANTITIES Crate: 150

ANT. MOUNTS - STAY BARS

Adjustable Stay Bars


HILLS.
Antenna

FB607070

9311313362237

- A 2-Piece Telescopic Tube that Provides Stable Bracing to Long Masts
- Adjustable Length: 900mm to 1.5m
- Diameters: 22mm / 25mm
- Material: Pre-Galvanised Steel
- Designed and Made in Australia

PACKAGING Single Piece with Label
QUANTITIES Sold as a Pair

16mm Diameter Stay Bars


HILLS.
Antenna

FB902048 (1.2m)

9340591017430

FB902056 (1.8m)

9340591016648

FB902064 (2.4m)

9340591009527

- Used for Extra Support when Installing a Tall Mast to withstand Windy Conditions
- A Stay Bar Collar is Recommended (Not Included)
- Bar Diameter: 16mm
- Comes in a Pack of 2
- Material: 1.2mm Thick, Pre-Galvanised Steel
- Available Sizes: 1.2m, 1.8m & 2.4m

PACKAGING Two Piece with Label
QUANTITIES Sold as a Pair

25mm Diameter Stay Bars


HILLS.
Antenna

FB902072 (1.2m)

9311313271843

FB902080 (1.8m)

9311313271850


FB902098 (2.4m)

9340591016914

- Used for Extra Support when Installing a Tall Mast to withstand Windy Conditions
- A Stay Bar Collar is Recommended (Not Included)
- Bar Diameter: 25mm
- Comes in a Pack of 2
- Material: 1.1mm Thick, Pre-Galvanised Steel
- Available Sizes: 1.2m, 1.8m & 2.4m

PACKAGING Two Piece with Label
QUANTITIES Sold as a Pair

1160-2000mm Extendable Stay Bars


DIGITEK
Complete Digital Solutions

14FSBE (1.16m to 2m)

9340591009329

14FSBE1 (1.89m to 3.46m)

9340591011513

- A Pair of Adjustable, Telescopic Stay Bars (2x Inner & 2 Outer Stays)
- Works with various Stay Bar Collars
- Mast Diameter: 25mm
- Material: 1.2mm Thick, Pre-Galvanised Steel
- Available Lengths: 1.16m-2m & 1.89m-3.46m

PACKAGING Brown Box with Label
QUANTITIES Carton: 6

SATELLITE MOUNTS - GUTTER

45° Gutter Mount

FOXTEL
APPROVEDHILLS.
Antenna

FB607162 (600mm) 9340591016853

FB607163 (900mm) 9311313507454

- Mounting Type: Gutter
- Ideal for Domestic Applications where Roof Mounting a Satellite Dish is Not Feasible
- Use with a 65cm Hills Antenna Satellite Dish or NBN Fixed Wireless
- Material: Galvanised Steel
- Suits Max. Roof Slope 30° / Rafter Spacing 450-625mm
- Mast Diameter: 44.5mm
- Available Sizes: 600mm & 900mm

PACKAGING Single Piece with Label

QUANTITIES Pallet: 60 (FB607162) / 50 (FB607163)

Heavy-Duty
Cyclone Gutter MountFOXTEL
APPROVEDHILLS.
Antenna

FB607229A (600mm) 9311313539431


FB607231A (900mm) 9311313539448

- Mounting Type: Gutter
- Ideal for Domestic Applications where Roof Mounting a Satellite Dish is Not Feasible
- Used for Mounting 65cm & 80cm Satellite Dishes
- Material: Galvanised Steel
- Suits Max. Roof Slope 30° / Rafter Spacing 750-925mm
- Mast Diameter: 44.5mm • C3 Cyclone Rated
- Available Sizes: 600mm & 900mm

PACKAGING Single Piece with Label

QUANTITIES Pallet: 50

Gutter Mount

FOXTEL
APPROVEDHILLS.
Antenna

FB607237A (600mm) 9340591017119

FB607238A (900mm) 9311313529791

- Mounting Type: N4 Gutter
- Ideal for Domestic Applications where Roof Mounting a Satellite Dish is Not Feasible
- Use with a 65cm Hills Antenna Satellite Dish or NBN Fixed Wireless
- Material: Galvanised Steel
- Suits Max. Roof Slope 30° / Rafter Spacing 750-925mm
- Mast Diameter: 44.5mm
- Available Sizes: 600mm & 900mm

PACKAGING Single Piece with Label

QUANTITIES Pallet: 60 (FB607237A) / 50 (FB607238A)

SATELLITE MOUNTS - ROOF

Gutter Mount Metal Frame Kit

FOXTEL
APPROVEDHILLS.
Antenna

FB607227 9311313529104

- Mounting Type: Tile Roof
- Used to Install a Gutter Mount on a Metal Frame Roof
- Material: Pre-Galvanised Steel
- NBN APL Approved - MA-2018-000019
- Foxtel Approved IPL #F34098

PACKAGING Poly Bag with Label

QUANTITIES Carton: 20

2-Way 1.2m x 76mm
Tin Tripod MountFOXTEL
APPROVEDHILLS.
Antenna

FB607137C 9311313537932

- Mounting Type: Tin Roof (Timber Frame)
- Heavy-Duty Tripod-Style Mount includes Curved Mast, Base Plate & 2x Stay Bars
- Used for Mounting 90cm & 1.2m Satellite Dishes
- W60 Wind Classification
- Material: Galvanised Steel
- Mast Length: 1.2m • Mast Diameter: 76mm
- Foxtel Approved IPL #F30728
- Designed and Made in Australia

PACKAGING Poly Bag with Label

QUANTITIES Sold Individually

2-Way 1.2m x 73mm
Tin Roof Tripod MountHILLS.
Antenna

FB607248 9311313538014

- Mounting Type: Tin Roof (Timber Frame)
- Use with 90cm & 1.2m Satellite Dishes
- W60 Wind Classification
- Mast Length: 1.2m • Mast Diameter: 73mm

PACKAGING Poly Bag with Label

QUANTITIES Sold Individually

Fleximount Heavy-Duty Tin Roof

FOXTEL
APPROVEDHILLS.
Antenna

FB607042A 9340591016495


FB607042A-BLK (Black) 9340591016303

- Mounting Type: Tin Roof (Timber Frame)
- Tripod-Style Mount includes Curved Mast, Base Plate & 2x Stay Bars
- Used for Mounting 65cm & 80cm Satellite Dishes
- W60 Wind Classification
- Mast Length: 55mm • Mast Diameter: 44.5mm
- NBN APL Approved: MA-2018-000019
- Foxtel Approved IPL #G99
- Also Available in Black (FB607042A-BLK)

PACKAGING Poly Bag with Label

QUANTITIES Carton: 5 / Pallet: 175

Tile Accessory Kit for FB607042A

HILLS.
Antenna

FB607043 9340591016877

- Mounting Type: Tile Roof
- Accessory Kit to use with FB607042A for Tile Roofs
- Material: Metal

PACKAGING Poly Bag with Label

QUANTITIES Carton: 10

Metal Batten Universal Roof Kit

FOXTEL
APPROVEDHILLS.
Antenna

FB607150A 9311313508567

- Mounting Type: Tin Roof (Metal Battens)
- A Heavy-Duty Load Spreader for Metal Clad Roofs with Metal Battens
- Material: Galvanised Steel
- Includes 2x Right-Angle Brackets, 2x Bolts, 2x Nuts & 8x Screws
- NBN APL Approved: MA-2018-000019
- Foxtel Approved IPL #F30916

PACKAGING Poly Bag with Label

QUANTITIES Carton: 20

SATELLITE MOUNTS - ALTERNATE

Extended Vertical Surface Mount



FOXTEL
APPROVED

HILLS
Antenna

FB607058

9340591016921

- Mounting Type: Masonry / Brick Wall
- Used for Mounting 65cm & 80cm Satellite Dishes
- Material: Hot Dipped Galvanised Steel
- NBN APL Approved: MA-2018-000019
- Foxtel Approved IPL #F10003

PACKAGING Poly Bag with Label
QUANTITIES Carton: 4

Extended Fascia Mount



FOXTEL
APPROVED

HILLS
Antenna

FB607011A

9311313537994

- Mounting Type: Timber Fascia & Masonry Wall
- Used for Mounting 65cm & 80cm Satellite Dishes
- Mast Length: 700mm • Mast Diameter: 44.5mm
- Material: Hot Dipped Galvanised Steel
- NBN APL Approved: MA-2018-000019
- Foxtel Approved IPL #G102

PACKAGING Two Piece with Label
QUANTITIES Sold Individually

Loft Mount with Internal Plug



HILLS
Antenna

FB607012A

9311313538007

- Mounting Type: Loft Mount / Tile Roof
- Mast Length: 1.5m • Mast Diameter: 44.5mm
- Material: Pre-Galvanised Steel

PACKAGING Two Piece with Label
QUANTITIES Sold Individually

Soffit Mount



FOXTEL
APPROVED

HILLS
Antenna

FB606648A

9311313537987

- Mounting Type: Masonry / Brick Wall
- Used for Mounting 65cm & 80cm Satellite Dishes
- Use with 14HALFK or 14HAFKB Roof Flashings
- Material: Hot Dipped Galvanised Steel
- Foxtel Approved IPL #F31195

PACKAGING Single Piece with Label
QUANTITIES Sold Individually

48mm x 1250 Ground Mount



FOXTEL
APPROVED

HILLS
Antenna

FB607174

9311313507881

- Mounting Type: Ground
- Use with 80cm Satellite Dishes Only
- Material: Galvanised Steel
- Includes Reinforcing Rod, to be Inserted Prior to Concreting
- Mast Length: 1250mm • Mast Diameter: 48mm
- Foxtel Approved IPL # FB607174

PACKAGING Two Piece with Label
QUANTITIES Sold Individually

Portable Satellite Tripod Ground Mount



DIGITEK
Complete Digital Solutions

14CCM

9340591012688

- Portable Ground Mount with Leveling Bubble
- Suits 65 - 80cm Satellite Dishes (Starlink® Compatible with [FB607313](#) Pole Adaptor)
- 44mm Diameter Mast Included
- Rubber Feet with Holes for Pegging into the Ground
- Material: Pre-Galvanised Steel with Heavy-Duty Powder Coating

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

MISCELLANEOUS

Cap to suit Portable Satellite Mount



DIGITEK
Complete Digital Solutions

14GMCSATCAP

- Caps off Mast to Prevent Water Build Up
- Suitable with 14CCM as Replacement Cap
- Mast Diameter: 44mm • Includes Bubble Level
- Material: UV Stabilised PVC

PACKAGING Single Piece
QUANTITIES Carton: 50

Metal Frame Fleximount Kit



HILLS
Antenna



FB607226

9311313528985

- Mounting Type: Tin Roof (Timber Frame)
- An Unobtrusive Load-Spreader for Fixing Fleximounts to Tin Roofs Supported by Metal Battens
- Material: Pre-Galvanised Steel
- NBN APL Approved - MA-2018-000019
- Australian Made

PACKAGING Poly Bag with Label
QUANTITIES Carton: 30

Sachs Clamp



DIGITEK
Complete Digital Solutions

14JSACHS

- Works with various Cables
- Features an Offset Curvature on Clamp
- Material: Stainless Steel Clip & Aluminium Body

PACKAGING Single Piece
QUANTITIES Carton: 200

CONSUMABLES

HOOK & LOOP	74
CABLE TIES	74
CABLE CONDUIT	74
CABLE CLIPS	75
TAPE	76
SEALANT	76

*Quality materials for the
everyday professional.*

HOOK & LOOP CABLE TIES



HILLS
Antenna

Hook & Loop Cable Ties - 50 Pack

15BHLT150 (150mm) 9340591020379

15BHLT250 (250mm) 9340591020386

- Self-gripping, Flexible and Reusable
- Easy to Apply, Adjust and Remove
- Black Nylon Front with PP Backing
- Available in Two Sizes:
150mm (L) x 12mm (W) (15BHLT150)
250mm (L) x 16mm (W) (15BHLT250)

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually



HILLS
Antenna

Hook & Loop Cable Ties - Roll

15BHLTR10 (10m) 9340591020379

15BHLTR15 (30m) 9340591020386

- Self-gripping and Reusable
- Easy to Apply, Adjust and Remove
- Black Nylon Front with PP Backing
- Available in Two Sizes:
10m (L) x 10mm (W) (15BHLTR10)
30m (L) x 15mm (W) (15BHLTR15)

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

CABLE CONDUIT



(Available in 20mm and 25mm diameters.)

HILLS
Antenna

Corrugated Cable Conduit Rolls

15CC2010 (20mm x 10m) 9340591020638

15CC2025 (20mm x 25m) 9340591020645

15CC2050 (20mm x 50m) 9340591020652

15CC2510 (25mm x 10m) 9340591020669

15CC2525 (25mm x 25m) 9340591020676

15CC2550 (25mm x 50m) 9340591020683

- Can be Tightly Coiled Effortlessly
- Constructed of Raw PVC Material
- Easy to Cut to Any Length and Re-join Ends
- AS/NZS 2053 Standard
- Available in 2 Sizes: (20mm & 25mm Diameters) in 3 Different Lengths (10m, 25m & 50m)

PACKAGING	Poly Wrap with Label
QUANTITIES	Sold Individually

Make Cable Conduit Installations Easy with Half Saddle Clips.



See our Half Saddle Clip range on **page 105**.

Elevate your cable management game with

Self-Adhesive Cable Tie Mounts!**HILLS.**
Antenna**15BSACTM**

9340591020737

- Suits cable ties up to 4.8mm wide
- Includes self-adhesive 3M backing
- Material: NYLON PA 66, UL 94 V2
- Supplied in a bag of 100 • Colour: Black
- Dimensions: 27.8 x 27.8 mm base with a 5.3mm wide cable tie mounting recess

PACKAGING	Polybag with Label
QUANTITIES	Bag: 100

**HILLS.**
Antenna**Cable Ties - 100 Pack**

- Nylon 66 (Polyamide 6.6) material
- Temperature Range: -20°C to +85°C
- Available Colours: Clear & Black

(100mm x 2.5mm Black) **15BCT100B**(100mm x 2.5mm White) **15BCT100**

- Min. Tensile Strength: 18.20kg

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 500

(150mm x 3.6mm Black) **15BCT150B**(150mm x 3.6mm White) **15BCT150**

- Min. Tensile Strength: 18.20kg

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 1000

(200mm x 4.8mm Black) **15BCT200B**(200mm x 4.8mm White) **15BCT200**

- Min. Tensile Strength: 22.20kg

PACKAGING	Poly Bag with Label
QUANTITIES	Inner: 12 / Carton: 120

(300mm x 4.8mm Black) **15BCT300B**(300mm x 4.8mm White) **15BCT300**

- Min. Tensile Strength: 22.20kg

PACKAGING	Poly Bag with Label
QUANTITIES	Inner: 10 / Carton: 100

CABLE CLIPS

6mm Masonry
Cable Clips Black
- 100 Pack

**DIGITEK**
Complete Digital Solutions**15C06MBLK** (Black)**15C06MWH** (White)

- Suits 6mm cable size
- Nail included with each clip
- Use on Timber & Masonry surfaces
- Available Colours: Black & White
- Sold in a resealable clear plastic pack

PACKAGING	Blister Pack
QUANTITIES	Carton: 100

7mm Masonry
Cable Clips Black
- 100 Pack

**DIGITEK**
Complete Digital Solutions**15C07MBLK** (Black)**15C07MWH** (White)

- Suits 7mm cable size
- Nail included with each clip
- Use on Timber & Masonry surfaces
- Available Colours: Black & White
- Sold in a resealable clear plastic pack

PACKAGING	Blister Pack
QUANTITIES	Carton: 100

6mm Timber
Cable Clips Black
- 100 pack

**DIGITEK**
Complete Digital Solutions**15C6T**

- Suits 6mm cable size
- Nail included with each clip
- Use on Timber surfaces
- Colour: Black

PACKAGING	White Box with Label
QUANTITIES	Carton: 100

14mm Plastic
Cable Clips Black
- 100 Pack

**HILLS.**
Antenna**BC75752**

9311313532906

- 14mm clip gap
- Nail included with each clip
- Use on Timber surfaces
- Colour: Black
- Foxtel Approved IPL # F30760

PACKAGING	White Box with Label
QUANTITIES	Carton: 100


6mm Plastic
Cable Clips Black
- 100 Pack

**HILLS.**
Antenna**BC86810**

9311313340600

- Suits 6mm cable size
- Nail included with each clip
- Use on Timber surfaces
- Colour: Black

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 100

Pick the right Cable Clip.**6mm** - Suits RG59 Coax Cables**7mm** - Suits RG6 Coax Cables**14mm** - Suits RG6 Siamese Cables

TAPE

NIT203W 203E Insulation Tape



NITTO DENKO

15AITB (Black) 9317829002520

15AITWH (White) 9317829002575

- Utility tape or general purpose insulation for splices, terminations, cable harnessing, etc.
- Excellent balance between Insulation properties & flexibility
- Great tensile strength
- Dimensions: 0.18mm x 18mm x 20m
- Operating Temperature: -10 to 90°C
- Available Colours: Black & White

PACKAGING Display Label

QUANTITIES Carton: 160 / Bundle: 10

NIT203RBOW 203E Insulation Tape - Rainbow



NITTO DENKO

15AITRAIN 9317829003374

- Utility tape or general purpose insulation for splices, terminations, cable harnessing, etc.
- Excellent balance between Insulation properties & flexibility with great tensile strength
- Dimensions: 0.18mm x 18mm x 20m
- Operating Temperature: -10 to 90°C
- Comes in a colour pack of 10: 3x Black, 2x Blue, 2x Red, 2x White & 1x Green/Yellow Stripped

PACKAGING Display Label

QUANTITIES Carton: 160

No.21 Insulation Tape - Black



NITTO DENKO

15AITB21

- General utility tape or primary insulation for splices, terminations, cable harnessing, etc.
- Engineered balance between adhesion strength, unwind force & flexibility
- Heavy-duty 0.20mm thickness
- Dimensions: 0.20mm x 19mm x 20m
- Operating Temperature: -10 to 90°C
- Colour: Black

PACKAGING Display Label

QUANTITIES Carton: 160 / Bundle: 10

NIT15 No. 15 Amalgamation Tape - 10m



NITTO DENKO

15AAT

- Self-fusing Butyl Rubber Tape
- Used as anti corrosive protection & insulation to 22KV
- Amalgamates within 2 hours once applied with 80% stretch
- Dimensions: 0.5mm x 19mm x 10m
- Tensile strength (N/mm²): 3.1
- Elongation (%): 550

PACKAGING Display Box

QUANTITIES Carton: 100

NIT11B No. 11 Amalgamation Tape - 10m



NITTO DENKO

15AAT11

- Self-fusing Butyl Rubber Tape
- Used as anti corrosive protection & insulation to 22KV
- Amalgamates within 2 hours once applied with 80% stretch
- Dimensions: 0.5mm x 19mm x 10m
- Tensile strength (N/mm²): 3.2
- Elongation (%): 530

PACKAGING Display Box

QUANTITIES Carton: 100

48mm Duct Tape Grey Roll



15ADT

- Conformable Vinyl Tape
- High adhesive strength
- Flame retardant
- Dimensions: 0.13mm x 48mm x 30m
- Colour: Grey

PACKAGING Display Label

QUANTITIES Sold Individually

SEALANT

Multi-purpose Silicone Sealant Clear - 300ml



15ASILG

931826669413

- Industrial-grade, Single Component Silicone Sealant
- Fast, Neutral Curing • Low Odour and Low VOC
- Excellent Adhesion to Most Surfaces
- High UV Resistance for Outdoor Applications
- 300ml Caulking Tube with Nozzle and Red Cap


PACKAGING Brown Box

QUANTITIES Carton: 20

M.R. Peeler Roofing Sheet Lifter & Brace

16JMRPEELER

- Safely Holds the Roof Sheet Edge While Work is Being Done
- Reduces Work Time & Provides Quick Access to Ceiling Space
- All Components are 'Connected' - No Lose Parts
- 1.5m Length of Stainless Steel Chain
- Made from 25% Glass Filled Nylon
- Comes with a Cotton Carry Bag to Store the Screws
- Designed and Assembled in Australia



TOOLS

CABLE PULLERS	78
CABLE CADDY	78
MISCELLANEOUS	78
CABLE STRIPPERS	79
PUNCH-DOWN	80
COMPRESSION	80
CRIMPING	81
KITS	82
TESTERS	82
MULTIMETERS	82



*Premium tools
you can rely on.*

CABLE PULLERS

Fiberglass Fishing Tape - 5m



16MFFT

9340591018758

- Tough & Durable Construction
- High-Vis Yellow Tape with Glow-in-the-Dark Wheels
- Non-Conductive Fibreglass Material
- Flexible Tail with Small Hole for Cables/Hooks
- Dimensions: 11mm (W) x 5mm (H) x 5m (L)
- Handy Storage Frame with Rubber Covered Ends

PACKAGING Poly Bag with Label

QUANTITIES Carton: 25

Glow-In-The-Dark Cable Puller - 4m



16MCP4

9340591018734

- Tough & Durable Construction
- Glow-in-the-Dark Phosphorescent Green
- Non-Conductive PVC Material
- Recharges when Exposed to Light
- Dimensions: 14.5mm (W) x 4.5mm (H) x 4m (L)

PACKAGING Poly Bag with Label

QUANTITIES Carton: 60

CABLE CADDY

Coaxial Cable Reel Stand



BC2843

9311313516395

- Sturdy Design & Construction
- Smooth Action Allows Cable Pulling Without Snags
- Suits Various Cables & Reel Sizes
- Convenient Carry Handle

PACKAGING Single Piece

QUANTITIES Sold Individually

MISCELLANEOUS

HT-C206A Cable Shears



HANLONG

16BCSH

9340591009787

- Heavy-Duty Cable Shears to cut CCS Center Conductor

PACKAGING Single Piece

QUANTITIES Inner: 10 / Carton: 60

HT-244D 3-in-1 Flanging Tool



HANLONG

16B224

- Compact, 3-Ended Tool for F-Type Connector Installation
- Suits RG59/6 Coaxial Cables
- Enlarges the Space Between Cable Shield & Insulation
- Twists F-Type Connector onto Cable

PACKAGING Blister Pack

QUANTITIES Sold Individually

HT-2212F F-Type Connector Installing Tool



HANLONG

16BFTOOL

- Designed to Reach F-Type Connectors in Hard-to-Reach Spaces
- 12" (304.8mm) Long Shank with Socket
- Sturdy Plastic Handle with F-Type Female End

PACKAGING Hang Sell Bag

QUANTITIES Inner: 20 / Carton: 120

Red Line Screwdriver #2 Philips



16FPSD6

- #2 Philips Head
- 150mm Length
- Sturdy Plastic Handle

PACKAGING Single Piece

QUANTITIES Sold Individually

HT-602B2 7/16" Torque Spanner



HANLONG

16BFTW1

9340591013227

- Open End, Angled 7/16" Hex Head for F-Type Connectors
- 30lbf-in (Inch Pounds) Pressure
- Suits RG6 Coaxial Cables
- Long Shank Length for Better Performance
- Audible Click Once a Proper Connection is Achieved

PACKAGING Blister Pack

QUANTITIES Carton: 90

HT-602C2 9/16" Torque Spanner



HANLONG

16BFTW11

9340591009725

- Open End, Angled 9/16" Hex Head for F-Type Connectors
- 20, 30lbf-in (Inch Pounds) Pressure
- Suits RG11 Coaxial Cables
- Long Shank Length for Better Performance
- Audible Click Once a Proper Connection is Achieved

PACKAGING Blister Pack

QUANTITIES Inner: 15 / Carton: 90

CABLE STRIPPERS

HT-363G Combination Cable Stripper
& F-Type Connector Wrench



HANLONG

16BSTFT

9340591012930

- Strips RG59/6/7/11 Coaxial & 18/24 AWG Cables
- Stripping Length: 6.35mm
- Equipped with 7/16" Wrench for F-Type Connectors
- Black Velcro Strip for Folding Back Cable Braiding
- Reversible/Interchangeable Cassette

PACKAGING Blister Pack

QUANTITIES Inner: 10 / Carton: 100

RG6/RG59 Coaxial Stripping Tool



**HILLS.
Antenna**

BC71588B

9311313553253

- Suits RG59/6 Coaxial Cables
- Adjustable Blades and Spring for Precise Stripping
- Strips Conductor & Braid to 6.4mm
- Hard Durable Plastic Construction

PACKAGING Display Box

QUANTITIES Carton: 20

RG59 & RG6 Adjustable
Stripping Tool



HANLONG

16A06A

9340591012893

- Lightweight, Compact Cable Stripper
- Strips RG58/59/62/6 & Dual-Shielded/Tri-Shielded/Quad-Shielded Cables
- Adjustable 4-in-1 Guide to Suit Different Sized Coaxial Cables
- Includes Allen Key to Adjust the Inner Blades

PACKAGING Blister Pack

QUANTITIES Inner: 25 / Carton: 100

RG11 Stripper Tool



**HILLS.
Antenna**

BC15171

9311313511604

BC15171B (Packaged)

9311313553482

- Lightweight, Compact Cable Stripper
- Suits RG11 Coaxial Cables
- Large Finger Loop for Easy Rotation

PACKAGING Single Piece / Display Box

QUANTITIES Carton: 20 (BC15171B)

3-Blade Cable Stripping Tool
- LL195, LL240, RG58 Cables



**HILLS.
Antenna**

BC85421

9340591016044

- Compact, Pocket-Size Design
- Suits LL195/240 & RG58 Cables
- Three Interchangeable, Precision Blades for Clean & Accurate Stripping
- Large Finger Loop for Easy Rotation

PACKAGING White Box with Label

QUANTITIES Inner: 25 / Carton: 200

3-Blade Cable Stripping Tool
- LL400 Cable



**HILLS.
Antenna**

BC85422

9340591016013

- Compact, Pocket-Size Design
- Suits LL400 Cables
- Three Interchangeable, Precision Blades for Clean & Accurate Stripping
- Large Finger Loop for Easy Rotation

PACKAGING White Box with Label

QUANTITIES Inner: 25 / Carton: 200

AS-106 RG59 & RG6 Stripping Tool



16A06

- Lightweight, Compact Cable Stripper
- Strips RG59/6 Coaxial Cables

PACKAGING Blister Pack

QUANTITIES Inner: 25 / Carton: 200

RG6/RG59 Coaxial Cable
Stripping Tool



**HILLS.
Antenna**

BC15172B

9311313553239

- Lightweight, Compact Cable Stripper
- Suits RG6/59 Coaxial Cables
- Includes Cable Preparation Tool

PACKAGING Display Box

QUANTITIES Carton: 20

**LOOKING FOR
COAX CABLE?**



Check out the range on **page 16**.

PUNCH-DOWN

HT-318 UTP Stripper and Punch-Down Tool



HANLONG

16A318

9340591016136

- Compact Punch-Down Tool with Stripper
- Used for 110/88 Terminals
- Strips CAT5e/6 Cables
- Large Finger Loop for Easy Rotation
- Dimensions: 94 x 33 x 6 mm

PACKAGING Hang Sell Bag
QUANTITIES Inner: 50 / Carton: 500

HT-364BR 110/88 Punch-Down Tool with Cutting Blade



HANLONG

16DPD10

9340591013876

16DPD10B (Spare Blade)

- Seats Wire into Terminal Block or Cuts off Wire End after Terminated
- Built-In Hook for Wire Hooking & Block Removing
- Adjustable Hi-Lo Impact Force
- Blades are Interchangeable/Reversible/Twistable
- Built-In Spare Blade Storage Compartment

PACKAGING Blister Pack
QUANTITIES Carton: 72

HT-344KR Krone Type Punch-Down Tool



HANLONG

16DPD1

- Seats Wire into Terminal Block or Cuts off Wire End after Terminated
- Built-in Hook for Wire Hooking & Extractor for Block Removing
- Adjustable, Locking Impact Selector
- Interchangeable Blade

PACKAGING Blister Pack
QUANTITIES Inner: 15 / Carton: 90

COMPRESSION

Compression Tool



HLLS Antenna

16BCT10

9340591020171

- Suits RG59/6 Coaxial Cables
- Compatible with F-Type, BNC & RCA Connectors
- Insert Plunger (Included) for F-Type Connectors
- Adjustable with Built-in Scale Inside Handle
- Plunger Storage Under Tool Head

PACKAGING Display Box
QUANTITIES Inner: 14

HT-H518F201 4-in-1 Compression Tool



HANLONG

16BCT6

- Suits RG59/6 Coaxial Cables
- Compatible with F-Type, BNC, RCA & IEC Connectors
- 4x Plungers Included for Different Connector Types (Spares are also Available and Sold Separately)

PACKAGING Blister Pack
QUANTITIES Inner: 5 / Carton: 30

Spare Plungers To Suit 16BCT6 Compression Tool



16BCT6P1 (F-Type)

16BCT6P2 (BNC)

16BCT6P3 (RCA)

16BCT6P4 (PAL)

- Spare/Replacement Plungers for 16BCT6 Tool: F-Type, BNC, RCA & PAL

PACKAGING Single Piece
QUANTITIES Sold Individually

HT-H518B6 Compression Tool for TRS-6L Connectors



HANLONG

16BCTTRS

- Compatible with PCT TRS-6L F-Type Connectors
- Carbon Steel Frame with Chrome-Plated Finish

PACKAGING Blister Pack
QUANTITIES Inner: 6 / Carton: 60

RG6/11 Premium Compression Tool



DIGITEK
Complete Digital Solutions

16BXTF038

9340591016143

- Suits Multiple Cable Types Including RG59/6/11
- Ideal for 16B6FC Compression Connector
- Side Button Changes Compression Length to Suit Different Connectors
- Pop-out Mandrel Allows for Quick Connector Style Selections
- Strong Construction, Pocket-Size Design

PACKAGING White Box with Label
QUANTITIES Carton: 20

RG11 F-Type Compression Tool



HLLS Antenna

BC71442B

9311313553246

- Adjustable to Suit Various Connectors
- Ratchet Mechanism
- Low Carbon Steel Frame with Black Oxide Finish
- Includes Cable Cutter • Soft Grip Handles

PACKAGING Single Piece
QUANTITIES Carton: 10

COMPRESSION (cont.)

HT-H528-A3 RG6 & RG11
Compression Tool



HANLONG

16B611C

9340591009688

- Compression Tool with Rotating Head Piece
- Suits RG6/11 Coaxial Cables
- Compatible with F-Type Connectors
- Smooth, Swift Compression Action
- Foxtel Approved IPL # F30056

PACKAGING Blister Pack
QUANTITIES Inner: 5 / Carton: 30

CRIMPING - DATA

RJ45 8P8C Pass Through Crimping
Tool and Cutter



DATA TEK
Quality Data Products

16BCT12

9340591014286

- Suits CAT5e/6 Cables
- Compatible with RJ45 8P8C Shielded or Unshielded Pass Through & Non-Pass Through Plug Types
- Wire Cutter & Stripping Function
- Heavy-Duty Steel Frame with PVC Hand Grips

PACKAGING White Box with Label
QUANTITIES Carton: 30

HT-568R RJ45/RJ46/RJ12/RJ11
Crimping Tool



HANLONG

16BCT4

- Compatible with RJ45/46/12/11 Connectors
- Wire Cutter & Stripping Function
- Ratchet Mechanism Ensures Crimp Accuracy

PACKAGING Blister Pack
QUANTITIES Carton: 20

CRIMPING - COAX

HT-336K3 RG59/RG6/RG62
3-Piece BNC Crimping Tool



HANLONG

16BCT2

- Suits RG59/6/62 Coaxial Cables
- Compatible with BNC Connectors
- Soft Hand Grip for Extra Comfort

PACKAGING Blister Pack
QUANTITIES Carton: 20

RG59/RG6/RG11 Hex Crimp Tool



HILLS Antenna

BC87007B

9311313553277

- Designed to Crimp Coaxial Connectors Without any Damage
- Suits RG59/6/11 Cables
- Low Carbon Steel Construction with Black Oxide Finish
- Soft Rubber Grip Handle • Hardness: HRC-42-48

PACKAGING Display Box
QUANTITIES Carton: 28

HT-106M RG59/RG6/RG11
Crimping Tool



HANLONG

16B611

9340591012909

- Heavy-Duty Crimper
- Suits RG59/6/11 Coaxial Cables
- Adjustable Crimp Force
- Non-Interchangeable Die Set

PACKAGING Blister Pack
QUANTITIES Inner: 5 / Carton: 20

HT-336K RG8/RG11 & RG174
Crimping Tool



HANLONG

16BCT7

- Suits RG8/11/174 Cables
- Ratchet Mechanism
- Insulated Handle Grip

PACKAGING Blister Pack
QUANTITIES Sold Individually

Antenna RG6 Conical Crimper
Suits Double Bubble Connector



HILLS Antenna

BC85191

9311313554366

- Design to Compress Hills Antenna BC80490 DB6U-L Connectors for RG6 Cables
- Ratchet Release Mechanism
- Hardened Carbon Steel Construction with Black Oxide Finish
- Insulated Handle Grip

PACKAGING White Box with Label
QUANTITIES Carton: 25

Double Bubble Tool
- F-Type/RCA/BNC



HILLS Antenna

BC72241DP

9311313544251

BC73398A (Spare F Tip)

9311313543063

- Creates Two 360° "Double Bubble" Connection
- Crimps F-Type, BNC & PAL Connectors
- Suits RG59/6/B-Mini Coaxial Cables
- Superior Pull-Out Strength & Moisture Protection
- Foxtel Approved IPL #F30714

PACKAGING Blister Pack
QUANTITIES Carton: 20

KITS

3-Piece Compression Tool Kit



DIGITEK
Complete Digital Solutions

16BCKIT

9340591012916

- Kit Includes: 1x 16BCT10 Adjustable Compression Tool, 1x 16A06A RG59 & RG6 Adjustable Stripping Tool, 1x 16BCSH Cable Sheers & 4x Plungers (F-Type, BNC, RCA & PAL)
- Suits RG59/6 Coaxial Cables
- Compatible with F-Type, BNC, RCA & IEC Connectors
- Comes in a Handy Soft Pouch

PACKAGING White Box with Label
QUANTITIES Carton: 20

Antenna Installers Kit



HLLS.
Antenna

BC88181

9340591016679

- Kit Includes: 1x Hex Crimper (Suits RG59, RG6 & RG11), 1x Cable Stripper, 1x Cutter & 20x RG6 F-Type Connectors
- Comes in a Durable Carry Case

PACKAGING Single Piece with Label
QUANTITIES Carton: 10

Communications Installers Tool Kit



HLLS.
Antenna

BC85420

9340591016020

- Kit Includes: 1x Crimping Tool with Interchangeable Angled Head, 1x Coaxial Cable Cutter, 1x Die (Suits LL195, RG58 & LL240 Cables), 1x Die (Suits LL400 Cable) & 1x Die (Suits RG58, RG59, RG62 & RG174 Cables)
- Comes in a Durable Carry Case

PACKAGING Single Piece with Label
QUANTITIES Carton: 10

TESTERS

HT-K3044 3-Piece Data Tool Kit



HANLONG

16CDTK

- Kit Includes: 1x Crimping Tool with Stripper, 1x Network Multi-Modular Cable Tester & 1x Punch Down Tool
- Comes in a Durable Carry Case

PACKAGING Display Box
QUANTITIES Carton: 10

Pocket Toner Cable Tester



HLLS.
Antenna

BC71774

9311313522853

- Rugged Anodized Brass Body Construction
- Specifically Designed for RF Cable Applications
- Easy-to-Store Toner
- Right-Angled Male Push-On Connector
- Easy-to-Replace AAA Battery (Included)
- Easily Viewable DC Short LED

PACKAGING Blister Pack
QUANTITIES Carton: 100

GSM-900 Auto-ranging Digital Multimeter



16GGSM900

4712364661587

- Measures DC/AC Voltage, Current, Resistance, Capacitance, Frequency, Duty Cycle, Relative Measurement & Temperature
- Back-lit 4000 Count LCD display
- Voltage: 1000V AC/DC • Current: 10A AC/DC
- Overload Protection • Continuity Buzzer

PACKAGING Display Box
QUANTITIES Sold Individually

RG6 Quad-Shielded Coaxial Cable Stripping



Make sure you are using a Cable Stripper that supports your cable type (for RG6 we recommend the BC15172B or 16A06).



Open tool by squeezing the handle ends together.



Place end of the coaxial cable into the stripping tool with the cable end flush with the other side of the tool.



Hold the cable firmly in one hand, whilst using the other to spin the stripping tool around the cable (5 to 6 rotations).



After rotating, pull the tool away from the cable to strip the outer jacket, and leave the wire and shielding exposed.



Fold back the un-bonded wire-braid to expose the foil-bonded dielectric. The cable end is now ready for an F-Type connector.

AV EQUIPMENT

CONVERTERS	84
SPLITTERS	84
EXTENDERS	84
MODULATORS	84



*Boost your entertainment
with this great AV gear.*

CONVERTERS

Mini Composite to HDMI Converter



ProquipDigital

17HAV2HDMI



9340591010462

- 1-Input Analog Composite (RCA)
- 1-Output HDMI 1080p@60Hz (Max.)
- Supports PAL, NTSC3.58, NTSC4.43, SECAM, PAL/M, PAL/N Standard TV Formats
- Advanced Signal Processing
- Plug & Play, No Drivers Required
- DC/Mini USB Power Supply Included

PACKAGING Display Box

QUANTITIES Carton: 10

HDMI to Composite/S-Video Converter



ProquipDigital

17HHDMI2AV



9340591010455

- Input HDMI Resolution: 480p(60Hz), 576p(50Hz), 720p(50Hz/60Hz), 1080i(50Hz/60Hz), 1080p(50Hz/60Hz)
- Output Signal: Composite Video (1.0Vpp), S-Video (Y:1.0Vpp, C:0.3Vpp)
- Output Video Systems: PAL/NTSC
- Output Video Impedance: 75Ω
- Compatible with HDMI

PACKAGING Display Box

QUANTITIES Carton: 10

EXTENDERS

Single Run CAT5e/CAT6 HDMI Extender



ProquipDigital

17HEXT1



9340591004324

- Extends HDMI Signal up to 40m (Max.) with a Single Network Cable
- Uncompressed & Zero Latency
- Compatible Cables: CAT5e/6/6a/7
- Resolution: 1080p (Max.)
- Supports EDID Dial Switch
- Up to 60Hz IR Pass Through

PACKAGING Display Box

QUANTITIES Carton: 20

SPLITTERS

2-Way Digital Optical Audio Splitter



ProquipDigital

17HOPSP12



9340591010479

- 1-In/2-Out TOSLINK (Optical Fiber) Ports
- Reliable, Lossless Audio Transmission (5m Max.)
- Electromagnetic-Noise-Free
- Supports Uncompressed 2-Channel LPCM (Linear Pulse Code Modulation) Audio
- Supports Compressed 2-Channel & DTS Audio
- DC/Mini USB Power Supply Included

PACKAGING Display Box

QUANTITIES Carton: 10

2-Way HDMI Splitter



ProquipDigital

17HI2SPHDR



9340591004331

- 1-In/2-Out HDMI Ports
- Ultra HD Resolution 4Kx2K@60Hz
- HDMI 2.0 / HDCP 2.2 Compliant
- Support HDMI 3D & HDR
- EDID Management • Foxtel IQ Compatible
- Supports 17HDMIKIT IR Kit

PACKAGING Display Box

QUANTITIES Carton: 50

1-In/2-Out HDMI Splitter with Upscaling to 4K@60Hz



ProquipDigital

17HSCSP12



9340591010486

- 1-In/2-Out HDMI Ports
- 4K Up/Down Scaling (Switchable) on Output Port 2
- Full 4K@60Hz 4:4:4
- HDMI 2.0 & HDCP 2.2 compliant
- Supports High-Dynamic-Range (HDR)
- Independent Switch for EDID Selections
- Supports TOSLINK & Ø3.5mm Jack Audio Output

PACKAGING Display Box

QUANTITIES Carton: 20

MODULATORS

HDMI to DVB-T Modulator with HDMI Loop Through



ProquipDigital

17HPHD1V4



9340591011346

- HD & CVBS Inputs to DVB-T RF Signal Output
- HD Cable Loop Through
- HD Input Resolution: 1080p@60Hz (Max.)
- Distributes One Source to Multiple Displays with One Modulator via CATV Splitter
- Multiple Modulators can be Installed to Distribute as Many Channels as Needed
- Firmware Upgradeable via USB Port
- Programmable Menu Control

PACKAGING Display Box

QUANTITIES Carton: 20

digi-MOD[®] by ZyCast[®]

With over 20 years industry experience, ZyCast Technology is a leading developer of specialised broadcasting solutions – from Digital Modulators to RF Extenders.



To view our digi-mod by ZyCast range, visit bitek.com.au/digi-mod/

METERS

HDMI TESTER	86
SATELLITE	86
TERRESTRIAL	86
SATELLITE/TERRESTRIAL	86



*Precision meters designed by
professionals, for professionals.*

HDMI TESTER

HDMI Tester



DIGITEK
Complete Digital Solutions

16CHDMIT

9340591012923

- Checks for Cable Continuity, Mis-wiring, Open, Short, Straight-Through or Cross Connections
- Clear LED Indication
- All Pins Tested Base-unit to Base-Unit
- Cable Tracer Receiver Checks Cables in use
- Synthetic Leather Carry Case Included
- Requires 1x 9V Battery (Not Included)

PACKAGING Display Box
QUANTITIES Sold Individually

TERRESTRIAL

NM-25 Digital TV Signal Meter



HILLS Antenna

BC85220

9340591013685

- Helps Align TV Antenna for the Best Digital Reception with Minimum Fuss
- LED Indicators for Signal Strength & Power
- Requires 9V Battery (Not Included)
- Alternatively Power by 5-12V DC Adaptor with 3.5mm Jack Plug (Not Included)
- Includes Patch Lead & Adapters

PACKAGING Display Box
QUANTITIES Carton: 40

SATELLITE

ASF-9501 Satellite Finder



DIGITEK
Complete Digital Solutions

18ASF

9340591000739

- Lightweight & Pocket-Sized
- Audio Tone & Back-lit Analog Display
- Input Frequency: 950-2150MHz
- Power: 13-18V DC
- No External Power or Batteries Required

PACKAGING Display Box
QUANTITIES Carton: 50

SATELLITE/TERRESTRIAL

NM-100 Digital Combo Signal Finder



HILLS Antenna

BC85218

9340591013647

- Checks Signal Strength & Quality, Power, MER, Transponder, FEC & BER
- Supports DVB-S/S2 & DVB-T/T2
- Bright LCD Display • Built-In LED Light
- Preloaded with AU & NZ Channel Plans
- Includes Carry Strap & Charger

PACKAGING Display Box
QUANTITIES Carton: 20

Digital Satellite Finder



DIGITEK
Complete Digital Solutions

18ASF-500

9340591004096

- Signal Buzzer & Back-lit LCD Display
- Frequency Range: 950-2150MHz
- Supports DVB-S2 & DVB-S
- Built-In Compass
- Operating Voltage: 12V-20V DC
- Includes Power Supply & 4x AA Battery Holder (Batteries Not Included)

PACKAGING Display Box
QUANTITIES Carton: 50

NM-200 Digital Combo Signal Meter



HILLS Antenna

BC85219

9340591013654

- Measurement with Pre/Post, MER, C/N & Signal Level in dBuV/dbm
- DVB-S/S2/T/T2/C Compatible HD Meter (MPEG-4)
- Spectrum Analyzer • 4.3" TFT LCD Display
- Preloaded with AU & NZ Channel Plans
- Includes Charger, Protective Case, Strap, Cables & Adapters

PACKAGING Display Box
QUANTITIES Carton: 20

DIGITEK
Complete Digital Solutions

An All-In-One Digital Signal Meter

18ASF-7000V3

9340591011391

- Combination DVB-S, DVB-S2 & DVB-T, DVB-T2
- Multi-Lingual OSD and User Friendly UI
- High Resolution 5" TFT LCD
- Spectrum Function for Satellite & Terrestrial Operation
- Real Time Constellation Display for Satellite
- Blind Search for Satellite
- Large Capacity Lithium-Ion Battery (4000mAh)
- AV Input for CCTV Installation
- HDTV Video/Audio Output via HDMI
- Includes Remote Control, Power Supply, Car Charger, AV Leads & Carry Case

PACKAGING Display Box
QUANTITIES Carton: 5



SATELLITE

DISHES	88
LNB	88
SWITCHES	88
SET TOP BOXES	88



*Quality you can trust for
receiving a strong signal.*

DISHES

SignalMAX 65cm Offset Dish



SignalMAX

19ASM65S

- LNB Mount Single Arm • Reflector Optics Offset
- Gain @ 12.5GHz 37.6dB
- Elevation Alignment: 15°-65°
- Pole Diameter: 30-50mm
- Operational Wind Speed: 90KM/H

PACKAGING	Single Piece
QUANTITIES	Sold Individually

SignalMAX 83cm Offset Dish



SignalMAX

19ASM83S

- LNB Mount Single Arm • Reflector Optics Offset
- Gain @ 12.5GHz 37.6dB
- Elevation Alignment: 15°-65°
- Pole Diameter: 30-50mm
- Operational Wind Speed: 90KM/H

PACKAGING	Single Piece
QUANTITIES	Sold Individually

Satellite Dish 90cm Offset Fixed



**FOXTEL
APPROVED**

JONSA

19AJ90

- LNB Mount Single Arm with Support Stays
- Reflector Optics Offset
- Gain @ 12.5GHz 39.82dB
- Elevation Alignment: 15°-90°
- Pole Diameter: 42-60mm
- Foxtel Approved: #F10096

PACKAGING	Plain Box
QUANTITIES	Sold Individually

LNB

10.7 LNB



SatKing

19LNBSKSG (Single)

19LNBSKDUAL (Dual)

19LNBSKQUAD (Quad)

- Available in Single, Dual or Quad Outputs
- 10700 Ku Offset • Dual Polarity
- Radio Frequency (R.F.): 11.75-12.75GHz
- Local Oscillator (L.O.): 10.7GHz
- IF: 950-2050MHz • Noise: 0.6dB

PACKAGING	White Box
QUANTITIES	Carton: 30 (19LNBSKQUAD) / 100 (19LNBSKSG/19LNBSKDUAL)

SWITCHES

2-Way Diseqc Switch 2.0



DIGITEK
Complete Digital Solutions

19CDS2

- 2 Inputs to 1 Output
- Frequency Response: 950-2300MHz
- F-Type Connection

PACKAGING	White Box with Label
QUANTITIES	Inner: 25 / Carton: 200

4-Way Diseqc Switch 2.0



DIGITEK
Complete Digital Solutions

19CDS4

- 4 Inputs to 1 Output
- Frequency Response: 950-2300MHz
- F-Type Connection

PACKAGING	White Box with Label
QUANTITIES	Inner: 25 / Carton: 200

SET TOP BOXES

2-In/4-Out Multiswitch



HILLS
Antenna

BC74279H



9311313537406

- Digital & Analogue Compatible
- 4 Output Ports Located on One Side
- Power Through to LNB • Earth Point Attachment
- F-Type Connection • Foxtel IPL #F30521

PACKAGING	White Box with Label
QUANTITIES	Inner: 25 / Carton: 50

2-In/8-Out Multiswitch



HILLS
Antenna

BC74623H



9311313537413

- Digital & Analogue Compatible
- 8 Output Ports Located on One Side
- Power Through to LNB • Earth Point Attachment
- F-Type Connection • Foxtel IPL #F30522

PACKAGING	White Box with Label
QUANTITIES	Inner: 25 / Carton: 50

VAST Certified Twin Tuner PVR
Ready Received Set Top Box



uec

19UECDS5000

- Smallest VAST™ Receiver on the Market
- Receives TV and Radio Services
- Remote Control Extender Port
- Low Power Consumption
- 8-Day Extended EPG with Search Feature
- 12V DC / 240V AC Support
- Single Input Dual Tuner • PVR Ready

PACKAGING	Display Box
QUANTITIES	Carton: 10

BRACKETS

TV	90
FIXED	90
TILT	90
FULL MOTION	91
CEILING	92
PROJECTOR	92



*Heavy-duty powder-coated steel
for a tough and reliable bracket.*

TV - FIXED

30"-50" Low Profile Universal TV Mount - 60Kg



DIGITEK
Complete Digital Solutions

22PB6

9340591001859

- Screen Size: 30"-50" • Weight Max.: 60Kg
- Mount Type: Wall • Motion: Fixed
- VESA Max.: 600x400 (mm)
- Distance From Wall: 40mm

PACKAGING Display Box
QUANTITIES Carton: 10 / Pallet: 180

40"-65" Slimline Universal TV Mount - 50Kg



DIGITEK
Complete Digital Solutions

22PB55

9340591003396

- Screen Size: 40"-65" • Weight Max.: 50Kg
- Mount Type: Wall • Motion: Fixed
- VESA Max.: 600x400 (mm)
- Distance From Wall: 22mm

PACKAGING Display Box
QUANTITIES Carton: 5 / Pallet: 180

40"-65" Slim Fixed TV Mount - 50Kg



HILLS.
Antenna

BC80455

9311313540864

- Screen Size: 40"-65" • Weight Max.: 50Kg
- Mount Type: Wall • Motion: Fixed
- VESA Max.: 600x400 (mm)
- Distance From Wall: 28mm

PACKAGING Display Box
QUANTITIES Carton: 10 / Pallet: 300

TV - TILT

13"-37" Tilt Universal TV Mount - 45Kg



DIGITEK
Complete Digital Solutions

22PLB101

9340591003075

- Screen Size: 13"-37" • Weight Max.: 45Kg
- Mount Type: Wall • Motion: Tilt • Tilt: -15° to +15°
- VESA Max.: 400x200 (mm)
- Distance From Wall: 80mm

PACKAGING Display Box
QUANTITIES Carton: 10 / Pallet: 210

23"-55" Heavy-Duty Tilting TV Mount - 45Kg



HILLS.
Antenna

BC73525A

9311313542400

- Screen Size: 23"-55" • Weight Max.: 45Kg
- Mount Type: Wall • Motion: Tilt • Tilt: -15° to +15°
- VESA Max.: 400x300 (mm)
- Distance From Wall: 80mm

PACKAGING Display Box
QUANTITIES Carton: 4 / Pallet: 72

40"-65" Slim Tilting TV Mount - 50Kg



HILLS.
Antenna


BC73975A

9340591019090

- Screen Size: 40"-65" • Weight Max.: 50Kg
- Mount Type: Wall • Motion: Tilt • Tilt: 0° to +12°
- VESA Max.: 600x400 (mm)
- Distance From Wall: 36mm

PACKAGING Display Box
QUANTITIES Carton: 10 / Pallet: 180

40"-65" Slim Tilting TV Mount - 60Kg



HILLS.
Antenna

BC78202

9340591017447

- Screen Size: 40"-65" • Weight Max.: 60Kg
- Mount Type: Wall • Motion: Tilt • Tilt: -15° to +15°
- VESA Max.: 600x400 (mm)
- Distance From Wall: 50mm

PACKAGING Display Box
QUANTITIES Carton: 10 / Pallet: 180

40"-90" Slim Tilt Universal TV Mount - 80Kg



DIGITEK
Complete Digital Solutions

22PFI900B

9340591012527

- Screen Size: 40"-90" • Weight Max.: 80Kg
- Mount Type: Wall • Motion: Tilt • Tilt: -5°
- VESA Max.: 600x400 (mm)
- Distance From Wall: 38mm

PACKAGING Display Box
QUANTITIES Carton: 4 / Pallet: 64

40"-90" Tilt Universal TV Mount - 80Kg



DIGITEK
Complete Digital Solutions

22PT4090B

9340591012503

- Screen Size: 40"-90" • Weight Max.: 80Kg
- Mount Type: Wall • Motion: Tilt • Tilt: -15° to +15°
- VESA Max.: 600x400 (mm)
- Distance From Wall: 80mm

PACKAGING Display Box
QUANTITIES Carton: 4 / Pallet: 64

TV - FULL MOTION

17"-37" Full Motion Universal
TV Mount - 25Kg



DIGITEK®
Complete Digital Solutions

22PB510

9340591003624

- Screen Size: 17"-37" • Weight Max.: 25Kg
- Mount Type: Wall • Motion: Tilt, Swivel & Reach
- Tilt: -15° to +15° • Swivel: -90° to +90°
- VESA Max.: 200x200 (mm)
- Distance From Wall: 72-395mm

PACKAGING Display Box

QUANTITIES Carton: 10 / Pallet: 150

23"-55" Slim Full Motion
TV Mount - 30Kg



HILLS®
Antenna

BC78199

9340591017461

- Screen Size: 23"-55" • Weight Max.: 30Kg
- Mount Type: Wall • Motion: Tilt, Swivel & Reach
- Tilt: -2° to +12° • Swivel: -90° to +90°
- VESA Max.: 400x400 (mm)
- Distance From Wall: 46-400mm

PACKAGING Display Box

QUANTITIES Carton: 5 / Pallet: 150

32"-47" Full Motion Universal
TV Mount - 45Kg



DIGITEK®
Complete Digital Solutions

22PLB101EA

9340591003211

- Screen Size: 32"-47" • Weight Max.: 45Kg
- Mount Type: Wall • Motion: Tilt, Swivel & Reach
- Tilt: -15° to 0° • Swivel: -90° to +90°
- VESA Max.: 400x400 (mm)
- Distance From Wall: 72-622mm

PACKAGING Display Box

QUANTITIES Carton: 2 / Pallet: 64

32"-60" Full Motion Universal
TV Mount - 80Kg



DIGITEK®
Complete Digital Solutions

22PLB109B

9340591002504

- Screen Size: 32"-60" • Weight Max.: 80Kg
- Mount Type: Wall • Motion: Tilt, Swivel & Reach
- Tilt: -15° to +15° • Swivel: -90° to +90°
- VESA Max.: 600x400 (mm)
- Distance From Wall: 115-665mm

PACKAGING Display Box

QUANTITIES Carton: 2 / Pallet: 40

40"-80" Slim Dual Arm Full Motion
TV Mount - 50Kg



HILLS®
Antenna

BC85125

9340591018482

- Screen Size: 40"-80" • Weight Max.: 50Kg
- Mount Type: Wall • Motion: Tilt, Swivel & Reach
- Tilt: -2° to +12° • Swivel: -90° to +90°
- VESA Max.: 600x400 (mm)
- Distance From Wall: 53-496mm

PACKAGING Display Box

QUANTITIES Carton: 2 / Pallet: 42

32"-55" Dual Arm Full Motion
TV Mount - 60Kg



HILLS®
Antenna

BC78200


9340591019076

- Screen Size: 32"-55" • Weight Max.: 60Kg
- Mount Type: Wall • Motion: Tilt, Swivel & Reach
- Tilt: -2° to +12° • Swivel: -45° to +45°
- VESA Max.: 400x400 (mm)
- Distance From Wall: 62.5-465mm

PACKAGING Display Box

QUANTITIES Carton: 1 / Pallet: 66

40"-65" Dual Arm Full Motion
TV Mount - 60Kg



HILLS®
Antenna

BC79588

9311313537154

- Screen Size: 40"-65" • Weight Max.: 60Kg
- Mount Type: Wall • Motion: Tilt, Swivel & Reach
- Tilt: -15° to +15° • Swivel: -45° to +45°
- VESA Max.: 600x400 (mm)
- Distance From Wall: 99-500mm

PACKAGING Display Box

QUANTITIES Carton: 2 / Pallet: 36

32"-60" Dual Arm Full Motion
Universal TV Mount - 80Kg



DIGITEK®
Complete Digital Solutions

22PLB110B

9340591002511

- Screen Size: 32"-60" • Weight Max.: 80Kg
- Mount Type: Wall • Motion: Tilt, Swivel & Reach
- Tilt: -15° to +15° • Swivel: -45° to +45°
- VESA Max.: 800x400 (mm)
- Distance From Wall: 115-515mm

PACKAGING Display Box

QUANTITIES Carton: 2 / Pallet: 40

Maximise Your Viewing Experience

ULTRA Certified Cable
HDMI ULTRA HIGH SPEED
BCDP0123456
www.HDMI.org

See page 34.

TV - CEILING

23"-55" Ceiling
Mounted Universal
TV Mount - 50Kg



DIGITEK
Complete Digital Solutions

22PLBCM44



9340591004126

- Screen Size: 23"-55"
- Weight Max.: 50Kg
- Mount Type: Ceiling
- Motion: Tilt
- Tilt: 0° to +20°
- VESA Max.: 400x400 (mm)
- Distance From Ceiling: 570-800mm

PACKAGING	Display Box
QUANTITIES	Carton: 2

PROJECTOR MOUNT

Universal Projector
Bracket - 10KG



DIGITEK
Complete Digital Solutions

22PRO6



9340591003129

- Universal Design fits Most Projectors
- Weight Rating: 10Kg
- Mount Type: Ceiling
- Motion: Fixed
- Extendable Ceiling Mounted Projector Bracket
- Integrated Cable Management

PACKAGING	Display Box
QUANTITIES	Carton: 6


**CABLE
PASS THROUGH
MADE EASY!**



See page 24.

SANUS®

A brand of **legrand**




The Gold Standard in TV Mounts

From premium Speaker Stands to TV Wall Mounts,
we have a Sanus product to elevate your AV setup.

View the full range at bitek.com.au/sanus

DATA & SECURITY CABINETS

ACCESSORIES	94
SHELVES & BRACKETS	95
DATA CABINETS	95
WALL MOUNTED	95
FLOOR STANDING	97
HOME HUBS	98
SECURITY CABINET	100



*Quality cabinets for securely
storing your network equipment.*

ACCESSORIES

120x120x38mm 240V Fan



DATA TEK
Quality Data Products

24DFAN

9340591017935

- Voltage: 220-240V • Rated Current: 0.08 Amps
- Input Power: 15 Watts • Noise Level: 47db(A)
- Dimensions: 120(W) x 120(H) x 38(D) mm
- Includes: 4x Mounting Screws

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 20

8-Way Horizontal Power Rail



DATA TEK
Quality Data Products


24EH8PDU

9340591012206

- 8-Way Horizontal Power Rail with 2m Cable
- 1RU 19" Rack Mountable • Master On/Off Switch
- 10 Amp, 220-250V, 2500W Max.
- Dimensions: 482(W) x 45(H) x 45(D) mm

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 25

24-Port CAT6 Rack Mountable Patch Panel



DATA TEK
Quality Data Products

23MDPP246

9340591012350

- 19" Rack Mountable • RCM Compliant
- Colour Coded for T568A & T568B
- Dimensions: 483(W) x 30(D) x 43(H) mm
- Includes: Cable Tidy, 4x Mounting Bolts & 4x Cable Ties

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 10

1RU Rack Mount Cable Management



DATA TEK
Quality Data Products

24D1RUCMHR

9340591006403

- 5-Ring Cable Management System
- 1RU 19" Rack Mountable
- Lightweight, Easy to Install & Remove
- Powder Coated Metal

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 50

1RU Cable Pass Through with Brush Strip



DATA TEK
Quality Data Products

24D1RUBST

9340591006410

- Cable Pass Through with Brush Strip
- 1RU 19" Rack Mountable
- Lightweight, Easy to Install & Remove
- Powder Coated Metal with Nylon Brush

PACKAGING	White Box with Label
QUANTITIES	Carton: 100

Metal Rack Blanking Plate



DATA TEK
Quality Data Products

24D1RUBL (1RU)

9340591006427

24D2RUBL (2RU)

9340591006434

24D3RUBL (3RU)

9340591006441

24D4RUBL (4RU)

9340591006458

- Fills Gaps in 19" Data Cabinets
- Available Sizes: 1RU, 2RU, 3RU & 4RU

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 100

12 Pack of Cage Nuts for Data Cabinets



DATA TEK
Quality Data Products

24DCNUT12

9340591006533

- Pack of 12 Cage Nuts • Available in Black Only
- Includes Nuts, Screw Holders & Screws
- Suitable for Patch Panels, Switches, etc.


PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

Looking for some CAT6 Patch Leads?

We have multiple lengths from 50cm to 30m.



See the full range on **page 31**.



SHELVES & BRACKETS

1U Mini 300mm Deep
Cantilever Cabinet Shelf



DATA TEK
Quality Data Products

24DMIUCS30 (300mm) 9340591008872

- Suits 300mm Deep Racks
- Suitable for Mini 10" Data Cabinets
- Load Capacity: 10KG
- Dimensions: 43(H) x 150(D) x 252(W) mm
- Includes: 4x Cage Nuts

PACKAGING Brown Box with Label
QUANTITIES Carton: 5

1U Cantilever Cabinet Shelf



DATA TEK
Quality Data Products

24D1UCS30 (300mm) 9340591006465
24D1UCS45 (450mm) 9340591006472

- Heavy-Duty, Ventilated Shelf
- 1RU Mounting Height for 19" Data Cabinets
- Load Capacity: 20kg • Includes: 4x Cage Nuts
- Dimensions: 43(H) x 482.6(W) mm
- Available Depths: 300mm & 450mm

PACKAGING Brown Box with Label
QUANTITIES Carton: 5

2U Cantilever Cabinet Shelf



DATA TEK
Quality Data Products

24D2UCS30 (300mm) 9340591013760
24D2UCS45 (450mm) 9340591016730

- Heavy-Duty Ventilated Shelf
- 2RU Mounting Height for 19" Data Cabinets
- Load Capacity: 20kg • Includes: 4x Cage Nuts
- Dimensions: 88(H) x 482.6(W) mm
- Available Depths: 300mm & 450mm

PACKAGING Brown Box with Label
QUANTITIES Carton: 5

Fixed Cabinet Shelf



DATA TEK
Quality Data Products

24DFS270 (270mm) 9340591013784
24DFS35 (350mm) 9340591006502
24DFS55 (550mm) 9340591006519

- Suitable for 19" Data Cabinets
- Load Capacity: 90kg • Includes: 4x Cage Nuts
- Dimensions: 48(H) x 470(W) mm
- Available Depths: 270mm, 350mm & 550mm

PACKAGING Brown Box with Label
QUANTITIES Carton: 5

Sliding Keyboard Tray



DATA TEK
Quality Data Products

24D1USKBT 9340591006526

- Suitable for 19" Data Cabinets
- Smooth, Slide-Out Mechanism
- Heavy-Duty Ventilated Shelf
- Load Capacity: 9kg
- Dimensions: 300(W) x 450(D) mm
- Includes: 4x Cage Nuts

PACKAGING Brown Box with Label
QUANTITIES Carton: 5

Open Hinged Wall Frame Bracket



DATA TEK
Quality Data Products

24C2RHWF (2RU) 9340591006373
24C4RHWF (4RU) 9340591006380
24C6RHWF (6RU) 9340591006397

- 250-360mm Sliding Depth
- Available Sizes: 2RU, 4RU & 6RU
- Complete with Cage Nuts

PACKAGING Brown Box with Label
QUANTITIES Carton: 5 (24C2RHWF) /
2 (24C4RHWF & 24C6RHWF)

CABINETS - WALL MOUNTED

DATA TEK
Quality Data Products

10" Mini Wall Mounted Data Cabinet



24F6RWM33F (6RU) 9340591006540

24F9RWM33F (9RU) 9340591006557

- Lockable Front Door, Reversible for Left or Right Hand Operation
- Upper & Lower Cable Entry Knockouts
- Vented Cabinet Design with Single Cooling Fan
- Adjustable Mounting Rails • Earth Linkages Provided
- Supports 24DMIUCS30 Cantilever Shelf (Sold Separately)

Included Accessories

- 2x Keys, Cage Nuts & Screws

CABINET TYPE	Mini Wall Mounted
RACK UNITS	6RU (24F6RWM33F) / 9RU (24F9RWM33F)
MATERIALS	Cold Rolled Steel
DIMENSIONS (W) x (D)	350(W) x 300(D) mm
DIMENSIONS (H)	350mm (24F6RWM33F) / 490mm (24F9RWM33F)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

CABINETS - WALL MOUNTED (continued)



Wall Mounted Data Cabinet -
300mm Deep Standard Series



24B4RW63 (4RU)	9340591006205
24B6RW63 (6RU)	9340591006212
24B9RW63 (9RU)	9340591006229

- 300mm Deep Cabinet Design
- Lockable Front Door, Reversible for Left or Right Hand Operation
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- Top and Bottom Ventilation for Airflow • Earth Linkages Provided
- IP20 Protection Rating
- Supplied Fully Assembled

Included Accessories

- 2x Keys, Mounting Bolts, Cage Nuts & Screws

CABINET TYPE	Wall Mounted - Standard
RACK UNITS	4RU (24B4RW63) / 6RU (24B6RW63) / 9RU (24B9RW63)
WEIGHT CAPACITY	40kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 300(D) mm
DIMENSIONS (H)	280mm (24B4RW63) / 370mm (24B6RW63) / 500mm (24B9RW63)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually



Wall Mounted Data Cabinet -
450mm Deep Standard Series



24B6RW64 (6RU)	9340591006243
24B9RW64 (9RU)	9340591006267
24B12RW64 (12RU)	9340591006281

- 450mm Deep Cabinet Design
- Lockable Front Door, Reversible for Left or Right Hand Operation
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- Top and Bottom Ventilation for Airflow • Earth Linkages Provided
- IP20 Protection Rating
- Supplied Fully Assembled

Included Accessories

- 2x Keys, Mounting Bolts, Cage Nuts & Screws

CABINET TYPE	Wall Mounted - Standard
RACK UNITS	6RU (24B6RW64) / 9RU (24B9RW64) / 12RU (24B12RW64)
WEIGHT CAPACITY	40kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 450(D) mm
DIMENSIONS (H)	370mm (24B6RW64) / 500mm (24B9RW64) / 635mm (24B12RW64)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually



Wall Mounted Data Cabinet -
FPS Series



24B6RW64FPS (6RU) 450(D)mm	9340591006236
24B9RW64FPS (9RU) 450(D)mm	9340591006250
24B12RW64FPS (12RU) 450(D)mm	9340591006274
24B15RW64FPS (15RU) 450(D)mm	9340591006298
24B18RW64FPS (18RU) 450(D)mm	9340591006304
24B18RW66FPS (18RU) 600(D)mm	9340591006311

- Cabinet Depth: 450mm (600mm for 24B18RW66FPS Only)
- Lockable Front Door, Reversible for Left or Right Hand Operation
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- IP20 Protection Rating • Supplied Fully Assembled
- Earth Linkages Provided

Included Accessories

- Cooling Fans, 6-Outlet Power Rail, Fixed Shelf, 2x Keys, Mounting Bolts, Cage Nuts & Screws

CABINET TYPE	Wall Mounted - FPS
RACK UNITS	6RU (24B6RW64FPS) / 9RU (24B9RW64FPS) / 12RU (24B12RW64FPS) / 15RU (24B15RW64FPS) / 18RU (24B18RW64FPS & 24B18RW66FPS)
WEIGHT CAPACITY	40kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 450 (or 600 24B18RW66FPS) (D) mm
DIMENSIONS (H)	370mm (24B6RW64FPS) / 500mm (24B9RW64FPS) / 635mm (24B12RW64FPS) / 770mm (24B15RW64FPS) / 905mm (24B18RW64FPS & 24B18RW66FPS)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

CABINETS - WALL MOUNTED (continued)



Swing Frame Wall Mounted Data Cabinet - SFPS Series



24B4RWS66FPS (4RU)	9340591006328
24B6RWS66FPS (6RU)	9340591006335
24B9RWS66FPS (9RU)	9340591006342
24B12RWS66FPS (12RU)	9340591006359
24B18RWS66FPS (18RU)	9340591006366

- Swings Out From Wall For Extra Access • 600mm Deep Cabinet Design
- Lockable Front Door, Back and Side Panels
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- Top and Bottom Ventilation for Airflow • Earth Linkages Provided
- IP20 Protection Rating • Supplied Fully Assembled

Included Accessories

- Cooling Fans, 6-Outlet Power Rail, Fixed Shelf, 2x Keys, Mounting Bolts, Cage Nuts & Screws

CABINET TYPE	Wall Mounted - SFPS
RACK UNITS	4RU (24B4RWS66FPS) / 6RU (24B6RWS66FPS) / 9RU (24B9RWS66FPS) / 12RU (24B12RWS66FPS) / 18RU (24B18RWS66FPS)
WEIGHT CAPACITY	60kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 600(D) mm
DIMENSIONS (H)	280mm (24B4RWS66FPS) / 370mm (24B6RWS66FPS) / 500mm (24B9RWS66FPS) / 635mm (24B12RWS66FPS) / 905mm (24B18RWS66FPS)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

CABINETS - FLOOR STANDING



Floor Standing Data Cabinet - 600mm Deep FPS Series



24A18R66FPS (18RU)	9340591006106
24A22R66FPS (22RU)	9340591006113
24A27R66FPS (27RU)	9340591006120
24A32R66FPS (32RU)	9340591006137
24A37R66FPS (37RU)	9340591006144
24A42R66FPS (42RU)	9340591006168
24A45R66FPS (45RU)	9340591016723

- 600mm Deep Cabinet Design • Supplied Fully Assembled
- Lockable Front Door, Back and Side Panels • IP20 Protection Rating
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- Earth Linkages Provided

Included Accessories

- Cooling Fans, 6-Outlet Power Rail, Fixed Shelves, 2x Keys, Feet & Castors

CABINET TYPE	Floor Standing - FPS
RACK UNITS	18RU (24A18R66FPS) / 22RU (24A22R66FPS) / 27RU (24A27R66FPS) / 32RU (24A32R66FPS) / 37RU (24A37R66FPS) / 42RU (24A42R66FPS) / 45RU (24A45R66FPS)
WEIGHT CAPACITY	800kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 600(D) mm
DIMENSIONS (H)	988mm (24A18R66FPS) / 1166mm (24A22R66FPS) / 1388mm (24A27R66FPS) / 1610mm (24A32R66FPS) / 1833mm (24A37R66FPS) / 2055mm (24A42R66FPS) / 2117mm (24A45R66FPS)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually



Floor Standing Data Cabinet - 800mm Deep FPS Series



24A37R68FPS (37RU)	9340591006151
24A42R68FPS (42RU)	9340591006175
24A45R68FPS (45RU)	9340591006199

- 800mm Deep Cabinet Design
- Lockable Front Door, Back and Side Panels
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- IP20 Protection Rating • Supplied Fully Assembled
- Earth Linkages Provided

Included Accessories

- Cooling Fans, 6-Outlet Power Rail, Fixed Shelves, 2x Keys, Feet & Castors

CABINET TYPE	Floor Standing - FPS
RACK UNITS	37RU (24A37R68FPS) / 42RU (24A42R68FPS) / 45RU (24A45R68FPS)
WEIGHT CAPACITY	800kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 800(D) mm
DIMENSIONS (H)	1833mm (24A37R68FPS) / 2055mm (24A42R68FPS) / 2117mm (24A45R68FPS)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

DESIGNED & BUILT

for the modern home

HILLS.
Antenna Home Hub®

Enclosures
520mm | 725mm | 1000mm

HUB ACCESSORIES

HDM-808 Data/Patch Module



HILLS.
Antenna Home Hub®

S2119V2


9340591016334

- Suits System: Hills Antenna Home Hub
- CAT5e and CAT6 Cable Compatible
- 8x 4-Pair 110/IDC Connections to Individual RJ45 Connections

PACKAGING White Box with Label
QUANTITIES Carton: 20



2-Pack Din Rail



HILLS.
Antenna Home Hub®

24HHDIN

9340591018208

- 2x Metal Din Rails with 8x Mounting Plugs
- Suits Hills Antenna Home Hub Enclosures

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

Mounting Bracket



FULL

DUAL

OPEN

HILLS.
Antenna Home Hub®

24HHSF (Full)

9340591018222

24HH2HF (Dual)

9340591018246

24HHOF (Open)

9340591018260

- Available Bracket Types: Full Plate, Dual Plate and Open Frame
- Suits Hills Antenna Home Hub Enclosures

PACKAGING White Box with Label
QUANTITIES Carton: 10

Home Hub Active Splitter



HILLS.
Antenna Home Hub®

S2707

9340591017560

- 2-Input / 6-Output Active Splitter
- LED Power Indicator
- Includes Power Supply and 4x Mounting Plugs
- Suits Hills Antenna Home Hub Enclosures

PACKAGING White Box with Label
QUANTITIES Carton: 50

Home Hub Enclosures

Looking for an enclosure for your NBN Fibre, Data, AV, Security or TV applications? Look no further.



24HH520



24HH720



24HH1000



The Hills Antenna Home Hub Enclosure is the most flexible product on the market and a notch above the rest when it comes to features, quality and serviceability.

Exceeding NBN-DES-STD-0011 requirements, these three models are feature packed to suit the many tech demands of today's household, whilst remaining aesthetically pleasing with a neutral white, powder-coated finish, surface or flush mounted to seamlessly blend with their surroundings.

With everything you need in the box to get you started, you can't go past a Hills Antenna Home Hub when looking for a quality enclosure, built and designed for the modern home.

24HH520 (520mm)		9340591006205
24HH720 (725mm)		9340591006212
24HH1000 (1000mm)		9340591006229

CABINET TYPE	Home Hub
MATERIALS	Cold Rolled Steel
DIMENSIONS (W) x (D)	400(W) x 150(D) mm
DIMENSIONS (H)	520mm (24HH520) / 725mm (24HH720) / 1000mm (24HH1000)
PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 24 (24HH520) / 18 (24HH720 & 24HH1000)

Features

- Top and bottom knock-outs for internal wiring
- Removable hinged door (left or right placement)
- Locks with keys (spares available)
- Surface or flush mountable with adjustable depth escutcheon
- Name badge (which can be placed on the left or right on the door)
- Solid Accessory frame for mounting of your own equipment
- 2-Hole accessory frame for additional outlet plates
- Open accessory frame for S2119V2 / S2707 modules & cable access
- Mounting blocks for GPO's & additional outlets
- Built-in, internal GPO to power equipment inside the enclosure (must be connected by a licenced electrician)
- Blank wall plates to cover unused mounting blocks
- S2119V2 CAT6 data module for up to 8 data cabling connections
- Earth wire links for earthing of all enclosure components with additional eyelets included for extra earth links
- Enclosure template cut-out & mounting hole positions
- Removable gear tray for easy access to internal cabling
- Scuff-resistant, hammertone white powder-coated finish

What's Included

- 1x Enclosure
- 1x Door (Left/Right Opening)
- 2x Door Locks
- 2x Keys (Part # 24HHSPK)
- 1x Escutcheon (Flush Mount Option)
- 1x Name Badge
- 1x Mounting Bracket - Full Plate (Part # 24HHSF)
- 1x Mounting Bracket - Dual Wall Plate (Part # 24HH2HF)
- 1x Mounting Bracket - Open Frame (Part # 24HHOF)
- 3x Mounting Blocks
- 1x Double GPO (2x Double GPO for 24HH1000)
- 2x Blank Wall Plates (Part # 05DWP00)
- 1x 8-Port CAT6 Data Module (Part # S2119V2)
- 4x Earth Wire Links
- 2x Eyelets
- 1x Cut-Out Template
- 1x Removable Gear Tray

**24SECCAB****Features:**

- Strong, compact construction with a neutral finish that is mark, scratch and finger-print resistant
- Safe & secure with dual cabinet locks
- Supports a 24" (max.) monitor and up to 2U equipment such as a 4HDD bay NVR or DVR
- More airflow vents than standard cabinets, plus 2x built-in cooling fans connected via a Y-cable to plug into a single USB power source
- 5-outlet PDU is included, but designed to hold any standard 19" rack PDU if additional power is required
- Strategically positioned Ø 50mm knockouts with protective cable grommets for minimising tampering
- Bottom cavity ideal for supporting a UPS
- Retaining wires for lid support

Specifications:

Construction	Cold Rolled Steel with white Hammertone surface
Equipment Capacity	Up to 2U mounted equipment (240-480mm width and 465mm depth)
Monitor Capacity	Up to 24" monitor with downward facing HDMI & power inputs (50/75/100mm VESA mounting)
Weight Capacity	(30Kg max. load bearing weight)
Power	5-outlet PDU included (Supports 19" rack PDU)
Dimensions	580(W) x 635(H) x 185(D) mm

DATATEK[®]
Quality Data Products

The Ideal
SECURITY CABINET
for your CCTV system



DATATEK[®]
Quality Data Products

24SECCAB

9340591018604

CABINET TYPE	Security Cabinet
PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 24

Accessories Included:

- 5-outlet PDU ([24SECPDU](#))
- Monitor brackets
- Wall mounting template
- Cable mounts

(PLEASE NOTE: NVR & monitor pictured are not included)

ELECTRICAL

METER BOXES	102
PANEL & SURROUNDS	102
TEMPORARY METER BOXES	104
ACCESSORIES	104
PERFORATED CABLE TRAYS	105



When power protection is paramount.

METER BOXES

ACT/NSW Meter Box 12"x12"
Un-drilled



27MB1212U



9340591013241

- ACT/NSW Standard
- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 342(L) x 330(W) x 270(H) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 60

ACT/NSW Meter Box 16"x14"
Un-drilled



27MB1614U



9340591013258

- ACT/NSW Standard
- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 21
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 446(L) x 381(W) x 270(H) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 40

ACT/NSW Meter Box 18"x18"
Un-drilled



27MB1818U



9340591013265

- ACT/NSW Standard
- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 22
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 464(L) x 482(W) x 270(H) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 32

ACT/NSW Meter Box 24"x24"
Un-drilled



27MB2424UA



9340591013319

- ACT/NSW Standard
- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 24
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 600(L) x 600(W) x 270(H) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893) & 12-Pole Loom Box (27MA12)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 24

ACT/NSW Meter Box 24"x24"
13" Deep Un-drilled



27MB2424UA3



9340591013326

- ACT/NSW Standard
- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 25
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 600(L) x 600(W) x 330(H) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 16

ACT/NSW Meter Box 24"x36"
Un-drilled



27MB2436UA



9340591013333

- ACT/NSW Standard
- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 26
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 960(L) x 639(W) x 330(H) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 9

PANELS & SURROUNDS

ACT/NSW Meter Box 36"x36"
Un-drilled



27MB3636UA



9340591013357

- ACT/NSW Standard
- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 27
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 960(L) x 934(W) x 330(H) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 4

ACT/NSW Panel and Surround
12"x12"x4"



27MR1212U-4



9340591013517

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 305(H) x 305(W) x 102(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 140

ACT/NSW Panel and Surround
12"x12"x6"



27MR1212U-6



9340591013524

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 305(H) x 305(W) x 152(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 108

PANELS & SURROUNDS (continued)

ACT/NSW
Panel and
Surround
14"x14"x4"



DIGITEK
Complete Digital Solutions

27MR1414U-4



9340591013531

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 360(H) x 360(W) x 102(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 80

ACT/NSW
Panel and
Surround
14"x14"x6"



DIGITEK
Complete Digital Solutions

27MR1414U-6



9340591013548

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 360(H) x 360(W) x 152(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 64

ACT/NSW
Panel and
Surround
16"x14"x4"



DIGITEK
Complete Digital Solutions

27MR1614U-4



9340591013555

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 410(H) x 360(W) x 102(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 100

ACT/NSW
Panel and
Surround
16"x14"x6"



DIGITEK
Complete Digital Solutions

27MR1614U-6



9340591013562

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 410(H) x 360(W) x 152(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 48

ACT/NSW
Panel and
Surround
18"x12"x6"



DIGITEK
Complete Digital Solutions

27MR1812U-4



9340591013579

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 460(H) x 305(W) x 102(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 100

ACT/NSW
Panel and
Surround
18"x12"x6"



DIGITEK
Complete Digital Solutions

27MR1812U-6



9340591013586

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 460(H) x 305(W) x 152(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 96

ACT/NSW
Panel and
Surround
18"x18"x4"



DIGITEK
Complete Digital Solutions

27MR1818U-4



9340591013593

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 460(H) x 460(W) x 102(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 100

ACT/NSW
Panel and
Surround
18"x18"x6"



DIGITEK
Complete Digital Solutions

27MR1818U-6




9340591013609

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 460(H) x 460(W) x 152(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 80

Panel and Surround 24"x24"



DIGITEK
Complete Digital Solutions

27MR2424UC



9340591013616

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP20 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Powder-Coated Grey Finish
- Cable Knockouts: 20-51mm (Bottom, Top, Back)
- Dimensions: 530(H) x 563(W) x 102(D) mm
- Includes Pre-Installed Un-drilled Insulating Panel (AS1795/IEC60893)

PACKAGING	Brown Box with Label
QUANTITIES	Pallet: 60

TEMPORARY METER BOXES

Single-Phase
Fully Loaded
Temporary Meter
Box with Stand



DIGITEK
Complete Digital Solutions

27MBTSG

9340591013432

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Dimensions: 1875(H) x 520(W) x 610(D) mm

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

3-Phase Fully Loaded
Temporary Meter
Box with Stand



DIGITEK
Complete Digital Solutions

27MBTS3P

9340591013395

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Dimensions: 1875(H) x 520(W) x 610(D) mm - Plus External 3-Phase Socket
- Includes Pre-installed Insulating Panel (AS1795/ IEC60893), 3-Phase 100A Main Switch, 5-Pin 32A Externally Mounted 3-Phase Socket, 3-Phase 4-Pole Combo RCBO (32A Breaker & 30mA RCD), 5x 10A Double Power Points, 15A Power Point and Lockable Loom Box (Lock Included)

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Temporary Meter Box - Box Only



DIGITEK
Complete Digital Solutions

27MBTSE-BOX

9340591013418

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Enclosure IP Rating: IP23 (AS1939)
- Grounding Point: Earth Stud M5 x 20
- Dimensions: 502(H) x 505(W) x 230(D) mm

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Temporary Meter
Box Green Stand
- Stand Only



DIGITEK
Complete Digital Solutions

27MBTSE-STAND

9340591013425

- Green Stand Only for Temporary Meter Box
- Materials: Heavy-Duty Powder-Coated Steel
- Dimensions (Assembled): 1755(H) x 510(W) x 605(D) mm
- Assembled Height with Cable Restraints: 1860mm

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

ACCESSORIES

Replacement Door For
27MB2424UA & 27MB2424UA3
(No Logo)



DIGITEK
Complete Digital Solutions

27ML2424N

9340591013487

- Materials: 1.2mm Galvanised Steel Sheets (AS1397 Standard)
- Dimensions: 635(L) x 610(W) x 35(H) mm

PACKAGING	Single Piece
QUANTITIES	Carton: 10

Replacement Insulation Panel
Pre-drilled



DIGITEK
Complete Digital Solutions

27MP2424DH

9340591013494

- Pre-Drilled Panel with Pre-Fitted Hinge
- Suits 27MB2424UA & 27MB2424UA3 Meter Boxes
- Dimensions: 592(L) x 565(W) x 10(H) mm

PACKAGING	Single Piece
QUANTITIES	Carton: 5

Replacement Insulation Panel
Un-drilled



DIGITEK
Complete Digital Solutions

27MP2424UH

9340591013630

- Standard AS1795/IEC60893
- Pre-Fitted Hinge
- Suits 27MB2424UA & 27MB2424UA3 Meter Boxes
- Dimensions: 592(L) x 565(W) x 10(H) mm

PACKAGING	Single Piece
QUANTITIES	Carton: 5

**We have other
Temporary
Meter Boxes
Available**



**Talk to your local branch
about other models.**

Call us on 1300 601 915.

ACCESSORIES (continued)

Ø13mm x 1400mm Earth Rod
with Clip & Tag - 10 Pack



DIGITEK
Complete Digital Solutions

27ERD

9340591017836

- Material: Copper Sheathed Steel
- Rod Diameter: Ø12.7mm
- Rod Length: 1400mm
- Includes Earth Clip (27ECLP) & Conductor Tag (27ECT)

PACKAGING Brown Tube with Label
QUANTITIES Pallet: 50

Earth Clip Large for 13mm
Earth Rod - 10 Pack



DIGITEK
Complete Digital Solutions

27ECLP

9340591017799

- Material: Brass
- Suits Rod Type: Ø12.7/13mm Rod Diameter

PACKAGING Poly Bag with Label
QUANTITIES Carton: 200

Main Electrical Earthing
Conductor Tag - 10 Pack



DIGITEK
Complete Digital Solutions

27ECT

9340591017812

- Warning Tag
- Standard Compliant: AS/NZS 3000:2007

PACKAGING Poly Bag with Label
QUANTITIES Carton: 200

Insulating Panel Hinges - 2 Pack



DIGITEK
Complete Digital Solutions

27MH

9340591013470

- Fits all Digitek Meter Boxes
- Sold as a Pair
- Dimensions: 75(L) x 40(W) x 10(H) mm

PACKAGING Poly Bag
QUANTITIES Carton: 100

12-Pole Loom Box



DIGITEK
Complete Digital Solutions

27MA12

9340591013234

- Includes Cover and Labels
- Dimensions: 260(L) x 163(W) x 62(H) mm

PACKAGING White Box with Label
QUANTITIES Carton: 50

12-Pole Din Rail for 27MA12



DIGITEK
Complete Digital Solutions

27MD12

9340591013463

- Suits 27MA12 12-Pole Loom Box
- Sold Individually
- Dimensions: 220(L) x 32(W) x 6(H) mm

PACKAGING Single Piece
QUANTITIES Sold Individually

Half Saddle Clips



DIGITEK
Complete Digital Solutions

27SC20 (20mm)

27SC25 (25mm)

27SC32 (32mm)

- Conduit Saddle
- Sold Individually
- Available Sizes: 20mm, 25mm & 32mm

PACKAGING Single Piece
QUANTITIES Inner Carton: 100 / Carton: 1000

PERFORATED CABLE TRAYS



27CT075100.8



27CT100100.8



27CT150100.8



27CT225100.8



27CT300100.8

Perforated Cable Trays

27CT075100.8 (75mm) 9340591011469

27CT100100.8 (100mm) 9340591011476

27CT150100.8 (150mm) 9340591011483

27CT225100.8 (225mm) 9340591011490

27CT300100.8 (300mm) 9340591011506

- Lightweight Design
- Perforated Profile Allows for Ample Airflow and Easy Access to Cables
- Material: Pre-Galvanised Steel
- Anti-Corrosion Protection
- Steel Gauge: 0.8mm
- Dimensions: 10(H)mm x 2.4(L)mm
- Available Widths: 75mm, 100mm, 150mm, 225mm & 300mm

DIGITEK
Complete Digital Solutions

PACKAGING Single Piece
QUANTITIES Sold in Bundles of 4

Network Solutions you can rely on!



When it comes to network solutions, you want to implement products that not only exceed in performance, but are also highly trusted, to combat today's ever growing networking needs.

That is why our particular range features innovative leaders in the industry, such as Dahua, TP-Link, Ubiquiti and many more.



Visit www.bitek.com.au/data-products/network-devices/ to see our entire range.

SECURITY

108



*Providing solutions for
your security needs.*

Your Favourite Brands in the Security Sector



Whether it's setting up a new CCTV system with cameras, brackets, PoE switches and monitors, installing a reliable video intercom, or choosing between a wired/wireless alarm...

We have refined our selection of products to supply you with everything you need for a successful security solution from trusted brands like Dahua, TP-Link, Bosch, Ness, Reliance, and more!



Visit www.bitek.com.au/cctv-security/ to see our entire range.

STORAGE SOLUTIONS

CASES	110
FRAMES	110
CABINETS	112
CASES	112
DRAWERS	113
BINS	114
LOUVERED PANELS	115
TOOL/SITE BOXES	116

*For stronger and smarter
storage solutions.*

CASES

Small Case
With ABS
Colour Lid



33STS-BL (Blue)		9355627000003
33STS-BK (Black)		9355627000522
33STS-GY (Grey)		9355627000041
33STS-RD (Red)		9355627000546

- Adjustable Compartment Configuration: 10-21
- Includes 9 Removeable Dividers
- Dimensions: 370(W) x 370(D) x 85(H) mm
- Material: ABS (Acrylonitrile Butadiene Styrene) Thermoplastic Case & Lid
- Available Colours: Black (Red Clasps), Blue (Red Clasps), Grey (Red Clasps) & Red (Black Clasps)

PACKAGING	Colour Display Sleeve
QUANTITIES	Carton: 3

Small Case
With PC
Clear Lid



33STSC-BL (Blue)		9355627000010
33STSC-BK (Black)		9355627000539
33STSC-GY (Grey)		9355627000058
33STSC-RD (Red)		9355627000553

- Adjustable Compartment Configuration: 10-21
- Includes 9 Removeable Dividers
- Dimensions: 370(W) x 370(D) x 85(H) mm
- Material: ABS (Acrylonitrile Butadiene Styrene) Thermoplastic Case & Clear PC (Polycarbonate) Lid
- Available Colours: Black (Red Clasps), Blue (Red Clasps), Grey (Red Clasps) & Red (Black Clasps)

PACKAGING	Colour Display Sleeve
QUANTITIES	Carton: 3

Large Case
With ABS
Colour Lid



33STL-BL (Blue)		9355627000027
33STL-BK (Black)		9355627000560
33STL-GY (Grey)		9355627000065
33STL-RD (Red)		9355627000584

- Adjustable Compartment Configuration: 6-13
- Includes 3 Large & 3 Small Removeable Dividers with Lift-Out Tray
- Dimensions: 370(W) x 370(D) x 130(H) mm
- Material: ABS (Acrylonitrile Butadiene Styrene) Thermoplastic Case & Lid
- Available Colours: Black (Red Clasps), Blue (Red Clasps), Grey (Red Clasps) & Red (Black Clasps)

PACKAGING	Colour Display Sleeve
QUANTITIES	Carton: 2

Large Case
With PC
Clear Lid



33STLC-BL (Blue)		9355627000034
33STLC-BK (Black)		9355627000577
33STLC-GY (Grey)		9355627000072
33STLC-RD (Red)		9355627000591

- Adjustable Compartment Configuration: 6-13
- Includes 3 Large & 3 Small Removeable Dividers with Lift-Out Tray
- Dimensions: 370(W) x 370(D) x 130(H) mm
- Material: ABS (Acrylonitrile Butadiene Styrene) Thermoplastic Case & Clear PC (Polycarbonate) Lid
- Available Colours: Black (Red Clasps), Blue (Red Clasps), Grey (Red Clasps) & Red (Black Clasps)

PACKAGING	Colour Display Sleeve
QUANTITIES	Carton: 2

Left & Right Case Clasp Set



33CLASPS-BK



33CLASPS-RD



33CLASPS-BK (Black)		9355627001031
33CLASPS-RD (Red)		9355627001024

- Suits Both Small & Large StorageTek Cases
- Heavy-duty, Ensures a Firm & Secure Lock
- Two in a Set: Left & Right
- Material: Polypropylene/Fibreglass Resin
- Available Colours: Black & Red

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 50

PC Lid with Stainless Steel Pin



33PCLID		9355627001000
----------------	--	---------------

- Suits Both Small & Large StorageTek Cases
- Transparent to Easily View Contents
- Incorporated Eyelet for Padlocking
- Includes Stainless Steel Pin
- Material: PC (Polycarbonate)

PACKAGING	Single Piece
QUANTITIES	Sold Individually

FRAMES

2 Small Drawer Frame Assembled



33SFS2S



33SFS2SA-BL



33SFS2S (Frame Only)		9355627000607
33SFS2SA-BL		9355627000089

- Fully Assembled (Frame Only or with Cases) for 2 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 420(W) x 461(D) x 255(H) mm
- Frame Material: Powder Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

3 Small Drawer Frame Assembled



33SFS3S



33SFS3SA-BL



33SFS3S (Frame Only)		9355627000614
33SFS3SA-BL		9355627000096

- Fully Assembled (Frame Only or with Cases) for 3 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 420(W) x 461(D) x 350(H) mm
- Frame Material: Powder Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

4 Small Drawer Frame Assembled



33SFS4S



33SFS4SA-BL



33SFS4S (Frame Only)		9355627000638
33SFS4SA-BL		9355627000133

- Fully Assembled (Frame Only or with Cases) for 4 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 420(W) x 461(D) x 460(H) mm
- Frame Material: Powder Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

FRAMES (continued)

5 Small Drawer Frame Assembled



StorageTek
Complete Storage Solutions

33SFS5S (Frame Only) 9355627000645

33SFS5SA-BL 9355627000157

- Fully Assembled (Frame Only or with Cases) for 5 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 420(W) x 461(D) x 571(H) mm
- Frame Material: Powder Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

2 Large Drawer Frame Assembled



StorageTek
Complete Storage Solutions

33SFS2L (Frame Only) 9355627000621

33SFS2LA-BL 9355627000119

- Fully Assembled (Frame Only or with Cases) for 2 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 420(W) x 461(D) x 350(H) mm
- Frame Material: Powder Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

2 Large & 1 Small Drawer Frame Assembled



StorageTek
Complete Storage Solutions

33SFS2L1S (Frame Only) 9355627000669

33SFS2L1SA-BL 9355627000195

- Fully Assembled (Frame Only or with Cases) for 1 Small & 2 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 420(W) x 461(D) x 460(H) mm
- Frame Material: Powder Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

2 Large & 2 Small Drawer Frame Assembled



StorageTek
Complete Storage Solutions

33SFS2L2S (Frame Only) 9355627000652

33SFS2L2SA-BL 9355627000171

- Fully Assembled (Frame Only or with Cases) for 2 Small & 2 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 420(W) x 461(D) x 571(H) mm
- Frame Material: Powder Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

6 Small Drawer Dual Frame Assembled



StorageTek
Complete Storage Solutions

33SFD6S (Frame Only) 9355627000690

33SFD6SA-BL 9355627000232

- Fully Assembled (Frame Only or with Cases) Dual for 6 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 827(W) x 461(D) x 350(H) mm
- Frame Material: Powder Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

4 Large Drawer Dual Frame Assembled



StorageTek
Complete Storage Solutions

33SFD4L (Frame Only) 9355627000676

33SFD4LA-BL 9355627000218

- Fully Assembled (Frame Only or with Cases) Dual for 4 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 827(W) x 461(D) x 350(H) mm
- Frame Material: Powder Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

2 Large & 3 Small Drawer Dual Frame Assembled



StorageTek
Complete Storage Solutions

33SFD2L3S (Frame Only) 9355627000683

33SFD2L3SA-BL 9355627000225

- Fully Assembled (Frame Only or with Cases) Dual for 3 Small & 2 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 827(W) x 461(D) x 350(H) mm
- Frame Material: Powder Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

2 Large & 7 Small Drawer Dual Frame Assembled



StorageTek
Complete Storage Solutions

33SFD2L7S (Frame Only) 9355627000706

33SFD2L7SA-BL 9355627000249

- Fully Assembled (Frame Only or with Cases) Dual for 2 Small & 2 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Wheels on Drawer Rails with 2x Rear Bumpers
- Powder-Coated Hammertone Work Plate Top
- Dimensions: 827(W) x 461(D) x 571(H) mm
- Frame Material: Powder Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

Frame Splice Kit - 4 Pieces



StorageTek
Complete Storage Solutions

33SFSK 9355627000515

- Compatible with all StorageTek Drawer Frames
- Allows for Secure Vertical Stacking of Frames
- Dimensions: 23(W) x 93(D) x 5(H) mm
- Materials: Black Plastic

PACKAGING Poly Bag with Label
QUANTITIES Sold Individually

CABINETS - CASES

2 Small Case Cabinet Assembled



33SCS2S (Cabinet Only) 9355627000782

33SCS2SA-BL 9355627000775

- Fully Assembled (Cabinet Only or with Cases) for 2 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 227(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

3 Small Case Cabinet Assembled



33SCS3S (Cabinet Only) 9355627000829

33SCS3SA-BL 9355627000287

- Fully Assembled (Cabinet Only or with Cases) for 3 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 322(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

4 Small Case Cabinet Assembled



33SCS4S (Cabinet Only) 9355627000867

33SCS4SA-BL 9355627000850

- Fully Assembled (Cabinet Only or with Cases) for 4 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 417(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

5 Small Case Cabinet Assembled



33SCS5S (Cabinet Only) 9355627000980

33SCS5SA-BL 9355627000317

- Fully Assembled (Cabinet Only or with Cases) for 5 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 544(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

7 Small Case Cabinet Assembled



33SCS7S (Cabinet Only) 9355627001048

33SCS7SA-BL 9355627000331

- Fully Assembled (Cabinet Only or with Cases) for 7 Small Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 740(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

2 Large Case Cabinet Assembled



33SCS2L (Cabinet Only) 9355627000805

33SCS2LA-BL 9355627000263

- Fully Assembled (Cabinet Only or with Cases) for 2 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 322(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

2 Large & 1 Small Case Cabinet Assembled



33SCS2L1S (Cabinet Only) 9355627000843

33SCS2L1SA-BL 9355627000300

- Fully Assembled (Cabinet Only or with Cases) for 1 Small & 2 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 420(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

2 Large & 2 Small Case Cabinet Assembled



33SCS2L2S (Cabinet Only) 9355627000997

33SCS2L2SA-BL 9355627001062

- Fully Assembled (Cabinet Only or with Cases) for 2 Small & 2 Large Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 547(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

7 Small Case Cabinet Trolley Assembled with Cases



33SCS7STA-BL

9355627000355

- Fully Assembled Trolley with 7 Small Blue Cases
- Inner Latches on Side Rails for Locking in Cases
- Includes Removeable Rubber Mat for Top Surface Front or Rear Mountable Handle & 4-Piece Wheel Set (Pop rivet gun required to assemble)
- Dimensions: 420(W) x 461(D) x 993(H) mm
- Materials: Light Grey, Powder-Coated Steel

PACKAGING Heavy-Duty Brown Box with Label
QUANTITIES Sold Individually

CABINETS - CASES (continued)

Spare 4-Piece Wheel Set for Trolley



33SWHEELS

9355627001161

- Kit Includes: 2x Locking Wheels, 2x Free Wheels, 2x Wheel Plates and 1x Handle
- Suited for 33SCS7STA-BL Trolley
- Pop Rivet Gun Required to Assemble

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Cabinet Door for Case Cabinet



33SC3D (314mm)

9355627000713

33SC4D (412mm)

9355627000720

33SC5D (539mm)

9355627000737

33SC7D (735mm)

9355627000744

- Suits StorageTek Case Cabinets Only
- 3-Point Locking with Keys Included
- Dimensions: 418(W) x 36(D) mm (Height Dependant on Model)
- Materials: Light Grey Powder-Coated Steel

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

CABINETS - DRAWERS

3 Small Drawers Cabinet



33SC3SDR

9355627001130

- Fully Assembled with 3 Small Drawers
- Drawers Individually Lockable (Keys Included)
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 322(H) mm
- Materials: Powder-Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

4 Small Drawers Cabinet



33SC4SDR

9355627001116

- Fully Assembled with 4 Small Drawers
- Drawers Individually Lockable (Keys Included)
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 417(H) mm
- Materials: Powder-Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

5 Small Drawers Cabinet



33SC5SDR

9355627001109

- Fully Assembled with 5 Small Drawers
- Drawers Individually Lockable (Keys Included)
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 544(H) mm
- Materials: Powder-Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

7 Small Drawers Cabinet



33SC7SDR

9355627001079

- Fully Assembled with 7 Small Drawers
- Drawers Individually Lockable (Keys Included)
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 740(H) mm
- Materials: Powder-Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

2 Large & 1 Small Drawers Cabinet



33SC2L1SDR

9355627001123

- Fully Assembled with 1 Small & 2 Large Drawers
- Drawers Individually Lockable (Keys Included)
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 417(H) mm
- Materials: Powder-Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

2 Large & 2 Small Drawers Cabinet



33SC2L2SDR

9355627001093

- Fully Assembled with 2 Small & 2 Large Drawers
- Drawers Individually Lockable (Keys Included)
- Includes Removeable Rubber Mat for Top Surface & Standard Adaptor Kit for Floor Mounting
- Dimensions: 420(W) x 461(D) x 544(H) mm
- Materials: Powder-Coated Steel

PACKAGING	Heavy-Duty Brown Box with Label
QUANTITIES	Sold Individually

Small Drawer - Suits StorageTek Small Drawer Cabinet



33SCDRS

9355627000751

- Spare Drawer to Suit StorageTek Drawer Cabinets Small Drawer Cavity
- Key Lockable (Keys Included)
- Dimensions: 455(W) x 391(D) x 91(H) mm
- Materials: Dark Grey Powder-Coated Steel

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

CABINETS - DRAWERS (continued)

Large Drawer - Suits StorageTek
Larger Drawer Cabinet



33SCDRL

9355627000768

- Large Spare Drawer to Suit StorageTek Cabinet
- Key Lockable (Keys Included)
- Dimensions: 455(W) x 391(D) x 139(H) mm
- Materials: Dark Grey Powder-Coated Steel

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Small Size Lockable
Universal Drawer



33STUDS

9340591013999

- Designed to Store a StorageTek Small Case and is compatible with RolaCase, Fischer & TekPak Cases
- Key Lockable (Keys Included)
- Dimensions: 455(W) x 391(D) x 91(H) mm
- Materials: Dark Grey Powder-Coated Steel

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Cabinet Stabilisation Bar



33SCBAR

9355627001147

- Heavy-Duty Bar Designed to Keep Cabinet Sides Sturdy and Stable
- Suits Larger StorageTek Cabinets That House 5 & 7 Cases
- Materials: Black Powder-Coated Steel

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Cabinet Universal Adaptor Kit



33SCUAK

9355627011047

- Mounting Kit for Floor or Wall Mounting
- Kit Includes: 4x Long L-Shaped Mounting Feet with 8x Screws & Locking Nuts
- Materials: Steel

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 30

Cabinet Vertical Stacking Kit



33SCVSK

9355627011054

- Suits All StorageTek Drawer Cabinets
- Allows for Secure Vertical Stacking
- Kit Includes: 4x Straight Brackets with 16x Screws & Locking Nuts
- Materials: Steel

PACKAGING	Poly Bag with Label
QUANTITIES	Carton: 30

Spare Keys Set for Drawers



33SKEYS

9355627001154

- 2x Steel Keys to Suit StorageTek Drawers

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

BINS

Bin Size #1



33SB1-BL (Blue)

9355627000430

33SB1-RD (Red)

9355627000874

33SB1-YL (Yellow)

9355627000935

- Shelf Stackable or Louvre Panel Mountable
- Grooves and Tabs for Nested or Vertical Stacking
- Replaceable Label Holder • Bin Capacity: 2kg
- Dimensions: 90(W) x 112(D) x 51(H) mm
- Material: PP (Polypropylene Plastic)
- Available Colours: Blue, Red & Yellow

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 60

Bin Size #2



33SB2-BL (Blue)

9355627000447

33SB2-RD (Red)

9355627000881

33SB2-YL (Yellow)

9355627000942

- Shelf Stackable or Louvre Panel Mountable
- Grooves and Tabs for Nested or Vertical Stacking
- Replaceable Label Holder • Bin Capacity: 5kg
- Dimensions: 105(W) x 162(D) x 76(H) mm
- Material: PP (Polypropylene Plastic)
- Available Colours: Blue, Red & Yellow

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 30

Bin Size #3



33SB3-BL (Blue)

9355627000454

33SB3-RD (Red)

9355627000898

33SB3-YL (Yellow)

9355627000959

- Shelf Stackable or Louvre Panel Mountable
- Grooves and Tabs for Nested or Vertical Stacking
- Replaceable Label Holder • Bin Capacity: 9kg
- Dimensions: 138(W) x 220(D) x 125(H) mm
- Material: PP (Polypropylene Plastic)
- Available Colours: Blue, Red & Yellow

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 30

BINS (continued)

Bin Size #4



33SB4-BL (Blue)	9355627000461
33SB4-RD (Red)	9355627000904
33SB4-YL (Yellow)	9355627000966

- Shelf Stackable or Louvre Panel Mountable
- Grooves and Tabs for Nested or Vertical Stacking
- Replaceable Label Holder • Bin Capacity: 14kg
- Dimensions: 205(W) x 276(D) x 168(H) mm
- Material: PP (Polypropylene Plastic)
- Available Colours: Blue, Red & Yellow

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 24

Bin Size #5



33SB5-BL (Blue)	9355627000478
33SB5-RD (Red)	9355627000911
33SB5-YL (Yellow)	9355627000973

- Shelf Stackable or Louvre Panel Mountable
- Grooves and Tabs for Nested or Vertical Stacking
- Replaceable Label Holder • Bin Capacity: 16kg
- Dimensions: 205(W) x 330(D) x 168(H) mm
- Material: PP (Polypropylene Plastic)
- Available Colours: Blue, Red & Yellow

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 24

Bin Size #6



33SB6-BL (Blue)	9355627000485
33SB6-RD (Red)	9355627000928
33SB6-YL (Yellow)	9355627001055

- Shelf Stackable or Louvre Panel Mountable
- Grooves and Tabs for Nested or Vertical Stacking
- Replaceable Label Holder • Bin Capacity: 19kg
- Dimensions: 410(W) x 276(D) x 168(H) mm
- Material: PP (Polypropylene Plastic)
- Available Colours: Blue, Red & Yellow

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 8

Bin Size #4 & #6 Divider



33STB46DBK (Black)	9355627000492
---------------------------	---------------

- Used to Compartmentalise Bin Sizes #4 & #6
- Dimensions: 5.8(W) x 261(D) x 150(H) mm
- Material: PP (Polypropylene Plastic)
- Available Colours: Black & Blue

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 12

Bin Size #5 Divider



33STB5DBK (Black)	9355627000508
--------------------------	---------------

- Used to Compartmentalise Bin Size #5
- Dimensions: 4.6(W) x 315(D) x 145(H) mm
- Material: PP (Polypropylene Plastic)
- Available Colours: Black & Blue

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 12




LOUVERED PANELS



33SLPSS



33SLPSM



33SLPSL

Louvered Panels

33SLPSS (Single, Short)	9355627000379
33SLPSM (Single, Medium)	9355627000386
33SLPSL (Single, Long)	9355627000393
33SLPWS (Double, Short)	9355627000409
33SLPWM (Double, Medium)	9355627000416
33SLPWL (Double, Long)	9355627000423

- Ideal for StorageTek Bins (Sold Separately)
- Allows for Multiple Bin Configuration
- Countersunk Screw Holes Every 3 Rows for Greater Load Bearing
- Materials: Light Grey, Powder-Coated Steel (13.2mm Thick)
- Available Widths: Single & Double
- Available Lengths: Short, Medium & Long
- Dimensions:

33SLPSS (Single, Short):	457(W) x 457(H) x 13.2(D) mm
33SLPSM (Single, Medium):	457(W) x 914(H) x 13.2(D) mm
33SLPSL (Single, Large):	457(W) x 1829(H) x 13.2(D) mm
33SLPWS (Double, Short):	914(W) x 457(H) x 13.2(D) mm
33SLPWM (Double, Medium):	914(W) x 914(H) x 13.2(D) mm
33SLPWL (Double, Large):	914(W) x 1829(H) x 13.2(D) mm

PACKAGING	Single Piece with Label
QUANTITIES	Carton: 6 (33SLPSS / 33SLPSM) 4 (33SLPSL / 33SLPWS) 3 (33SLPWM / 33SLPWL)

TOOL/SITE BOXES

Yellow Medium Tool Box



27SMTB

9340591013890

- Weight Capacity: 45Kg
- Dimensions: 775(W) x 430(D) x 310(H) mm
- Materials: Heavy-duty, 1.4mm Gauge Steel
- High Visibility, Yellow Powder-Coated Finish
- Chain-Secured Lid
- Strong, Side Carry Handles
- Padlockable Lid Latch

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Yellow Small Site Box



27SB1942

9340591013906

- Weight Capacity: 400Kg
- Dimensions: 812(W) x 483(D) x 445(H) mm
- Materials: Heavy-duty, 1.4mm Gauge Steel
- High Visibility, Yellow Powder-Coated Finish
- Reinforced Lid with Concealed Hinges, 2 Gas Struts & Rubber Seal
- Recessed, Steel Handles
- Provision for 2 Recessed Padlocks
- Feet Allow for Forklift Prongs, or can be Fitted with 27SBCASTOR4PK Wheels (Sold Separately)

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Yellow Large Site Box



27SB2448

9340591013913

- Weight Capacity: 600Kg
- Dimensions: 1220(W) x 610(D) x 702(H) mm
- Materials: Heavy-duty, 1.4mm Gauge Steel
- High Visibility, Yellow Powder-Coated Finish
- Reinforced Lid with Concealed Hinges, 2 Gas Struts & Rubber Seal
- Recessed, Steel Handles
- Provision for 2 Recessed Padlocks
- Feet Allow for Forklift Prongs, or can be Fitted with 27SBCASTOR4PK Wheels (Sold Separately)

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Castor Wheel Set (4 Piece)



27SBCASTOR4PK

9340591013920

- Suits StorageTek 27SB1942 Small & 27SB2448 Large Site Boxes
- Includes 4 Swivel (2 Locking) Castor Wheels
- Wheels Add 165mm to Height of Site Box

PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

The PERFECT Storage Solution

www.storagetek.com.au



Whether it's cases, frames, cabinets, drawers, bins, louvered panels, or site boxes...

Storagetek,
will get
you sorted.



INDEX

BY MODEL NUMBERS	118
BY CATEGORY	120



BC2090

12B6CF

BC15300

BC3718

INDEX – MODEL NUMBER

01ACD12L	9	05BCFPSBK	25	06DC6PL3.0B	31	11C410	44	14JGFSB	69	16MCP4	78
01ACD14L	9	05BHLH	27	06DC6PL30B	31	11C412	44	14JGWC	70	16MFFT	78
01ACLP34F/POLY	9	05BHF3	25	06DC6PL5.0B	31	11C415	44	14JJB	69	17H12SPHDR	84
01ACLP34FB	9	05BHFP5	25	06HD500	33	11C420	44	14JMFS	67	17HAV2HDMI	84
01ACLP4/5	12	05CRJ456J	26	06HDAOC15	33	11C424	44	14JPT	69	17HEXT1	84
01ACLPMINI4/5	12	05CRJ45C3	26	06HDAOC20	33	11D615	44	14JPTB	69	17HHDIM2AV	84
01BUTRIFL	12	05CRJ45C6	26	06HDAOC30	33	11D620	44	14JPTD	69	17HOPSP12	84
01BUWX16L	11	05CRJ45C6A	26	06HDAOC50	33	11D625	44	14JSACHS	72	17HPHD1V4	84
01BUWX18L	11	05DAWP01	23	06HDF1	33	11E109	44	14JSBC1Z	66	17HSCSP12	84
01CUPA2L	12	05DAWP01BK	23	06HDF1.8	33	11E116	44	14JSBC2	66	18ASF	86
01CUPA2LPOLY	12	05DAWP02	23	06HDF3	33	11E120	44	14JSE075-6	68	18ASF-500	86
01DLPF3	6	05DAWP02BK	23	06HDF5	33	11E124	44	14JSE075-8	68	18ASF-7000V3	86
01DV304L	6	05DRWBL	27	06ILC7241	32	11E127	44	14JSE175-8	68	19AJ90	88
01DV304LW	6	05DRWBS	27	06IP5LEAD1B	32	11E130	44	14JUSBP	62	19ASM65S	88
01DV307L	6	05DRWP2	27	06IUSBMF5M	32	12B6FC	46	14KCCL	67	19ASM83S	88
01DV307LW	6	05DWP00	23	06IUSBMM5M	32	12B6FSLQ	46	14KOVb	68	19CDS2	88
01DV310L	6	05DWP00BK	23	06LSCAPC10.0	30	12B6PF	47	14KUBL	68	19CDS4	88
01DV314L	7	05DWP01	23	06LSCAPC5.0	30	12B6RB	47	14KUBM	68	19LNBSKDUAL	88
01DY4A-4G	8	05DWP01BK	23	06LSCAPC50.0	30	12BPC6CF	47	14KUNVGAL	68	19LNBSKQUAD	88
01DY6A-4G	8	05DWP02	23	07ADP10F	36	12BRACMC	47	14KVB	68	19LNBSKSGL	88
01EDAB	14	05DWP02BK	23	07CCS101UV	36	12C1IRB	47	14KVB	68	19UECDS5000	88
01EFM3	14	05DWP03	23	07CUVJ3	36	12CTER	46	15AAT	76	22PB510	91
01FFIA	10	05DWP03BK	23	08AF03	36	12CPC1ICF	47	15AAT1i	76	22PB55	90
01GLPDA-5G	14	05DWP04	23	08AF06	36	12D59	47	15ADT	76	22PB6	90
01GWIFIA	13	05DWP04BK	23	08AF09	36	12D59F	47	15AITB	76	22PFX900B	90
01TBUV5-4G	9	05DWP05	23	08AF10	36	12D59I	47	15AITB21	76	22PLB101	90
01TBUV5-4GTP	9	05DWP05BK	23	08AF12	36	12E6	47	15AITRAIN	76	22PLB101EA	91
01TBUV7-4G	10	05DWP06	23	08AF16	36	12E6F	47	15AITWH	76	22PLB109B	91
01TBUV7F-4G	10	05DWP06BK	23	08AF20	36	12E6I	47	15ASILG	76	22PLB110B	91
01TBV5-4G	8	05DWPM	24	09ABPFA	36	12IC68P8CS/SLD	48	15BCT100	75	22PLBCM44	92
01TBV7-4G	8	05DWPMBK	24	09ABPFB	36	12IDC6RJ458P8C	48	15BCT100B	75	22PRO6	92
01TBV7-4GTP	8	05DWPMDF	24	09ABPFC	36	12IPK3930	48	15BCT150	75	22PT4090B	90
01TCH	10	05DWPMF	24	09ABPFD	36	13AFFM	50	15BCT150B	75	23MDPP246	94
01TSF2851-4G	11	05DWPMFBK	24	09ABPFE	36	13AFMPM	50	15BCT200	75	24A18R66FPS	97
01TSP2851-4G	11	05DWPMR	24	09ALPF694MA	36	13AFMPMRA	50	15BCT200B	75	24A22R66FPS	97
02BDRG6QBE	16	05DWPMRBK	24	09CDCBL2	37	13APFFF	51	15BCT300	75	24A27R66FPS	97
02BDRG6QWRI	16	05DWPMPS	24	09CDCIT2	37	13APPF	51	15BCT300B	75	24A32R66FPS	97
03B144B3-GY	17	05DWPMPSBK	24	09CDCPI	37	13APPM	51	15BHLT150	74	24A37R66FPS	97
03B144B3-WH	17	05E154U	24	09HDA-2 L WE	40	13AQCF	51	15BHLT250	74	24A37R68FPS	97
03B146B3-GY	17	05E155N	24	09HDA-2 R WE	40	13ARCAFFMG	51	15BHLTR10	74	24A42R66FPS	97
03B146B3-WH	17	05E155U	24	09HDA-2 V WE	40	13BBNCBNCC	51	15BHLTR15	74	24A42R68FPS	97
03C10516R1	18	05EMB35	24	09HDA-2 V-S/WHT	40	13BBNCMPF	51	15BSACTM	75	24A45R66FPS	97
03C1716R1	18	06A15MTB	30	09HHDEL-25M-1.5-YLW	40	13BBNCRCFAF	51	15C06MBLK	75	24A45R68FPS	97
03C6516R1	18	06A18MB	30	09HHDEL-25M-YLW	40	13C2RCAFF	51	15C06MWH	75	24B12RW64	96
03CSP4CORER1	18	06A18MQB	30	09HHDELHV-25M-ORG/WP	40	13COPTIC	31	15C07MBLK	75	24B12RW64FPS	96
03JCAT6-BL	17	06A18MQW	30	09HPB-10-HT3/BLK	41	13CRCAFF	51	15C07MWH	75	24B12RWS66FPS	97
03JCAT6-GN	17	06A18MW	30	09HPB-4 WE	41	13CRCAFF	51	15C6T	75	24B15RW64FPS	96
03JCAT6-GY	17	06A218MQB	30	09HPB-4 WE/2P	41	13CRCAFFFG	51	15CC2010	74	24B18RW64FPS	96
03JCAT6-PR	17	06A315MTB	30	09HPB-4-IS/BLK	41	13CRCAFFM	51	15CC2025	74	24B18RW66FPS	96
03JCAT6R3JF	17	06A318MQB	30	09HPB-4-IS/WHT	41	13CRCAMFFRA	51	15CC2050	74	24B18RWS66FPS	97
03JCAT6-RD	17	06A318MQW	30	09HPB-6 WE	41	13CRCAMFRA	51	15CC2510	74	24B4RW63	96
03JCAT6-YL	17	06A33MQB	30	09HPB-6 WE/2P	41	14ALARMGAL	66	15CC2525	74	24B4RWS66FPS	97
03JDCAT6BL	17	06A33MQW	30	09HPBL4	40	14ASMTW	62	15CC2550	74	24B6RW63	96
03JDCAT6GN	17	06BA10	31	09HPL240/3	41	14ASMTWE	62	16A06	79	24B6RW64	96
03JDCAT6YL	17	06BA18	31	09HPL240/3/90	41	14ATPM1.2	62	16A06A	79	24B6RW64FPS	96
04AMENC01	20	06BA3	31	09HPL240/33-1	41	14ATPM1.2HD	62	16A318	80	24B6RWS66FPS	97
04AMENC02	20	06BA5	31	09HPL240/8P	41	14ATPM1.8	62	16B224	78	24B9RW63	96
05A1FU3	22	06BAU0.5	31	09HPL240/CL	41	14ATPM1.8HD	62	16B611	81	24B9RW64	96
05A2FP	22	06BAU1	31	09HPL3-10 L WE	40	14ATPM2.4	62	16B61IC	81	24B9RW64FPS	96
05ABL	22	06BAU10	31	09HPL3-15 L WE	40	14ATPM2.4HD	62	16BCSH	78	24B9RWS66FPS	97
05ABLF	22	06BAU15	31	09HPL3-2 L WE	40	14ATPMBKE	62	16BCT10	80	24C2RHWF	95
05APFP	22	06BAU2	31	09HPL3-20 L WE	40	14ATPMBKE-ZBKT3	62	16BCT12	81	24C4RHWF	95
05BC5B	27	06BAU20	31	09HPL3-3 L WE	40	14BGMGAL	64	16BCT2	81	24C6RHWF	95
05BC5BBLK	27	06BAU3	31	09HPL3-5 L WE	40	14BGMGAL2	64	16BCT4	81	24DIRUBL	94
05BC5R	27	06BAU5	31	09HPL3-7 L WE	40	14BMFB	63	16BCT6	80	24DIRUBST	94
05BC5RBLK	27	06BAVL03	31	09HPL3-Y L	40	14BRMGAL	63	16BCT6P1	80	24DIRUCMHR	94
05BC6BK	25	06BAVL03CV	31	09HPRSD-AUTO-10MM/15.0M	40	14CCM	72	16BCT6P2	80	24DIUCS30	95
05BC6RBK	26	06BAVL03CV10	31	09HTEPOW01	41	14CGMGAL	64	16BCT6P3	80	24DIUCS45	95
05BC6RV2	26	06BAVL03CV20	31	10BSPF12	44	14CWMSA	63	16BCT6P4	80	24DIUSKBT	95
05BC6TBKV2	26	06BAVL03CV3	31	10BSPF16	44	14DFWM	67	16BCT7	81	24D2RUBL	94
05BC6TV2	26	06BAVL03CV5	31	10BSPF2	44	14DWB09GAL	64	16BCTKIT	82	24D2UCS30	95
05BC6V2	25	06COPT1	31	10BSPF3	44	14DWB18GAL	65	16BCTTRS	80	24D2UCS45	95
05BC7T	26	06COPT1-1.8	31	10BSPF4	44	14ECKKGAL	60	16BFTOOL	78	24D3RUBL	94
05BC7TBK	26	06COPT1-10	31	10BSPF6	44	14ECSGAL	60	16BFTW1	78	24D4RUBL	94
05BC8	27	06COPT1-15	31	10BSPF8	44	14FSBE	70	16BFTW11	78	24DCNUT12	94
05BC9CA	26	06COPT1-2.5	31	11A110	44	14FSBE1	70	16BSTFT	79	24DFAN	94
05BCBBB	25	06COPT1-20	31	11A112	44	14GM2032	65	16BXTF038	80	24DFS270	95
05BCBF	25	06COPT1-3	31	11A115	44	14GM3038	65	16CDTK	82	24DFS35	95
05BCBL	27	06COPT1-5	31	11A120	44	14GMC1	66	16CHDMIT	86	24DFS55	95
05BCBLBK	27	06DC6PL0.5B	31	11B210	44	14GMC2	66	16DPD1	80	24DMIUCS30	95
05BCBLH	27	06DC6PL1.0B	31	11B212	44	14GMC3	66	16DPD10	80	24EH8PDU	94
05BCFF3	25	06DC6PL1.0B	31	11B215	44	14GMC3ATCAP	72	16DPD10B	80	24F6RWM33F	95
05BCFF3BK	25	06DC6PL15B	31	11B220	44	14GTM10	65	16FPSD6	78	24F9RWM33F	95
05BCFFG2	25	06DC6PL2.0B	31	11B224	44	14JALITI	69	16GGS900	82	24HH1000	99
05BCFFPS	25	06DC6PL20B	31	11B230	44	14JGFS	69	16JMRPEELER	76	24HH2HF	98

24HH520	99	33SCS2L2S	112	BC2844-6PACK	61	BC85276	54	BC85362	58	FB606366	66
24HH720	99	33SCS2L2SA-BL	112	BC2844BK	61	BC85278	54	BC85363	58	FB606374	67
24HHIDIN	98	33SCS2LA-BL	112	BC2844-MAST	61	BC85279	54	BC85364	58	FB606404	64
24HHOF	98	33SCS2S	112	BC286	69	BC85280	54	BC85365	58	FB606648A	72
24HHSF	98	33SCS2SA-BL	112	BC2880	61	BC85281	54	BC85366	58	FB606874	63
24SECCAB	100	33SCS3S	112	BC2880-6PACK	61	BC85282	54	BC85367	58	FB607011A	72
27CT075100.8	105	33SCS3SA-BL	112	BC294	69	BC85283	55	BC85368	58	FB607012A	72
27CT100100.8	105	33SCS4S	112	BC3607	36	BC85284	55	BC85369	58	FB607024A	63
27CT150100.8	105	33SCS4SA-BL	112	BC3608B	30	BC85285	55	BC85370	58	FB607042A	71
27CT225100.8	105	33SCS5S	112	BC3618B	51	BC85286	55	BC85371	58	FB607042A-BLK	71
27CT300100.8	105	33SCS5SA-BL	112	BC3626B	30	BC85287	55	BC85372	58	FB607043	71
27ECLP	105	33SCS7S	112	BC3718	50	BC85288	55	BC85373	58	FB607058	72
27ECT	105	33SCS7SA-BL	112	BC3718B	50	BC85289	55	BC85374	58	FB607070	70
27ERD	105	33SCS7STA-BL	112	BC3720B	50	BC85290	55	BC85375	58	FB607137C	71
27MA12	105	33SCUAK	114	BC3720HR	50	BC85291	55	BC85376	58	FB607150A	71
27MB1212U	102	33SCVSK	114	BC46034	17	BC85292	55	BC85377	58	FB607162	71
27MB1614U	102	33SFD2L3S	111	BC5728	50	BC85293	55	BC85378	58	FB607163	71
27MB1818U	102	33SFD2L3SA-BL	111	BC5728B	50	BC85294	55	BC85379	58	FB607174	72
27MB2424UA	102	33SFD2L7S	111	BC602746	65	BC85295	55	BC85380	58	FB607198	61
27MB2424UA3	102	33SFD2L7SA-BL	111	BC602762	65	BC85296	55	BC85381	58	FB607202	67
27MB2436UA	102	33SFD4L	111	BC602826	65	BC85297	55	BC85382	58	FB607218	68
27MB3636UA	102	33SFD4LA-BL	111	BC602922	65	BC85298	55	BC85383	58	FB607226	72
27MBTS3P	104	33SFD6S	111	BC602930	65	BC85299	56	BC85384	58	FB607227	71
27MBTSE-BOX	104	33SFD6SA-BL	111	BC602948	65	BC85300	56	BC85385	58	FB607229A	71
27MBTSE-STAND	104	33SFS2L	111	BC602972	65	BC85301	56	BC85386	58	FB607231A	71
27MBTSG	104	33SFS2LIS	111	BC71150	50	BC85302	56	BC85387	58	FB607236	61
27MD12	105	33SFS2LISA-BL	111	BC71150B	50	BC85303	56	BC85388	58	FB607237A	71
27MH	105	33SFS2L2S	111	BC71442B	80	BC85304	56	BC85389	58	FB607238A	71
27ML2424N	104	33SFS2L2SA-BL	111	BC71502	16	BC85305	56	BC85390	58	FB607248	71
27MP2424DH	104	33SFS2LA-BL	111	BC71588B	79	BC85306	56	BC85391	58	FB607251	10
27MP2424UH	104	33SFS2S	110	BC71622	50	BC85307	56	BC85392	58	FB607286	61
27MR1212U-4	102	33SFS2SA-BL	110	BC71774	82	BC85308	56	BC85393	58	FB607287	62
27MR1212U-6	102	33SFS3S	110	BC72028A	46	BC85309	56	BC85394	58	FB607288	62
27MR1414U-4	103	33SFS3SA-BL	110	BC72241DP	81	BC85310	56	BC85407	58	FB607292	63
27MR1414U-6	103	33SFS4S	110	BC72483A	47	BC85311	56	BC85408	58	FB607301	64
27MR1614U-4	103	33SFS4SA-BL	110	BC73398A	81	BC85312	56	BC85409	58	FB607302	64
27MR1614U-6	103	33SFS5S	111	BC73525A	90	BC85313	56	BC85410	58	FB607303	64
27MR1812U-4	103	33SFS5SA-BL	111	BC73975A	90	BC85314	57	BC85411	58	FB607304	64
27MR1812U-6	103	33SFSK	111	BC74279H	88	BC85315	57	BC85412	58	FB607305	64
27MR1818U-4	103	33SKEYS	114	BC74610	18	BC85316	57	BC85413	58	FB607306	64
27MR1818U-6	103	33SLPSL	115	BC74611	18	BC85317	57	BC85414	58	FB607307	64
27MR2424UC	103	33SLPSM	115	BC74612	18	BC85318	57	BC85415	34	FB607308	64
27SB1942	116	33SLPSS	115	BC74623H	88	BC85319	57	BC85416	34	FB607311	10
27SB2448	116	33SLPWL	115	BC74727	22	BC85320	57	BC85417	34	FB607313	60
27SBCASTOR4PK	116	33SLPWM	115	BC75752	75	BC85321	57	BC85418	34	FB607314	61
27SC20	105	33SLPWS	115	BC78199	91	BC85322	57	BC85419	34	FB607317	60
27SC25	105	33STB46DBK	115	BC78200	91	BC85323	57	BC85420	82	FB607318	60
27SC32	105	33STB5DBK	115	BC78202	90	BC85324	57	BC85421	79	FB607327	60
27SMTB	116	33STL-BK	110	BC79588	91	BC85325	57	BC85422	79	FB607332	60
33CLASPS-BK	110	33STL-BL	110	BC80455	90	BC85326	57	BC86810	75	FB607334	60
33CLASPS-RD	110	33STLC-BK	110	BC80490	46	BC85327	57	BC86921HR	22	FB608007A	7
33PCLID	110	33STLC-BL	110	BC80490B	46	BC85328	57	BC87007B	81	FB608008A	7
33SB1-BL	114	33STLC-GY	110	BC81407	22	BC85329	57	BC87045	50	FB608601-4G	13
33SB1-RD	114	33STLC-RD	110	BC85084	16	BC85330	57	BC87045B	50	FB68A	66
33SB1-YL	114	33STL-GY	110	BC85085	16	BC85331	57	BC87156B	47	FB76A	66
33SB2-BL	114	33STL-RD	110	BC85087	16	BC85332	57	BC87157	47	FB84A	66
33SB2-RD	114	33STS-BK	110	BC85120	16	BC85333	57	BC87157B	47	FB901222	67
33SB2-YL	114	33STS-BL	110	BC85125	91	BC85334	57	BC88095	46	FB901302	70
33SB3-BL	114	33STSC-BK	110	BC85126	70	BC85335	57	BC88097	46	FB901310	70
33SB3-RD	114	33STSC-BL	110	BC85127	33	BC85336	57	BC88181	82	FB901706	69
33SB3-YL	114	33STSC-GY	110	BC85128	33	BC85337	57	BC88214B	22	FB902048	70
33SB4-BL	115	33STSC-RD	110	BC85129	33	BC85338	57	BC89237F	46	FB902056	70
33SB4-RD	115	33STS-GY	110	BC85130	33	BC85339	57	FB156A	65	FB902064	70
33SB4-YL	115	33STS-RD	110	BC85138	33	BC85340	57	FB164A	65	FB902072	70
33SB5-BL	115	33STUDS	114	BC85191	81	BC85341	57	FB172A	65	FB902080	70
33SB5-RD	115	33SWHEELS	113	BC85203	16	BC85342	57	FB180A	65	FB902098	70
33SB5-YL	115	BC14302	46	BC85204	16	BC85343	57	FB50A	66	FB902102	66
33SB6-BL	115	BC14302B	46	BC85205	16	BC85344	57	FB601308B	7	FB902110	66
33SB6-RD	115	BC15164B	44	BC85206	16	BC85345	57	FB602350	67	FB902178	66
33SB6-YL	115	BC15166B	44	BC85207	16	BC85346	57	FB602376	66	FB902186	66
33SC2L1SDR	113	BC15171	79	BC85208	17	BC85347	57	FB602384	67	FB902194	66
33SC2L2SDR	113	BC15171B	79	BC15171	17	BC85348	57	FB602392	67	FB902224	70
33SC3D	113	BC15172B	79	BC85211	17	BC85349	57	FB602406	64	FB902240	70
33SC3SDR	113	BC15203A	46	BC85218	86	BC85350	57	FB602430	60	FB902312	70
33SC4D	113	BC15254B	44	BC85219	86	BC85351	57	FB602498	66	FB902320	70
33SC4SDR	113	BC15298	50	BC85220	86	BC85352	57	FB602594	65	FB902328	66
33SC5D	113	BC15306	50	BC85266	54	BC85353	57	FB602608	65	FC658002C	20
33SC5SDR	113	BC15482B	44	BC85267	54	BC85354	57	FB602616	65	FC658005C	20
33SC7D	113	BC15484B	44	BC85268	54	BC85355	57	FB602770	70	FC658233C	20
33SC7SDR	113	BC2090	46	BC85269	54	BC85356	57	FB602842	63	FC658261C	20
33SCBAR	114	BC2090B	46	BC85270	54	BC85357	57	FB603004	63	FC658274A	20
33SCDRL	114	BC2092	46	BC85271	54	BC85358	57	FB603298	64	GI1890	13
33SCDRS	113	BC2092B	46	BC85272	54	BC85359	57	FB603554	65	GI1892	13
33SCS2L	112	BC2843	78	BC85273	54	BC85360	58	FB603684	66	S2119V2	98
33SCS2LIS	112	BC2844	61	BC85274	54	BC85361	58	FB606340	63	S2707	98
33SCS2LISA-BL	112			BC85275	54						

3G/4G/5G	
ANTENNAS	13-14
50 OHM	
CABLES	16-17
ACCESSORIES	
AMPLIFIER	20
ANTENNA	10
MAST	66-70
ADAPTORS	49-52
BNC	51
F-TYPE	50
PAL	51
RCA	51
RF COMMUNICATIONS	55-56
AMPLIFIERS	19-20
ACCESSORIES	20
DISTRIBUTION	20
MASTHEAD	20
ANTENNAS	5-14
3G/4G/5G/WI-FI	13-14
ACCESSORIES	10
INDOOR	10
LOG	6,8-10
MOUNTS	60-65
PHASED ARRAY	7,12-13
RADIO	14
UHF	11-13
VHF	6-8
VHF/UHF COMBO	9-10
YAGI	6-12
ATTENUATORS	36
AUDIO	
CABLES	18
INSERTS	27
PATCH LEADS	31
AV EQUIPMENT	83-84
CONVERTERS	84
EXTENDERS	84
MODULATORS	84
SPLITTERS	84
BALUNS	36
BNC	
ADAPTORS	51
CONNECTORS	47
INSERTS	25
BRACKETS	89-92
TV - CEILING	92
TV - FIXED	90
TV - FULL MOTION	91
TV - TILT	90
PROJECTOR	92
CABLES	15-18
ACCESSORIES	10
CADDY	78
CLIPS	75
CLIP CABLE HANGERS	10
COAXIAL	16-17
CONDUIT	74
DATA	17
HOOK & LOOP TIES	74
PULLERS	78
SECURITY	17
SHEARS	78
SPEAKER	18
STRIPPERS	79
TESTERS	82
TIES	74
TRAYS	74
CABLE PULLERS	78
CAT6	
CONNECTORS	48
PATCH LEADS	31
CATENARY WIRE / GUY WIRE	70
COAXIAL	
CABLES	16-17
CRIMPING TOOLS	81
PATCH LEADS	36

CONNECTORS	45-48
BNC	47
F-TYPE	46-47
PAL	47
PROTECTIVE BOOT	47
RCA	47
RF COMMUNICATIONS	54-55
RJ45 CAT6	48
COMPRESSION TOOLS	80
CONSUMABLES	73-76
CABLE CLIPS	75
CABLE CONDUIT	74
CABLE TIES	74
CABLE TIE MOUNTS	74
HOOK & LOOP TIES	74
SEALANT	76
TAPE	76
COUPLERS	44
CRIMPING TOOLS	81
DATA	
CABLES	17
CRIMPER	81
PATCH LEADS	31
DATA CABINETS	93-97
ACCESSORIES	94
DATA CABINETS - FLOOR	97
DATA CABINETS - WALL	95-97
HOME HUBS	98-99
SECURITY CABINETS	100
SHELVES & BRACKETS	95
DC BLOCKERS	37
DIPLEXERS	36
DISTRIBUTION AMPLIFIERS	20
ENCLOSURES	20
MASTHEAD AMPLIFIER	20
EXTENSION LEADS	40
F-TYPE	
ADAPTORS	46
CONNECTORS	46-47
INSERTS	25
WALL PLATES	22
FIBRE OPTIC	
ADAPTORS	31
PATCH LEADS	30-31
FILTERS	36
GUY WIRE	70
GUY CLEATS	70
GUY FOOT	69
GUY PLATES	69-70
THIMBLES	70
TURNBUCKLES	69
WIRE CLAMPS	70
HARDWARE	59-72
ANTENNA MOUNTS	60-65
CHIMNEY	60
EAVE/FASCIA	63-64
GUTTER	64
GUY WIRE	70
MAST ACCESSORIES	66-70
MASTS & TELOMASTS	65
POA RISERS	64
RAFTER	62-63
ROOF	60-62
STAY BARS	70
WALL	64-65
C-CLAMPS	67
MISCELLANEOUS	60,72
SATELLITE MOUNTS	71-72
ALTERNATE	72
GUTTER	71
ROOF	71
SCREWS	68-69
STARLINK MOUNTS	60
U-BOLTS	67-68
V-BLOCKS	68
WALL PLATE	24

HOME HUB ENCLOSURES	98-99
HDMI	
INSERTS	25-26
PATCH LEADS	33-34
TESTER	86
KEYSTONE INSERTS	26
LEADS	29-34
AUDIO	31
CAT6	31
COAXIAL	30
FIBRE OPTIC	30-31
HDMI	33
POWER	40-41
RF COMMUNICATIONS	57-58
USB	32
MASTS	65
ACCESSORIES	66-70
STANDARD	65
TELOMASTS	65
MASTHEAD AMPLIFIERS	20
METERS	85-86
HDMI TESTER	86
SATELLITE	86
SATELLITE/TERRESTRIAL	86
TERRESTRIAL	86
METER BOXES	102-104
ACCESSORIES	104
PANEL & SURROUNDS	102-103
TEMPORARY METER BOXES	104
MOUNTING BLOCKS	24
MULTIMETERS	82
PAL	
ADAPTORS	51
CONNECTORS	47
PATCH LEADS	30
PLASTER CLIPS	24
POWER ADAPTORS	40
POWER BOARDS	41
POWER BLOCKS	40
POWER INSERTERS	37
POWER LEADS	41
POWER PRODUCTS	39-42
ACCESSORIES	10
ADAPTORS	40
EXTENSION LEADS	40
POWER BOARDS	41
POWER LEADS	41
PROTECTIVE BOOT	47
PUNCH-DOWN TOOLS	80
RADIO	
ANTENNAS	14
RCA	
ADAPTORS	51
CONNECTORS	47
RECESSED WALL BOXES	27
RF COMMUNICATIONS	53-58
ADAPTORS	55-56
CONNECTORS	54-55
PATCH LEADS	57-58
RJ45	
CONNECTORS	48
MECH INSERTS	26
PATCH LEADS	31
SATELLITE	87-88
DISHES	88
LNB	88
MOUNTS	71-72
SET TOP BOXES	88
SWITCHES	88

SCREWDRIVERS	78
SECURITY CABINETS	100
SET TOP BOXES	88
SECURITY	107-108
CABINETS	100
CABLES	17
SILICONE SEALANT	76
SKIRTING OUTLETS	22
WALL PLATES	22
SPEAKER	
CABLES	18
SPLITTERS	44
STARLINK MOUNTS	60
STAY BARS	70
STORAGE	109-116
BINS	114-115
CABINET - CASES	112-113
CABINET - DRAWERS	113-114
CASES	110
FRAME - CASES	110-111
LOUVERED PANELS	115
TOOL/SITE BOXES	116
TAPE	76
AMALGAMATION	76
ELECTRIC	76
INSULATION	76
TOOLS	77-82
CABLE CADDY	78
CABLE PULLERS	78
CABLE STRIPPERS	79
COMPRESSION	80
CRIMPING	81
COAX	81
DATA	81
KITS	82
MISCELLANEOUS	78
MULTIMETERS	82
PUNCH-DOWN	80
ROOFING SHEET LIFTER	76
TESTERS	82
TOOL KITS	82
TORQUE SPANNERS	78
TOSLINK	
ADAPTORS	31
PATCH LEADS	30-31
USB	
INSERTS	26
PATCH LEADS	32
WALL PLATES	21-28
HARDWARE	24
INSERTS	25-27
AUDIO	27
BLANK	27
BNC	25
F-TYPE	25
HDMI	25-26
KEYSTONE	26
RJ45 MECH	26
USB	26
MOUNTING BLOCK	24
RECESSED WALL BOXES	27
SKIRTING PLATES	22
WALL PLATES	22-24
BRUSH	24
BULL NOSE	24
F-TYPE	22
GANG	23
MEDIA	24
WI-FI	13-14
ACCESSORIES	13-14
ANTENNAS	13-14

BITEK PTY LTD

www.bitek.com.au

☎ 1300 601 915 ✉ enquiry@bitek.com.au



Canberra

Head Office,
Showroom, Warehouse

1/13 Paspaley Street,
Hume, ACT, 2620

☎ 02 6260 1874

✉ actsales@bitek.com.au

Sydney

Showroom, Warehouse

7/463 Victoria Street,
Wetherill Park, NSW, 2164

☎ 02 9659 2272

✉ orders@bitek.com.au

Melbourne

Showroom, Warehouse

22 Constance Court,
Epping, VIC, 3076

☎ 03 9456 9222

✉ melbsales@bitek.com.au

Adelaide

Showroom, Warehouse

1 Temple Court,
Ottoway, SA, 5013

☎ 08 8395 4111

✉ sasales@bitek.com.au