

Superb Quality - Great Value - Huge Range



Catalogue 2021/22

www.simplylogcabins.co.uk Call Us: 01636 858 290 **(**

About us

Established in 2006

We are one of the largest importers and distributors of Log cabins, summerhouses, and other garden buildings in the UK. We pride ourselves on our huge range, superb quality, and excellent customer service. We can provide trusted and informative advice on all your cabin requirements, backed by over 14 years of experience in the industry.











Excellent Customer Service

Advice, & assistance to help you choose your dream cabin

Huge Range Available

There's something for everyone thanks to our fantastic range

Quality Guaranteed

We only import the very best quality buildings. We want to be the best!

Find the right building for you!



Log Cabins





Summerhouses





Garages



More ranges can be found on our website www.simplylogcabins.co.uk

Need assistance? Call us on 01636 858 290

Log Cabins



Out of all the building types, log cabins are the most versatile, they can be perfect for extending living spaces, creating garden offices, home gyms, and much more. We pride ourselves on our superb quality and make sure all our log cabins are constructed using the highest quality grade North European spruce, imported directly from Eastern Europe.













Included







Suitable for roof insulation?





No Yes

The Norland Barbados 6 features a pent style roof and lots of glass giving this large garden building a lovely aspect onto the garden. The Bingham 6 Log Cabin is ideal for many purposes including as a garden office, an extension to the living space or simply as a general purpose garden building.

Dimensions	
Floor area:	19.62 m²
Roof dimensions:	4.19 x 6.79 m (13' 9" x 22' 3") ft/in
Wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.34 m (7′ 8″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	18x90 mm
Roof surface:	31.89 m²
Roof angle:	3.7°
Windows & Doors	
Doors:	1 x Double door
Windows:	4 x Single Column style Windows Inward Opening (Tilt and Turn Operation)

Floor Plan 560 358,8 468,8

Shed Felt ☑ Green Shingles ☒ EPDM Rubber ☑ Black Shingles ☒	ROOI	Materia	ai Options	
Zi ziti itassei 🗀 ziaett siii igies 🗀			Green Shingles Black Shingles	











Included



Glazed





Suitable for roof insulation?






No Yes

The Norland Lancaster Log Cabin is a low ridge log cabin specifically designed to comply with the UK planning authority's lower ridge requirements where appropriate. If you are looking for an extension to your living space in the form of a garden office, a children's playroom, an Outdoor entertaining room of simply a hobby room or an escape down the garden then you need to look no further!

Dimensions	
Floor area:	12.78 m²
Roof dimensions:	3.46 x 5.40 m (11' 4" x 17' 8") ft/in
Wall height:	2 m (6′ 6″) ft/in
Ridge height:	2.39 m (7′ 10″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	18x90 mm
Roof surface:	19.44 m²
Roof angle:	16.2°
Windows & Doors	
Doors:	1 x Double Door
Windows:	2 x Double Windows (Inward Opening)



Roof	Materia	al Options	
Shed Felt	✓	Green Shingles	✓
EPDM Rubber	X	Black Shingles	\square

Shetland











Included







Treated*

Suitable for roof insulation?





No

The Norland Shetland Log Cabin is a large single room Log Cabin built from 44mm interlocking wall logs. It features lots of glass to the front of the cabin, with 2 full double drop length windows and a large double door. All glass is double glazed.

Dimensions	
Floor area:	16.49 m²
Roof dimensions:	3.47 x 6.25 m (11' 4" x 20' 6") ft/in
Wall height:	2.05 m (6′ 8″) ft/in
Ridge height:	2.45 m (8′ 10″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	18x90 mm
Roof surface:	22.50 m ²
Roof angle:	15.3°
Windows & Doors	
Doors:	1x Double Door: 158.0 x 186.5cm
Windows:	2x Double Fixed Window: 101.0cm x 178.0cm

625 300

Floor Plan

Roof Material Options			
Shed Felt EPDM Rubber	∠	Green Shingles Black Shingles	











Included



Glazed



Assembly



Pressure Treated*

Suitable for roof insulation?





No Yes

The Norland Muskham is manufactured to the classic garden office style specification including 44mm wall logs and double glazing. With the addition of the optional roof insulation and a little heating this building is ideal for use 12 months of the year as a garden office, a children's playroom, general hobby room or simply as a leisure building from where you can enjoy the garden.

Dimensions	
Floor area:	9.44 m²
Roof dimensions:	2.92 x 4.40 m (9′ 6″ x 14′ 5″) ft/in
Wall height:	2 m (6′ 6″) ft/in
Ridge height:	2.39 m (7′ 10″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	18x90 mm
Roof surface:	14.24 m²
Roof angle:	13/24.4°
Windows & Doors	
Doors:	1 x Double Door
Windows:	2 x Double Window

Floor Plan 250 98.5x133.6 98.5x133.6

Roof	Materia	al Options	
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	











Included



Glazed





Suitable for roof insulation?






No

This log cabin creates a lovely and very attractive feature in the garden and is ideal for use as a summer house, classic garden office or for almost any purpose. With the addition of the optional roof insulation and a little heating this building is ideal for use 12 months of the year as a garden office, a children's playroom, general hobby room or simply as a leisure building from where you can enjoy the garden.

Dimensions	
Floor area:	11.39 m²
Roof dimensions:	3.40 x 4.40 m (11′ 1″ x 14′ 5″) ft/in
Wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.39 m (7′ 10″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	18x90 mm
Roof surface:	16.3 m ²
Roof angle:	11/18.3/24.6°
Windows & Doors	5
Doors:	1 x Double Door
Windows:	3 x Double Window Tilt and Turn Inward Opening (Window in Gable End can be fitted in either end when assembling)



Ines 1

3.9m x 3m / 12′ 9″ x 9′ 10″









Included

Glazed





Suitable for roof insulation?






No Yes

The Palmako Ines Log Cabin is a mid-sized Log Cabin suitable for most garden sizes and features our Double Glazed Bi-Fold Doors featuring their extra low sill covered by a protective Stainless Steel Finish for ease of access. The superb quality, Double Glazed Bi-Fold doors are fully glazed featuring 3mm/9mm/3mm Glazing Units.

11.1 m²
16.3 m ² Roof area
2.11 m (6′ 11″) ft/in
2.49 m (8′ 2″) ft/in
19mm Tongue and Grooved Boards
19mm Tongue and Grooved Boards
16.3 m²
8°
1 x Bi-Fold Door 2650mm x 1830mm
Double glazed (Bi-Fold door)



Ines 2











Included







Suitable for roof insulation?






No Yes

The Palmako Ines Log Cabin is a mid-sized Log Cabin suitable for most garden sizes and features our Double Glazed Bi-Fold Doors featuring their extra low sill covered by a protective Stainless Steel Finish for ease of access. The superb quality, Double Glazed Bi-Fold doors are fully glazed featuring 3mm/9mm/3mm Glazing Units.

Dimensions	
Floor area:	13.7 m²
Roof dimensions:	19.7 m ² Roof area
Wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.49 m (8′ 2″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	19.7 m²
Roof angle:	8°
Windows & Doors	
Doors:	1 x Bi-Fold Door 2650mm x 1830mm
Windows:	Double glazed (Bi-Fold door)



Lea 1











Included







Suitable for roof insulation?






No Yes

The Palmako Lea log cabin features the extra wide, superb quality Bi-Fold Doors with there extra low sill covered by a protective Stainless Steel Finish for ease of access. Ideal as an extension to your living space in the garden, an outdoor dining room with the BBQ just outside or for many other purposes.

Dimensions	
Floor area:	14.2 m ²
Roof dimensions:	19.2 m ² Roof area
Wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.44 m (8′ 0″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	19.2 m²
Roof angle:	4 °
Windows & Doors	
Doors:	1 x Bi-Fold Door 2650mm x 1830mm
Windows:	Double glazed (Bi-Fold door)



KUUI	iviatei id	ai Options	
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	











Included

Glazed





Suitable for roof insulation?






No

The Palmako Lea 2 Log Cabin is a large garden building similar in styling to the large Palmako Lisa. Again the Lea features the extra wide, superb quality Bi-Fold Doors, Double Glazed with their extra low sill covered by a protective Stainless Steel Finish for ease of access. If you are looking for a garden office, children's play room, home gym and for many other purposes then the Lea is simply the ideal choice.

Dimensions		
Floor area:	19.4 m²	
Roof dimensions:	25.8 m ² Roof area	
Wall height:	2.11 m (6′ 11″) ft/in	
Ridge height:	2.49 m (8′ 2″) ft/in	
Roof & Floor		
Roof boards:	19mm Tongue and Grooved Boards	
Floor boards:	19mm Tongue and Grooved Boards	
Roof surface:	25.8 m ²	
Roof angle:	5.2°	
Windows & Doors		
Doors:	1 x Bi-Fold Door 2.65m x 1.83m	
Windows:	Double glazed (Bi-Fold door)	



Roof	Materia	al Options	
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	











Included

Glazed





Treated*

Suitable for roof insulation?






No

The Palmako Iris 9.6m² Log Cabin is an attractive featured Log Cabin for the garden. As the floor is optional the Palmako Iris Log Cabin can be used where a wooden floor may not be appropriate; for example as a workshop where there may be a lot of water etc.

Dimensions	
Floor area:	9.6 m ²
Roof dimensions:	14 m² Roof area
Side wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.60 m (8′ 6″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	19mm
Roof surface:	14 m²
Roof angle:	16.2°
Windows & Doors	
Doors:	1 x Double Door 1494mm x 1780mm
Windows:	1 x Single Window: 960mm x 648mm



Iris 11.1 | 3.9m x 3.0m / 12' 9" x 9' 10"









Included







Suitable for roof insulation?






No

Palmako Iris 11.1m² Log Cabin is a very neat and attractive log cabin which is ideally sized to fit many gardens whilst at the same time offers a large and very practical space inside that can easily be used throughout the year. Featuring 44mm wall logs and double glazing with a roof insulation option - The Palmako Iris is an ideal Office, Play Room, Gym or can be put to many other uses.

Dimensions	
Floor area:	11.1 m²
Roof dimensions:	15.1 m ² Roof area
Side wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.45 m (8′ 0″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	15.1 m²
Roof angle:	13.2°
Windows & Doors	
Doors:	1 x Double Door 1610mm x 1820mm
Windows:	2 x Single Windows: 700mm x 1210mm (1 Left and 1 Right Handed) Creating 1 x Double Window



Black Shingles

EPDM Rubber 🗹

Iris 19.1 5.1m x 3.9m / 16' 8" x 12' 9"









Included








Suitable for roof insulation?





Palmako Iris 19.1m/sq Log Cabin is a large simple and yet very attractive Double Glazed 44mm log cabin. The Palmako Isabel Log cabin is a Classic 12 months of the year building with its 44mm Walls, Double Glazing and Roof Insulation Option.

Dimensions		
Floor area:	19.1 m²	
Roof dimensions:	26.2 m ² Roof area	
Side wall height:	2.11 m (6′ 11″) ft/in	
Ridge height:	2.62 m (8′ 7″) ft/in	
Roof & Floor		
Roof boards:	19mm Tongue and Grooved Boards	
Floor boards:	19mm Tongue and Grooved Boards	
Roof surface:	26.2 m²	
Roof angle:	15.1°	
Windows & Doors		
Doors:	1 x Double Door 1610mm x 1820mm	
Windows:	3 x Single Windows: 700mm x 1210mm (2 Left and 1 Right Handed) Creating 1 x Double and 1 Single	



noor material options					
Shed Felt	/	Green Shingles	[.]		
Snea Feit	V	Green Sningles	V		
EPDM Rubber	✓	Black Shingles	V		

Claudia 7.4











Included



Glazed



Pressure Treated*

Suitable for roof insulation?



Yes



The Palmako Claudia 7.4m/sq log cabin is an attractive summerhouse style building with a porch canopy on the roof which can be left off at the point of assembly if it is not required. This summer house has a single door in the centre with windows either side and a window in each of the sides of the building making 4 in total, all of which are Outward **Opening Windows.**

Dimensions		
7.4 m²		
11.4 m ² Roof area		
2.05 m (6′ 8″) ft/in		
2.5 m (8′ 2″) ft/in		
Roof & Floor		
19mm Tongue and Grooved Boards		
19mm Tongue and Grooved Boards		
11.4 m²		
18.5°		
Windows & Doors		
1 x Single Door		
4 x Single Window		

Floor Plan 320 22 21 240 21 **Roof Material Options** \checkmark Green Shingles 🗹 **Shed Felt**


Black Shingles

EPDM Rubber

Rooms

Claudia 11.5 | 4m x 3m / 13' 1" x 9' 10"






The Claudia 11.5m² Log Cabin Summer House is a beautiful "Clock House Design" and spacious garden Log Cabin style Summer House ideal as an extension to your living space or simply as an escape in the garden. Superb construction and design mean that this building will be an ideal central feature in the garden or simply a discreet building in the corner.

Assembly

Glazed

Dimensions			
Floor area:	11.5 m²		
Roof dimensions:	21 m² Roof area		
Side wall height:	2.34 m (7′ 8″) ft/in		
Ridge height:	3.47 m (11′ 4″) ft/in		
Roof & Floor			
Roof boards:	19mm Tongue and Grooved Boards		
Floor boards:	19mm Tongue and Grooved Boards		
Roof surface:	21 m²		
Roof angle:	35.2°		
Windows & Doors			
Doors:	1 x Double Door 1244mm x 1936mm		
Windows:	4 x Double Windows: 1003mm x 1336mm Outward Opening		

Included



Pressure

Treated*

No











Included



Glazed



Pressure Treated*

Suitable for roof insulation?






No

Palmako Claudia 19.4m² Log Cabin Summer House is an attractive Double Glazed 44mm log cabin with a large floor area (Footprint is 5.3m x 3.9m). These log cabins are light and airy due to the large doors and windows. The Double Glazed Doors and Large Windows make this cabin an ideal studio or garden office. A superb addition to any garden, it features 44mm wall planks, full double glazed doors and 8 outward opening windows.

Dimensions	
Floor area:	19.4 m²
Roof dimensions:	29.6 m ² Roof area
Side wall height:	2.22 m (7′ 3″) ft/in
Ridge height:	3.63 m (11′ 10″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	29.6 m²
Roof angle:	35.2°
Windows & Doors	
Doors:	1 x Double Door 1610mm x 1820mm
Windows:	8 x Single Windows: 700mm x 1210mm (2 Left and 2 Right Handed) Creating 4 x Doubles



Green Shingles 🗹

Black Shingles

EPDM Rubber


Shed Felt

Rooms

Heidi 11.7








The Palmako Heidi is an attractive and compact outdoor building, perfect for using as a garden retreat for relaxing or as a garden office. The 11.7m² timber building is made from high quality Nordic Spruce using 44mm interlocking chalet cut logs, pressure treated foundation beams for longevity and storm braces to protect against wind damage.

Assembly

Glazed

11.7 m ² 18.6 m ² Roof area 2.22 m (7' 3") ft/in 2.44 m (8' 0") ft/in
18.6 m ² Roof area 2.22 m (7′ 3″) ft/in 2.44 m (8′ 0″) ft/in
2.22 m (7′ 3″) ft/in 2.44 m (8′ 0″) ft/in
2.44 m (8′ 0″) ft/in
19mm
19mm
19mm
18.6 m²
2.2°
1 x Double Door (1510mm x 1867mm)
1 x Window (1000mm x 1780mm)

Included



Pressure

Treated*

No

Yes

Heidi 19.7











Included



Glazed





Treated*

Suitable for roof insulation?






No

The Palmako Heidi 19.7m/sq Log Cabin is a well-presented log cabin with a modern look. With two large windows allow for natural light and great views this log cabin will look perfect in any modern outdoor space or garden. Constructed using 70mm wall this building will be strong and long lasting which are the ideal properties for a building of this size.

Dimensions			
Floor area:	19.7 m²		
Roof dimensions:	36.5 m² Roof area		
Side wall height:	2.29 m (7′ 6″) ft/in		
Ridge height:	3.02 m (9′ 10″) ft/in		
Roof & Floor			
Roof boards:	19mm		
Floor boards:	28mm		
Roof surface:	36.5 m²		
Roof angle:	9.2°		
Windows & Doors			
Doors:	1 x Double Door (1580mm x 2100mm)		
Windows:	2 x Window (1550mm x 2060mm) 2 x Window (940mm x 2100mm)		



ROOI	iviatei i	ai Options	
Shed Felt EPDM Rubber	Z	Green Shingles Black Shingles	

Heidi 19.7









Rooms



Included



Glazed





Pressure

Treated*

Suitable for roof insulation?






Yes No

The Palmako Heidi 22.8m/sq Log Cabin is an attractive multi room cabin with large double windows to the main room allowing the natural light to flood in. The smaller room has a highly positioned window for added privacy as it may be used as a bedroom or bathroom area. This large log cabin would suit a variety of different purposes whether it be an extension to the living space or used as a deluxe garden office with the addition of toilet or kitchen facilities.

Dimensions	
Floor area:	22.8 m ²
Roof dimensions:	34.6 m ² Roof area
Side wall height:	2.36 m (7' 8") ft/in
Ridge height:	2.7 m (8′ 10″) ft/in
Roof & Floor	
Roof boards:	19mm
Floor boards:	28mm
Roof surface:	34.6 m²
Roof angle:	9º
Windows & Doors	
Doors:	1 x Double Door (1580mm x 2100mm) 1 x Single Door (835mm x 2023mm)
Windows:	2 x Windows (1550mm x 2060mm) 1 x Window (1550mm x 540mm)



Roof	Materia	al Options	
Shed Felt EPDM Rubber	Z	Green Shingles Black Shingles	

Bingham 1 I











Included



Glazed





Suitable for roof insulation?






No Yes

The Norland Bingham 1 Log Cabin is manufactured using 44mm wall logs and includes double glazing. This is the classic combination used in most Log Cabins Garden Office and similar styled buildings in the UK. The building maintains a good headroom clearance with its 2.11m wall height yet it also complies with planning where appropriate with its2.38m ridge height.

Dimensions		
Floor area:	7.43 m ²	
Roof dimensions:	3.50 x 3.90 m (11′ 5″ x 12′ 9″) ft/in	
Wall height:	2.11 m (6′ 11″) ft/in	
Ridge height:	2.34 m (7′ 8″) ft/in	
Roof & Floor		
Roof boards:	18x90 mm	
Floor boards:	18x90 mm	
Roof surface:	13.71 m²	
Roof angle:	5.5°	
Windows & Doors		
Doors:	1 x Double Door 149.4 x 195.7cm	
Windows:	2 x Single Column Windows 56 x 178.8cm - Inward Opening	



1(001)	Materia	пориона	
Shed Felt	~	Green Shingles	×
EPDM Rubber		Black Shingles	











Optional







Suitable for roof insulation?






No

Palmako Klara 4.7m/sq Log Cabin is a useful and compact log cabin with 28mm wall planks. This wooden garden building offers the ideal place for storing your garden equipment or furniture, or use it as a garden retreat. This garden building has a single opening window and single all- wood door. This log cabin can be built with the door to the left or the right in the front wall and window is positioned accordingly.

Dimensions	
Floor area:	4.7 m²
Roof dimensions:	8 m² Roof area
Side wall height:	1.94 m (6′ 4″) ft/in
Ridge height:	2.35 m (7′ 6″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	Optional
Roof surface:	8 m²
Roof angle:	16.2°
Windows & Doors	
Doors:	1 x Single Door: 740mm x 1750mm (solid Wood - No Glazing)
Windows:	1 x Single Window: 990mm x 1290mm Tilt and Turn Operation



10011	Matchie	порионз	
Shed Felt	∠	Green Shingles	V
EPDM Rubber	×	Black Shingles	V

Klara 10.4 | 3.6m x 3m / 11' 9" x 9' 10"









Optional







Suitable for roof insulation?






No

Palmako Klara 10.4m² has 28mm wall planks and a footprint of 3.6m x 3.0m. The cabin comes with double doors and a window to the side of the doors. Owing to its simplicity and its size these log cabins are versatile and attractive cabins - this is an ideal building to enjoy your garden with from Simply Log Cabins.

Dimensions	
Floor area:	10.4 m²
Roof dimensions:	15.4 m ² Roof area
Side wall height:	1.94 m (6′ 4″) ft/in
Ridge height:	2.47 m (8′ 1″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	Optional
Roof surface:	15.4 m²
Roof angle:	16.1°
Windows & Doors	
Doors:	1 x Double Door: 1610mm x 1820mm
Windows:	1 x Single Window: 990mm x 1290mm Tilt and Turn Operation



Klara 17











Optional







Treated*

Suitable for roof insulation?






No

The Palmako Klara Log Cabin is available in 4.8m x 3.6m, with a 5m Gable end PLUS 50cm Canopy. The Palmako Klara Log Cabin is superb value large log cabins ideal for many purposes. It is one of the best sellers in the Palmako range. Featuring a double door and 2 x Tilt and Turn Single Windows it represents superb value for money whilst still retaining the superb quality standard expected from the Palmako range.

Dimensions	
Floor area:	17 m²
Roof dimensions:	22.4 m ² Roof area
Side wall height:	1.82 m (5′ 11″) ft/in
Ridge height:	2.47 m (8′ 1″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	Optional
Roof surface:	22.4m²
Roof angle:	14.6°
Windows & Doors	
Doors:	1 x Double Doors 1610mm x 1820mm
Windows:	2 x Single Window: 765mm x 990mm



KUUI	iviatei id	ai Options	
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	

Eva 8.7











Included



Glazed





Suitable for roof insulation?





No Yes

The Palmako Eva 8.7m2 BBQ Lodge is supremely striking Garden Building that can easily be used throughout the year regardless of how cold the weather may become. Constructed of Machined Semi-Round Effect Logs combined with high quality Double Glazing; this style of Outdoor Dining Log Cabin has been popular in Finland and other North Eastern European countries for many years.

Dimensions	
Floor area:	8.7 m²
Roof dimensions:	18 m² Roof area
Wall height:	1.37 m (4′ 5″) ft/in
Ridge height:	3.14 m (8′ 2″) ft/in
Roof & Floor	
Roof boards:	19mm
Floor boards:	19mm
Roof surface:	18 m²
Roof angle:	45°
Windows & Doors	
Doors:	1 x Single Doors 1550mm x 750mm
Windows:	3 x Single Window: 590mm x 690mm

*Pressure treated base beams and floor bearers only.

Floor Plan 8.7 m^2 **Roof Material Options** X Green Shingles 🗹 **Shed Felt** EPDM Rubber 🔀 Black Shingles

Eva 11.4 | 3.79m Dia / 12'5"









Included



Glazed



Assembly



Pressure Treated*

Suitable for roof insulation?






No Yes

The Palmako Eva BBQ Lodge Log Cabin is a striking log cabin featuring 44mm Semi-Rounded Wall Planks to give a natural effect finish which is an Ideal Outdoor Dining area that can easily be used All Year Round. It is both a functional and Very Attractive Octagonal Barbecue House style building featuring a beautiful Optional Barbecue with Smoke Hood.

Dimensions	
Floor area:	11.4 m²
Roof dimensions:	22 m² Roof area
Wall height:	1.37 m (4′ 5″) ft/in
Ridge height:	3.46 m (8′ 2″) ft/in
Roof & Floor	
Roof boards:	19mm
Floor boards:	19mm
Roof surface:	22 m²
Roof angle:	45°
Windows & Doors	
Doors:	1 x Single Doors 1550mm x 750mm
Windows:	4 x Single Window: 590mm x 690mm



Summer Houses



Out of all the building types, log cabins are the most versatile, they can be perfect for extending living spaces, creating garden offices, home gyms, and much more. We pride ourselves on our superb quality and make sure all our log cabins are constructed using the highest quality grade North European spruce, imported directly from Eastern Europe.













Included



Glazed





Treated*

Suitable for roof insulation?






No Yes

The Norland Hampstead is styled in the classic Branson Cabin styling with its integral canopy. This garden building cab be built as shown in the image or in reverse so is ideal for any corner of the garden. Featuring 44mm walls and superb quality Norland Double Glazing along with the roof insulation option this log cabin is ideal for year round use as an extension to your living space or as an office etc.

Dimensions		
Floor area:	11.97 m²	
Roof dimensions:	3.76 m x 4.8 m (12' 4" x 15' 8") ft/in	
Wall height:	2 m (6′ 8″) ft/in	
Ridge height:	2.39 m (7′ 10″) ft/in	
Roof & Floor		
Roof boards:	18x90 mm	
Floor boards:	18x90 mm	
Roof surface:	18.72 m²	
Roof angle:	15 °	
Windows & Doors		
Doors:	1 x Double Door (1.494m x 1.85m)	
Windows:	2 x Single Windows (56cm x 1.78m)	



Scottie











Included







Suitable for roof insulation?





No

The Norland Scottie Corner Log Cabin is a perfect, low ridge garden building designed to sit in the corner of the garden. With its low, unobtrusive roof lines and its 40mm walls along with double glazing this building is discreet yet quietly impressive. This style of corner log cabin is one of the most popular on the market as it makes amazingly efficient use of space whilst still offering a very useful and practical internal area.

Dimensions	
Floor area:	4.8 m ²
Roof dimensions:	2.82 m x 2.82 m (9′ 3″ x 9′ 3″) ft/in
Wall height:	2.05 m (6′ 8″) ft/in
Ridge height:	2.41 m (7′ 10″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	18x90 mm
Roof surface:	8.25 m²
Roof angle:	15 °
Windows & Doors	
Doors:	1 x Double Doors: 1494mm x 1736mm
Windows:	2 x Single Column Windows 525mm x 1560mm - Inward Opening (Tilt and Turn Operation)



Green Shingles 🗹

Black Shingles

EPDM Rubber 🔀

Shed Felt

Domeo 1











Included







Treated*

Suitable for roof insulation?





No

The Norland Domeo 1 log cabin features beautiful aluminium door and window styling with a sliding door opening to the front aspect. The Domeo 1 is a 3m x 3m cabin that would be perfect as a leisure room or garden office giving you spectacular lighting and views out over the garden. The building has a pent roof style which would be perfectly suited for long lasting EPDM rubber roofing material.

Dimensions		
Floor area:	8.48 m ²	
Roof dimensions:	3.20 x 3.20 m (10′ 5″ x 10′ 5″) ft/in	
Wall height:	2.22 m (7′ 2″) ft/in	
Ridge height:	2.39 m (7′ 10″) ft/in	
Roof & Floor		
Roof boards:	18x90 mm	
Floor boards:	18x90 mm	
Roof surface:	9.59 m²	
Roof angle:	2.2°	
Windows & Doors		
Doors:	1x Sliding Door (W 2041 x H 2026mm)	
Windows:	1 x Single Fixed Window: (W 1003 x H 2026mm)	

Floor Plan 319,6 300 291,2 300 291 **Roof Material Options** \checkmark Green Shingles 🗵 **Shed Felt** EPDM Rubber 🗹 Black Shingles X

Domeo 1









Rooms



Included



Glazed



Assembly



Pressure Treated*

Suitable for roof insulation?





No Yes

The Norland Domeo 3 V2 is a stylish building with a very contemporary feel. Each of the two rooms of this building have a double sliding door and large full length fixed window to allow for ample ventilation and light. There is a single wooden internal door between the two rooms to allow access from the inside as well as the outside.

Dimensions		
Floor area:	22.80 m²	
Roof dimensions:	6.09 x 4.22 m (19′ 11″ x 13′ 10″) ft/in	
Wall height:	2.22 m (7′ 2″) ft/in	
Ridge height:	2.39 m (7′ 10″) ft/in	
Roof & Floor		
Roof boards:	18x90 mm	
Floor boards:	18x90 mm	
Roof surface:	24.47 m²	
Roof angle:	2.4°	
Windows & Doors		
Doors:	1 x Internal Solid Wood Door: (W 835mm x H 1957mm) 1 x Large Sliding Door: (W 3039mm x H 2026mm) 1 x Large Sliding Door: (W 2041mm x H 2026mm)	
Windows:	2 x Single Fixed Windows: (W 1003mm x H 2026mm)	

Floor Plan 608,4 588,8 204.1x202.6

Domeo 4











Included







Suitable for roof insulation?





No

The Norland Domeo 4 Log Cabin is a beautiful glass fronted garden building that can be used as either a leisure space or a working environment away from the confines of the house. The Domeo 4 has 1 large room and features a double sliding door taking up the front aspect of the cabin and a smaller sliding door to the side which can be positioned to the left or right during assembly.

	-	
Dimensions		
Floor area:	12.82 m²	
Roof dimensions:	3.42 x 4.38 m (11' 2" x 14' 4") ft/in	
Wall height:	2.22 m (7' 3") ft/in	
Ridge height:	2.39 m (7′ 10″) ft/in	
Roof & Floor		
Roof boards:	18x90 mm	
Floor boards:	18x90 mm	
Roof surface:	14.22 m²	
Roof angle:	1.9°	
Windows & Doors		
Doors:	1 x Single Sliding Door:	
	(W 4000mm x H 2026mm)	
	1 x Double Sliding Door:	

Floor Plan 437,6 409,2 341,5 321,9 400x202.6 **Roof Material Options** Green Shingles 🗵

(W 2041mm x H 2026mm)

EPDM Rubber 🗹

Shed Felt

Black Shingles X

Redmile 2









Rooms



Included



Glazed





Treated*

Suitable for roof insulation?





No

The Norland Barbados 6 features a pent style roof and lots of glass giving this large garden building a lovely aspect onto the garden. The Bingham 6 Log Cabin is ideal for many purposes including as a garden office, an extension to the living space or simply as a general purpose garden building.

Dimensions		
Floor area:	13.87 m²	
Roof dimensions:	3.51 x 5.25 m (11' 6" x 17' 2") ft/in	
Wall height:	2.11 m (6′ 11″) ft/in	
Ridge height:	2.51 m (8′ 2″) ft/in	
Roof & Floor		
Roof boards:	18x90 mm	
Floor boards:	18x90 mm	
Roof surface:	18.9 m²	
Roof angle:	13°	
Windows & Doors		
Doors:	1 x Double Door 149.4 x 185cm 1 x Single Door 83.5 x 185cm	
Windows:	1 x Double Window 98.5 x 133.6cm	

Floor Plan

Roof Material Options				
Shed Felt	✓	Green Shingles	✓	
EPDM Rubber	X	Black Shingles	✓	

Scotland 1











Included







Suitable for roof insulation?





No

The Norland Scotland 1 Corner Log Cabin is a classic 3m x 3m corner log cabin featuring superb quality double Doors and Tilt and Turn Windows. Almost every manufacturer produces a building of this style but what really sets the Norland Scotland 1 apart from its competitors is: The superb quality of the slowly grown Nordic spruce used in its construction, the 40mm wall logs (many competitors use 28mm) the double glazing and the ridge height.

Dimensions			
Floor area:	7.4 m ²		
Roof dimensions:	3.22 x 3.22 m (10′ 6″ x 10′ 6″) ft/in		
Wall height:	2.05 m (6′ 8″) ft/in		
Ridge height:	2.46 m (8′ 1″) ft/in		
Roof & Floor			
Roof boards:	18x90 mm		
Floor boards:	18x90 mm		
Roof surface:	10.75 m²		
Roof angle:	15°		
Windows & Doors			
Doors:	1 x Double Door (149.4 x 173.6cm)		
Windows:	2 x Single Column Windows		
	(52.5 x 156cm)		

Floor Plan IAR4 IAR5 45.8 IAR5 45.8 IAR5 45.8 IAR5 45.8 45,8 8'5'9 IAR **Roof Material Options**

ittoor intaterial options				
	Shed Felt	\checkmark	Green Shingles	lacksquare
	EPDM Rubber	X	Black Shingles	✓

Scotland 2











Included

Glazed





Treated*

Suitable for roof insulation?






No

The Norland Scotland Log Cabin is a classic extended corner style log cabin / summer house. Unlike many buildings similar to this the Norland Scotland is manufactured using 40mm Chalet Cut Corner Jointed Wall Logs (they are often 28mm) and Double Glazing making this an ideal all-year-round building. The Norland Scotland features Tall, Column Style, Windows which are tilt and turn style opening for plenty of ventilation on those hot summer days.

Dimensions		
Floor area:	11.40 m²	
Roof dimensions:	3.22 x 4.90 m (10′ 6″ x 16′ 1″) ft/in	
Wall height:	2.05 m (6' 8") ft/in	
Ridge height:	2.46 m (8′ 1″) ft/in	
Roof & Floor		
Roof boards:	18x90 mm	
Floor boards:	18x90 mm	
Roof surface:	16.35 m²	
Roof angle:	15°	
Windows & Doors		
Doors:	1 x Double Door (149.4 x 173.6cm)	
Windows:	3 x Single Column Windows	
	(52.5 x 156cm)	

Floor Plan



Roof	Materia	al Options	
Shed Felt EPDM Rubber	X	Green Shingles Black Shingles	











Included



Glazed





Treated*

Suitable for roof insulation?





No Yes

The Palmako Veronica Summer House Pavillion 2 & 4: 6.7m² is part of our Palmako Summer Houses range. The Palmako Veronica Summer House is the smallest summer house in this collection and is available with two windows (Veronica 2) or four windows (Veronica 4). This stylish wooden garden building would look fantastic in any garden and is ideal for entertaining or just relaxing and enjoying your outdoor space.

Dimensions	
Floor area:	6.7m²
Roof dimensions:	12.6m ² Roof area
Wall height:	2.15 m (7′ 1″) ft/in
Ridge height:	3.1 m (10′ 2″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	19mm
Roof surface:	12.6 m ²
Roof angle:	32°
Windows & Doors	3
Doors:	1 x Double Doors 1244mm x 1845mm
Windows:	2 x Double Windows (5 x Solid Sides) OR 4 x Double Windows (3 x Solid Sides)

Floor Plan 35 289 35 VERONICA 2 is Shown Veronica 4 Dimensions are Identical but with 4 Windows **Roof Material Options** Green Shingles 🗹 **Shed Felt** EPDM Rubber Black Shingles











Included



Glazed









Yes



The Palmako Veronica 4 Summer House 9.2m2 is a classic and simple design. It features a double door, 4 x double windows and 3 x Solid Walls, all of these can be placed in any order so it could be 4 x Windows, 1 x Door, 3 x Blank Walls or 2 x Window, 1 x Double Door, 2 x Windows, 3 x Solid Wall etc. The Palmako Veronica 4 is simply a stunning summer house in a pavilion style. This light and airy summerhouse creates a beautiful Garden Feature.

Dimensions	
Floor area:	9.2m²
Roof dimensions:	15.3m ² Roof area
Wall height:	2.22 m (7′ 3″) ft/in
Ridge height:	3.26 m (10′ 8″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	19mm
Roof surface:	15.3 m²
Roof angle:	32°
Windows & Doors	
Doors:	1 x Double Doors 1244mm x 1845mm
Windows:	4 x Double Windows

Floor Plan 337 9.2 m^2 406 **Roof Material Options** Green Shingles 🗹 **Shed Felt** EPDM Rubber Black Shingles











Included



Glazed



Assembly



Treated*

Suitable for roof insulation?






Yes No

The Palmako Veronica 7 Summer House is a perfect octagonal summer house, featuring 7 x double windows and 1 x double door there simply could not be a more brightly lit or appealing summer house. Simply ideal as a beautiful feature in the garden as well as offering many practical uses, the Palmako Veronica Log Cabin Summer House is a superb value accessory to any garden.

Dimensions	
Floor area:	9.2m²
Roof dimensions:	15.3m ² Roof area
Wall height:	2.22 m (7′ 3″) ft/in
Ridge height:	3.26 m (10′ 8″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	19mm
Roof surface:	15.3 m²
Roof angle:	32°
Windows & Doors	
Doors:	1 x Double Doors 1244mm x 1845mm
Windows:	7 x Double Windows



Sussex 1











Included



Glazed



Easy Assembly



Pressure Treated*

Suitable for roof insulation?






No Yes

The Norland Sussex 1 is brand new for 2020! It is a beautifully presented building made from 44mm north European spruce interlocking timbers with a double tongue and groove. It has a modern pent roof with an all-important ridge height of less than 2.5m, standing at 2.39m at its highest point. It features bi-fold doors which are ideal for opening up the internal space to enjoy full view of your garden over a width span of 260.0cm.

Floor area: Roof dimensions:	11.10 m²
Roof dimensions:	
	4.50 x 4.10 m (14′ 9″ x 13′ 5″) ft/in
Wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.39 m (7′ 10″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	18x90 mm
Roof surface:	18.60 m²
Roof angle:	4.4°
Windows & Doors	
Doors:	1x Bi-Fold Door: (260.0cm x 195.7cm)

*Pressure treated base beams and floor bearers only.





















Suitable for roof insulation?





No Yes

The Norland Sussex 2 is a great addition to any garden and is new for 2020! It features luxuriously on trend bi-fold doors and tilt and turn inward opening windows all to the front of the building. All glass is double glazed premium (3mm glass 6mm cavity 3mm glass) for added heat and sound insulation properties. This modern building with pent roof allows you to fully enjoy and escape in your garden in a large 19.71m² space including a great 80cm canopy for shelter.

Dimensions	
Floor area:	19.71 m²
Roof dimensions:	4.70 x 6.30 m (15′ 5″ x 20′ 8″) ft/in
Wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.39 m (7′ 10″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	18x90 mm
Roof surface:	30.20 m²
Roof angle:	3.7°
Windows & Doors	
Doors:	1x Double Glazed Bi-Fold Door: (260.0cm x 195.7cm)
Windows:	2x Double Glazed Single Windows (56.0cm x 178.0cm)

Floor Plan

Roof	Materia	al Options	
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	

Lisa 11.5











Included





Suitable for roof insulation?






No

Palmako Lisa 11.5m² Log Cabin are lovely Garden Log Cabins which are ideal for areas of limited space. Having a footprint of 4m x 3m with a low ridge height of only 2.34m this log cabin is a simple feature in the garden ideal for many uses.

Dimensions	
Floor area:	11.5 m²
Roof dimensions:	16.1 m² Roof area
Side wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.34 m (7′ 8″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	16.1 m²
Roof angle:	4.4°
Windows & Doors	
Doors:	1 x Double Door 114cm x 180cm
Windows:	2 x Double Windows: 900mm x 1240mm Outward Opening



Lisa 14.2











Included







Suitable for roof insulation?






No Yes

Palmako Lisa 14.2m² Log Cabin is a simple and yet very attractive Double Glazed 44mm log cabin. The Palmako Jody Log cabin is light and airy due to the large fully glazed doors and large windows (all glass is DOUBLE GLAZED).

Dimensions	
Floor area:	14.2 m ²
Roof dimensions:	19.2 m² Roof area
Side wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.39 m (7′ 8″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	19.2 m²
Roof angle:	4 °
Windows & Doors	
Doors:	1x Double Door 1610mm x 1820mm
Windows:	2 x Single Windows: 700mm x 1210mm (2 Left and 2 Right Handed) Creating 2 x Doubles



Lisa 19.4











Included



Glazed **Assembly**



Suitable for roof insulation?






No Yes

The Palmako Lisa 19.4m² Log Cabin is a very attractive Double Glazed 44mm log cabin. The Palmako Lisa 19.4m/sq Log Cabin is light and airy due to the large fully glazed doors and large windows (all glass is DOUBLE GLAZED). With a Maximum Height of below 2.5m this lovely building provides ample space whilst also giving great headroom inside the Log Cabin.

Dimensions	
Floor area:	19.4 m²
Roof dimensions:	25.4 m² Roof area
Side wall height:	2 m (6′ 11″) ft/in
Ridge height:	2.34 m (7′ 9″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	25.4 m²
Roof angle:	5.2°
Windows & Doors	
Doors:	1 x Double Door 1610mm x 1820mm
Windows:	4 x Single Windows: 700mm x 1210mm (2 Left and 2 Right Handed)



Melanie 6.6/6.8 low/6.8/6.8 + 8.3/9.6/10.7









Rooms



Included



Glazed





Treated*




No Yes



The summer house log cabins are light and airy garden buildings with plenty of potential, ideal uses include a place to relax and enjoy the garden, as a place to entertain friends and family or as an additional room for the house where space is needed. The log cabin is great value for money and would be an impressive and attractive addition to any garden setting.

Dimensions Based	on the Melanie 6.6m ² (3m x 3m)
Floor area:	6.6 m ²
Roof dimensions:	8.4 m² Roof area
Side wall height:	2.22 m (7′ 3″) ft/in
Ridge height:	3.02 m (9′ 10″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	8.4 m ²
Roof angle:	25°
Windows & Doors	
Doors:	1x Double Door 1.14m x 1.86m
Windows:	2x Double Window 0.9m x 1.23m

Floor Plan Based on the Melanie 6.6m²



Roof Material Options			
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	

Bret 1











Included







Suitable for roof insulation?






No Yes

The Palmako Bret 1 comes in this attractive design with a modern flat roof and would make a wonderful addition for any garden, ideal to use as an outdoor office or a relaxation space. The 14.8m² building is constructed using Nordic Spruce, 44mm thick interlocking timber logs and 19mm tongue and groove roof for a high quality finish.

Dimensions	
Floor area:	14.8 m²
Roof dimensions:	20.4 m ² Roof area
Wall height:	2.14 m (7′ 0″) ft/in
Ridge height:	2.54 m (8′ 4″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	20.4 m²
Roof angle:	2.8°
Windows & Doors	
Doors:	1 x Double Door 151cm x 186cm
Windows:	2 x Single Windows: 66cm x 168cm opening



Roof Material Options			
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	

Bret 2











Included







Suitable for roof insulation?






No Yes

The Palmako Bret 2 comes in a grand 19.9m² design to enhance any garden and will create plenty of interior space perfect for using as a home office, gym or hobby room. The Bret 2 is constructed from Nordic Spruce using 44mm thick chalet cut logs for better protection against wind and rain. The Palmako Bret 2 features double doors to provide easy access and two single windows placed on either side of the doors, to create a bright and airy area with ample ventilation.

Dimensions	
Floor area:	19.9 m²
Roof dimensions:	26.3 m ² Roof area
Wall height:	2.14 m (7′ 0″) ft/in
Ridge height:	2.54 m (8′ 4″) ft/in
Roof & Floor	
Roof boards:	19mm Tongue and Grooved Boards
Floor boards:	19mm Tongue and Grooved Boards
Roof surface:	26.3 m²
Roof angle:	2.4°
Windows & Doors	
Doors:	1 x Double Door 151cm x 186cm
Windows:	2 x Single Windows: 66cm x 168cm opening



Roof Material Options			
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	



















Yes



The Palmako Hanna 7.6m² is one of our best-selling pavilion style summer houses featuring 34mm wall planks. This hexagonal summer house is perfect for creating additional space in the garden and is ideal as a retreat, dining or play area.

Dimensions	
Floor area:	7.6 m ²
Roof dimensions:	14.8 m ² Roof area
Wall height:	2.27 m (7′ 5″) ft/in
Ridge height:	3.36 m (11′ 0″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	19mm
Roof surface:	14.8 m²
Roof angle:	32°
Windows & Doors	
Doors:	1 x Double Doors 1144mm x 1867mm
Windows:	2 x Double Windows 990mm x 1290mm

Floor Plan 303 $7.6 \, \mathrm{m}$ 385 **Roof Material Options** Green Shingles 🗹 **Shed Felt**

Black Shingles

EPDM Rubber 🔀

Hanna 14.1 | 4.2m Dia / 13'9"









Included Glazed











The Palmako Hanna 14.1m² is a large, double glazed octagonal pavilion style summer house that would look stylish in any garden. This log cabin summer house features double doors and four double windows - all double glazed. The Palmako Hannah Summer House is an ideal Log Cabins style summer house to use 12 months of the year.

Dimensions	
Floor area:	14.1 m²
Roof dimensions:	24 m² Roof area
Wall height:	2.22 m (7′ 3″) ft/in
Ridge height:	3.71 m (12′ 2″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	19mm
Roof surface:	24 m²
Roof angle:	32°
Windows & Doors	
Doors:	1 x Double Doors 1244mm x 1896mm
Windows:	4 x Double Windows 1003mm x 1336mm

Floor Plan 421 $14.1 \, \text{m}^2$ **Roof Material Options** Green Shingles 🗹 **Shed Felt** EPDM Rubber 🔀 Black Shingles

Hanna 20.3 5.7m x 4.2 Dia / 18' 8" x 13' 9"









Floor Included



Double Glazed



Pressure

Treated*

Suitable for roof insulation?





Yes No

The Palmako Hanna 20.3m² is a large extended octagonal, double glazed Summer House Pavilion constructed using Log Cabins Style corner Joints. This very impressive pavilion styled garden summer house would look stylish in any garden. The Palmako Hanna 20.3m² building has double doors with two fixed windows - one to either side of the double door and four double windows that can be fitted into any of the 6 shorter sides. All Glass in this Pavilion is Double Glazed.

Dimensions	
Floor area:	20.3 m²
Roof dimensions:	32.6 m ² Roof area
Wall height:	2.22 m (7′ 3″) ft/in
Ridge height:	3.71 m (12′ 2″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	19mm
Roof surface:	32.6 m²
Roof angle:	32°
Windows & Doors	
Doors:	1 x Double Doors with Fixed Window at Either Side 2390mm x 1896mm
Windows:	4 x Double Windows 1003mm x 1336mm

20.3 m²

Floor Plan

Roof Material Options			
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	

Garages



Garages are the perfect way to keep your car safe.

With easy assembly and quality assured, our garages are a great way option when looking for car storage, workshop or a general hobby room.



Roger 19 💢 3.6m x 5.5m / 11′ 9″ x 18′ 0″















Suitable for roof insulation?






No Yes

The Palmako Roger Garage is a Garage with a footprint of 3.6m x 5.5m and 3 options of Garage Door. The timber garages have an extremely sturdy roof construction. This wooden Log Cabins Style Garage from Palmako offer an excellent alternative to brick built and at a fraction of the cost! Buy Log Cabin Garages from Simply Log Cabins.

Dimensions	
Floor area:	19 m²
Roof dimensions:	26.3 m ² Roof area
Wall height:	2.17 m (7′ 1″) ft/in
Ridge height:	2.76 m (9′ 0″) ft/in
Roof & Floor	
Roof boards:	19mm
Floor boards:	N/A
Roof surface:	26.3 m²
Roof angle:	16.3°
Windows & Doors	
Doors:	3 different garage door options Includes:1 x Single Doors 835mm x 1788mm
Windows:	1 x Double Windows: 1290mm x 990mm



Roger 23 | 4.5m x 5.5m / 14' 9" x 18' 0"















Suitable for roof insulation?






No Yes

The Palmako Roger Garage is a Garage with 3 options of Garage Door. The timber garages have an extremely sturdy roof construction. This wooden Log Cabins Style Garage from Palmako offer an excellent alternative to brick built and at a fraction of the cost! Buy Log Cabin Garages from Simply Log Cabins.

Dimensions	
Floor area:	23.9 m²
Roof dimensions:	31.7 m² Roof area
Wall height:	2.17 m (7′ 1″) ft/in
Ridge height:	2.87 m (9′ 4″) ft/in
Roof & Floor	
Roof boards:	19mm
Floor boards:	N/A
Roof surface:	31.7 m²
Roof angle:	15.7°
Windows & Doors	
Doors:	3 different garage door options Includes:1 x Single Doors 835mm x 1788mm
Windows:	1 x Double Windows: 1290mm x 990mm



Roger 27 5.4m x 5.4m / 17' 8" x 17' 8"















Suitable for roof insulation?






No Yes

The Palmako Roger Garage is a Garage with 3 options of Garage Door. The timber garages have an extremely sturdy roof construction. This wooden Log Cabins Style Garage from Palmako offer an excellent alternative to brick built and at a fraction of the cost! Buy Log Cabin Garages from Simply Log Cabins.

Dimensions	
Floor area:	27.7 m²
Roof dimensions:	37.8 m² Roof area
Wall height:	2.3 m (7′ 6″) ft/in
Ridge height:	3.12 m (10′ 2″) ft/in
Roof & Floor	
Roof boards:	19mm
Floor boards:	N/A
Roof surface:	37.8 m²
Roof angle:	15.7°
Windows & Doors	
Doors:	3 different garage door options Includes:1 x Single Doors 835mm x 1900mm
Windows:	1 x Double Windows: 1290mm x 990mm



Roger 27

Rasmus | 3.6m x 5.5m / 11′ 9″ x 18′ 0″















Suitable for roof insulation?






Yes No

The Palmako Rasmus Garage features a low-line roof for an unobtrusive finish in the garden. The Palmako Novel Garage features Log Cabins style Chalet Corner Jointing for excellent durability and weather protection. With its hi-line windows and Pedestrian Access doors the Palmako Rasmus Log Cabins style single garage is an ideal garage or workshop in the garden.

Dimensions	
Floor area:	19.0 m²
Roof dimensions:	24.5 m ² Roof area
Wall height:	2.16 m (7′ 1″) ft/in
Ridge height:	2.53 m (8′ 3″) ft/in
Roof & Floor	
Roof boards:	19mm
Floor boards:	N/A
Roof surface:	24.5 m²
Roof angle:	1.8°
Windows & Doors	
Doors:	3 different garage door options 1 x Single Doors 835mm x 1788mm
Windows:	2 x Hi-Line Windows: 700mm x 430mm Outward Opening Windows

Floor Plan



Roof Material Options			
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	











Included







Suitable for roof insulation?





No Yes

The Osland Dillon 540 Garage is the ideal garage for parking your car, or motorbikes and bicycles, but also a great storage solution for many bulky garden items such lawnmowers, gardening tools and soil, fertiliser, pet supplies or garden furniture.

Dimensions	
Floor area:	15.63 m²
Roof dimensions:	3.40 x 5.80 m (11' 2" x 19' 0") ft/in
Wall height:	2.11 m (6′ 11″) ft/in
Ridge height:	2.74 m (8′ 11″) ft/in
Roof & Floor	
Roof boards:	15x90 mm
Floor boards:	N/A
Roof surface:	21.46 m²
Roof angle:	23°
Windows & Doors	
Doors:	1x Solid Wood Garage Door: 239cm x 202cm 1x Single Door: 77.5cm x 185.0cm
Windows:	1 x Single Window Opening Inward: 99cm (W) x 88.2cm (H)

533,1 339,9

Floor Plan

Roof Material Options			
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	

Dillon 540 Call Us: 01636 858 290 Code: 3415450

















Treated*








This impressive double garage is suitable for storing 2 cars in the main body of the building, there is also a completely separate room to the side of the building with a personal door which would make an excellent bike store or garden tool store. The garage is supplied without the main doors, there is the option to add a door of your choice from a side hung wooden door or an up and over style steel framed door.

Dimensions	
Floor area:	39.42 m²
Roof dimensions:	5.80 x 8.20 m (19' 0" x 26' 10") ft/in
Wall height:	2.28 m (7′ 5″) ft/in
Ridge height:	3.21 m (10′ 6″) ft/in
Roof & Floor	
Roof boards:	18x90 mm
Floor boards:	N/A
Roof surface:	51.66 m ²
Roof angle:	12.5/13.9°
Windows & Doors	
Doors:	3 different garage door options 1 x Single Door 835mm x 1850mm
Windows:	Single Windows 3 x 1500mm x 410mm



Roof	Materia	al Options	
Shed Felt EPDM Rubber	✓	Green Shingles Black Shingles	

Festive Stalls



A charming range of Market Stalls with Discounts available for Bulk Orders. The Market Stalls are of excellent quality and are versatile. Often used as either an outdoor bar or a serving area in a garden or in other environments or for use as a classic market stall or Christmas Market Stalls in the German Christmas Market Style, these market stalls from the German Christmas Market Tradition are simply charming as well as functional.













Included



2 Hatches Included Assembly



Treated*








Palmako Stella Market Stall Log Cabins feature a pre-assembled panel style construction for quick and easy assembly / dis-assembly and re-location. They are an easy-to-use and attractive Market Stall type log cabins which can be used both indoors and outdoors will need shed felt - not included). They are widely used as either as a bar / serving area in the garden or in other environments or as a classic Market Stall, Christmas Market Log Cabin.

Dimensions	
Floor area:	5 m²
Roof dimensions:	8.5 m ² Roof area
Side wall height:	1.82 m (5'11") ft/in
Ridge height:	2.29 m (7' 6") ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	16mm
Roof surface:	8.5 m²
Roof angle:	14.6°
Windows & Doors	
Doors:	1 x Single Door 835mm x 1780mm
Windows:	2 x Pre-Assembled Opening Hatches which can be Opened Independently 1175mm x 823mm




Shed Felt	✓	Green Shingles	X
EPDM Rubber	X	Black Shingles	X

Rooms







Palmako Stella Market Stall Log Cabins are available in two sizes. They feature a pre-assembled panel style construction for quick and easy assembly / dis-assembly and re-location. Both Of this style Stella feature 2 x Serving Hatches which can be opened independently of each other. They are an easy-to-use and attractive Market Stall type log cabins which can be used both indoors and outdoors (outdoors will need shed felt - not included).

Assembly

2 Hatches

Included

Dimensions	
Floor area:	8.2 m ²
Roof dimensions:	12 m² Roof area
Side wall height:	1.89 m (6′ 2″) ft/in
Ridge height:	2.39 m (7′ 10″) ft/in
Roof & Floor	
Roof boards:	16mm
Floor boards:	16mm
Roof surface:	12 m²
Roof angle:	15°
Windows & Doors	
Doors:	1 x Single Door 835mm x 1780mm
Windows:	2 x Pre-Assembled Opening Hatches which can be Opened Independently 1175mm x 823mm

Optional

Floor Plan 323 8.2 m^2 259 51 361 **Roof Material Options** Green Shingles 🗵 **Shed Felt** EPDM Rubber Black Shingles X

Pressure

Treated*

No

Yes

We always put our customers first

Simply Log Cabins is one of the UK's leading on-line suppliers of quality Log Cabins and other garden buildings. Many of our Garden Buildings are delivered direct from our own warehouses direct to you.

Our mission is to supply quality products to our broad customer base, provide good advice on the use of the products & to ensure that our customers receive excellent value for money. One of the main areas of our work is visiting and assessing factories through-out the UK, Europe and Russia with a remit to find the best quality log cabins that we can offer to our customers at the most competitive pricing.

Many of our Sales and Customer Service staff have hands-on experience of assembling log cabins and larger garden buildings and are always pleased to offer tips and advice both before the purchase and during assembly.

Simply Log Cabins Top Service Guarantee ensures that you can be confident that we will stand behind every product we sell. We have a personal sales and customer service representatives at your fingertips 7 days a week 8.00am - 5.00pm.





Call Us: 01636 858 290 www.simplylogcabins.co.uk